



Final Quiz - Putting it Together

LATEST SUBMISSION GRADE

100%

1. Which is the best/proper way to declare that your page uses the HTML5 protocol?

1 / 1 point

- ☒ <!DOCTYPE html>
- ☐ <!html>
- ☐ <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
- ☐ <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 5.01//EN" "http://www.w3.org/TR/html5/strict.dtd">
- ☐ <!DOCTYPE>

✓ Correct

2. Which is the best/proper way to declare that the language for your page is English?

1 / 1 point

- ☐ <html lang="english">
- ☐ <lang="english">
- ☐ <html lang=en>
- ☐ <lang="en">
- ☒ <html lang="en">

✓ **Correct**

3. What is the best/proper way to create the meta-data for your page?

1 / 1 point

- ☐

1	<head>	
2	<meta charset="utf-8">	
3	</head>	
4	<body>	
5	<title>Mister Rogers</title>	
6	</body>	

- ☒

1	<head>	
2	<meta charset="utf-8">	
3	<title>Mister Rogers</title>	
4	</head>	
5		
- ☐

1	<head>	
2	<meta charset=utf-8>	
3	<title>Mister Rogers</title>	
4	</head>	
- ☐

1	<meta charset="utf-8">	
2	<title>Mister Rogers</title>	
3	</meta>	
- ☐

1	<head>	
2	<title>Mister Rogers</title>	
3	</head>	
- ☐

1	<header>	
2	<meta charset="utf-8">	
3	<title>Mister Rogers</title>	
4	</header>	
- ☐

1	<head>	
2	<meta charset="utf-8">	
3	</head>	

✓ **Correct**

4. Which is the best/proper way to declare the header for a page?

1 / 1 point



```
1 <header>
2   <h1>Mister Rogers</h1>
3   <nav>
4 </header>
5   <a href="one.html">one</a>
6   <a href="two.two.html">two</a>
7   <a href="three.html">three</a>
8   <a href="songs.html">Songs</a>
9   </nav>
10
```



```
1 <header>
2   <h1>Mister Rogers</h1>
3   <nav>
4   <a href="one.html">one</a>
5   <a href="two.two.html">two</a>
6   <a href="three.html">three</a>
7   <a href="songs.html">Songs</a>
8   </nav>
9 </header>
10
```



```
1 <head>
2   <h1>Mister Rogers</h1>
3   <nav>
4   <a href="one.html">one</a>
5   <a href="two.two.html">two</a>
6   <a href="three.html">three</a>
7   <a href="songs.html">Songs</a>
8   </nav>
9 </head>
```



```
1 <div id = "header">
2   <h1>Mister Rogers</h1>
3   <div id = "nav">
4     <a href="one.html">one</a>
5     <a href="two.two.html">two</a>
6     <a href="three.html">three</a>
7     <a href="songs.html">Songs</a>
8   </div>
9 </div>
```



Correct

5. Which is the best/proper way to declare a section that has an h2 heading and an unordered list?

1 / 1 point



```
1 <section>
2   <h2>Favorite Foods</h2>
3 </section>    <ul>
4   <li>stuff</li>
5   <li>more</li>
6   <li>stuff</li>
7   <li>again</li>
8 </ul>
9
```



```
1 <section>
2   <h2>Favorite Foods</h2>
3   <ol>
4     <li>stuff</li>
5     <li>more</li>
6     <li>stuff</li>
7     <li>again</li>
8   </ol>
```

7	again	
8		
9	</section>	
10		



1	<section>	
2	<h2>Favorite Foods</h2>	
3		
4	stuff	
5	more	
6	stuff	
7	again	
8		
9	</section>	
10		



1	<section>	
2	<h2>Favorite Foods</h2>	
3	<p>	
4		
5	stuff	
6	more	
7	stuff	
8	again	
9		
10	</p>	
11	</section>	

✓ Correct

6. Which is the best/proper way to declare a section that has an h2 heading and three progress elements?

1 / 1 point

- ☒

```
1 <section>
2   <h2>Achievements</h2>
3   <p>Progress in this course (100%)<progress value="1"></progress><br/>
4     Progress in the Specialization capstone (20%)<progress value="20" max
5       ="100"></progress><br/>
6     Progress in life goals (70%)<progress value="70" max="100"></progress></p>
7 </section>
```
- ☐

```
1 <section>
2   Achievements
3   <p>Progress in this course (100%)<progress>100%</progress><br/>
4     Progress in the Specialization capstone (20%)<progress>20%</progress><br/>
5     Progress in life goals (70%)<progress>70%</progress></p>
6 </section>
```
- ☐

```
1 <section>
2   <h2>Achievements</h2>
3   <p>Progress in this course (100%)<progress value="1"></progress>
4     Progress in the Specialization capstone (20%)<progress value="20" max
5       ="100"></progress>
6     Progress in life goals (70%)<progress value="70" max="100"></progress></p>
7 </section>
```
- ☐

```
1 <section>
2   <h2>Achievements</h2>
3   <p>Progress in this course (100%)<progress>100%</progress><br/>
4     Progress in the Specialization capstone (20%)<progress>20%</progress><br/>
5     Progress in life goals (70%)<progress>70%</progress></p>
6 </section>
```

✓ Correct

7. What is the best/proper way to declare a section that has an h2 heading and uses a detail tag?

1 / 1 point



```
1 <section>
2   <h2>More about me</h2>
3   <details>
4     <summary>My Childhood</summary>
5     <p>stuff happened, I grew up</p>
6   </div>
7 </section>
```



```
1 <section>
2   <h2>More about me</h2>
3   <details>
4     <summary>
5       My Childhood
6     <p>stuff happened, I grew up</p>
7     </summary>
8   </details>
9 </section>
```



```
1 <section>
2   <h2>More about me</h2>
3   <details open>
4     <summary>My Childhood</summary>
5     <p>stuff happened, I grew up</p>
6   </details>
7 </section>
8
```



```
1 <section>
2   <h2>More about me</h2>
3   <details open>
4     <h2>My Childhood</h2>
5     <p>stuff happened, I grew up</p>
6   </details>
7 </section>
```


✓ Correct

8. What is the best/proper way to create a footer that has an image, paragraph, and link? Be careful, that paragraph includes a special entity.

1 / 1 point

- ☐

1	<code><div id = "footer"> <p> This page was created by Mister Rogers & Colleen van Lent. To learn more about web design, visit Intro to Web Design</p></code>	
2	<code></div></code>	
- ☒

1	<code><footer></code>	
2	<code><p></code>	
3	<code> </code>	
4	<code> This page was created by Troy & Colleen van Lent. To learn more about</code>	
5	<code> web design, visit</code>	
6	<code> Intro to Web Design</code>	
7	<code></p></code>	
8	<code></footer></code>	
- ☐

1	<code><div id = "footer"> <p> This page was created by Mister Rogers & Colleen van Lent. To learn more about web design, visit Intro to Web Design</p></div></code>	
---	---	--
- ☐

1	<code><footer> <p> This page was created by Mister Rogers & Colleen van Lent. To learn more about web design, visit Intro to Web Design </p></footer></code>	
---	---	--

✓ Correct