SCA STUDY RESOURCE MANAGEMENT SYSTEM

(www.scastudyresource.com)

Project submitted in partial fulfilment for the award of the degree of

Bachelor of Computer Application

Submitted by

Mohit Kumar Raj Badi (1775018)

Under the Guidance of

Dr. Satya Ranjan Dash

Associate Professor, SCA

School of Computer Applications

Kalinga Institute of Industrial Technology

Deemed to be University

CERTIFICATE OF ORIGINALITY

This is to certify that the project report entitled **SCA Study Resource Management System** submitted to **School of Computer Applications, KIIT Deemed to be University** in partial fulfilment of the requirement for the award of the degree of **BACHELOR OF COMPUTER APPLICATION (BCA) ,** is an authentic and original work carried out by Mr. **Mohit Kumar Raj Badi** with Roll no. **1775018** and Regd. No. **17321554967** under my guidance.

The matter embodied in this project is genuine work done by the student and has not been submitted whether to this University or to any other University / Institute for the fulfilment of the requirements of any course of study.

……. ...…….

Signature of the Student: Signature of the Guide

Date: ……..… Date: ……

Name

Designation

School of Computer Applications
KIIT Deemed to be University, Bhubaneswar

CERTIFICATE

This is to certify that the project work entitled **SCA Study Resource Management System** Submitted by **Mohit Kumar Raj Badi** bearing roll no. **1775018,** is an authentic and original work.

Signature

(Internal Examiner)

Date.....

Signature

(External Examiner)

Date.....

DECLARATION

I , Student name, roll no do hereby declare that the project report entitled **SCA Study Resource Management System** submitted to **School of Computer Applications, KIIT Deemed to be University, Bhubaneswar** for the award of the degree of **BACHELOR OF COMPUTER APPLICATION (BCA) ,** is an authentic and original work carried out by me from 1st March 2020 to 5th May 2020 at School of Computer Applications , KIIT Deemed to be University under the guidance of **Dr. Satya Ranjan Dash**.

Signature of the student

Date.....

ACKNOWLEDGEMENT

The success and outcome of this project required a lot of guidance and assistance from many people and I am extremely fortunate to have got this all along the completion of my project work. Whatever I have done is only due to such guidance and assistance and I would not forget to thank them.

I respect and thank my project mentor Dr. Satya Ranjan Dash, for allowing me to do the project work in this system and providing us all support and guidance which made me complete the project on time. I am extremely grateful to him for providing such a nice support and guidance though he had busy schedule.

I owe my profound gratitude to my friends, who took keen interest on my project work and helped me on the making process of the system, till the completion of our project work by providing all the necessary information for developing a good system.

I am thankful to and fortunate enough to get constant encouragement, support and guidance from all Teaching staffs of School of Computer Applications, KIIT Deemed to be University which helped us in completing our project work. Also, I would like to extend our sincere regards to all the non-teaching staff of School of Computer Applications for their timely support.

Date:

Place:

Signature of the student

Name of the student:

Roll no:

Table of Contents

S.No.	CONTENTS	PAGE No.
1.	**Introduction / Objectives / Scope**	07-08
2.	**System Analysis**	09-24
	Identification of Need	09
	Feasibility Study	10
	Software requirement specifications (SRS)	11
	Software Engineering Paradigm applied	13
	Control Flow diagrams	16
	ERD	23
3.	**System Design**	25-51
	Modularization details	26
	Database design	27
	User Interface Design	31
4.	**Coding**	52-262
	Standardization of the coding	52
	Code Efficiency	257
	Validation checks	258
	Error handling	261
5.	**Testing**	263-271
	Testing techniques and Testing strategies used ***along with the test case designs*** and test reports.	263
	Debugging and Code improvement	271
6.	**Machine Specification**	273
7.	**System Security measures (Implementation of security for the project developed)**	274-276
	Database/data security & Creation of User profiles and access rights	274
8.	Reports and screen (sample screenshots should be included)	277
9.	Future scope and further enhancement of the Project	285
10.	Bibliography / references	286

INTRODUCTION AND OBJECTIVES

Introduction:

This is a Project work undertaken in context of partial fulfillment of BCA. I have tried my level best to make the process of **SCA Study Resource Management System** as simple as possible using Structured & Modular technique & Menu oriented interface. I have tried to design the software in such a way that user may not have difficulty in using this package & further expansion is possible without much effort. Even though I cannot claim that this work to be entirely exhaustive, the main purpose of my exercise is perform each user's activity in computerized way rather than manually which is time consuming. I am confident that this software package can be readily used by non-programming personal avoiding human handled chance of error.

SCA Study Resource Management System is designed for Educational Institutes (like schools, universities, training centers) to manage their study resource.

This project is used by three types of users:

- **Administrator**
- **Student**
- **Faculty**

By using this System, Administrator can view, modify, add and delete all the details section like Study File, Exam File, Faculty, Admin, and Student of the website. The Admin can edit there profile as well .Student can register themselves using the registration form. After registration, The Admin approve the student after that the student can access the resources of the subjects.

Faculty can login to their particular profile and add the study materials that can be accessed by the students. The Faculty can upload the file and delete it so. They can also edit their profile too.

Objectives:

SCA Study Resource Management System is a software application which allows a particular Educational Institute or Training Center to arrange, conduct and manage study resource via online which can be accessed by the students and faculty will get less burden.

SCA Study Resource Management System is very useful for Educational Institute to store the study resources, safe the time of the students and the faculty as well. It will help the Institute and there students and faculty as well.

The effective use of **"SCA Study Resource Management System",** any Educational Institute or training centers can be use it to put all the study resource online that can be accessed by the user anytime and anywhere.

- To deal with On-line Study System in an easy way and an efficient mannered (connection process).
- Specify a privilege for each person to allow each person use this system in a specific purpose and for security concern too.
- Create strong and secrete data base that allow for any connection in a secret way, to prevent any outside or inside attacks.

Scope:

- SCA Study Resource Management System is designed for Educational Institutes (like schools, universities, training centers).
- The system handles all the operations for different users like viewing, adding, deleting, and editing.
- The type of files can be uploaded by the admin and the faculty are pdf, doc, docx, pptx and ppt.
- Providing security of the account.
- Can be accessed anytime and anywhere from any cross platform devices too.
- Reducing the burden and overhead work from the faculty and the students as well.

SYSTEM ANALYSIS

Identification of Needs:

Today, most of the educational institutes are having their study resources for the students by the faculty and others as well and distributing it among the students is a headache for the faculty members and collecting it from the faculty could be challenging for many students.

- Any institute or training center can use this and store there study resource and that can be accessed by the students.
- The file uploaded by the admin and faculty should be of type pdf, doc, docx, pptx and ppt.
- The system helps the faculty member to upload there study material of their prescribed subject.
- The System can be used by the students to get there study materials and use it.
- Admin can use the system and verify the students and add, delete, edit and view all the members and files.
- The system should have different login and privileges for the users.
- The fake and spam student account should be checked by the admin which make this system more safe and secure to use.

Feasibility Study:

Analyze the costs and benefits associated with the implementation of an **SCA Study Resource Management System** for Educational Institute.



Figure: Illustrates typical process of **SCA Study Resource Management System**.

- **Costs for technology :**
  To produce a web based system requires a normal connection of Internet, a web server, and software's.

- **Costs for technological development :**
  This will be involved a number of programmers who are able to interpret your functional requirements and program/create your website.

- **Costs for the organization for piloting training :**
  During the technological development of a website it is always a good idea to allow admin staff uses the system on a daily basis to pilot the system to as a training initiative.

- **Running costs :**
  These are an upkeep of the web server and maintenance costs.

Software Requirement Specification:

SCA Study Resource Management System is a software application which allows a particular institute to store their study resource online.

➢ **Functional requirements and Technical Specification**

Functional Requirements are those that refer to the functionality of the system about the services it will provide to the user. Nonfunctional Requirements pertain to other information needed to produce the correct system and are detailed separately. Following is a list of functionality of the system.

➢ **1) Functionality wise:**

- **Authenticate Module:** Authenticate process includes following utilities:
  1. Sign up: User Registration (Only student).
  2. Login: Using email and password.

- **Manage user Account:**
  1. Change password: by Admin and Students.
  2. Forget password: By students, faculty and admins with the help of sending reset link to the user email-id.
  3. Remember password: By Students, Faculty and Admin.
  4. Edit Profile: User can edit their particular profile.

- **Manage Study Files:** Faculty can upload their subject study files. Admin can also manage the study files.

- **Manage Question Paper Files:** Admin can manage the question paper for the use of the students.

- **File View Module:** In this module the student after the login get access the study which now can be used by the students.

- **Searching Module:** Search module provides search of files by the students.

➢ **2) User wise:**

Admin:

- Admin can view and approve or deny the Pending Approval of the Students.
- Admin can view the Approved Students and can edit or delete their profile.
- Admin can view the denied Students and can approve them or delete them form the database.
- Admin can also add new Students.
- Admin can view Faculty profiles.
- Admin can edit the Faculty profiles.
- Admin can add new Faculty profiles.
- Admin can delete a Faculty profiles.
- Admin can view the Subjects.
- Admin can edit the Subjects.
- Admin can add new Subjects.
- Admin can delete Subjects.
- Admin can view the files uploaded by the Faculty.
- Admin can edit the file details uploaded by the Faculty.
- Admin can add new Files.
- Admin can delete Files uploaded by the Faculty.
- Admin can view Exam Files.
- Admin can edit the details of the Exam Files.
- Admin can add new Exam Files.
- Admin can delete the Exam Files.
- Admin can view admin profiles.
- Admin can edit admin profiles.
- Admin can add new admin.
- Admin can delete admin profiles.
- Admin can edit their Profiles as well.
- Admin can change their password.

Faculty:

- Faculty can upload their study materials files.
- Faculty can view the files they uploaded.
- Faculty can edit the files they have uploaded.
- Faculty can delete files they have uploaded.
- Faculty can edit their profile.
- Faculty can change their password.

Student:

- Student can view the study materials and use it.
- Student can view the exam materials and use it.
- Student can edit their profile.
- Student can change their password.

➢ **Non-Functional requirements and Specification :**

- **Performance Requirements:** System can withstand even though many no. of users requested the desired service. As we are keeping high level server of the **SCA Study Resource Management System** and access is given to the only registered users, it can withstand the load.

- **Safety & Reliability Requirements:** By incorporating a robust and proven Database into the system, reliable performance and integrity of data is ensured. There must be a power backup for server system.

- **Security Requirements:** Sensitive data is protected from unwanted access by user's appropriate technology and implementing strict user-access criteria.

- **Software Quality Attributes:** Menu-Driven Programs with user friendly interface with simply hyperlinks. It is very easy to use. Backup mechanisms are considered for maintainability of the software as well as database.

Project Planning:

The key of a successful project is the planning. Creating the project plan is the first thing when undertaking any kind of project. The value of the project planning is saving time, money and many problems.

Planning is very important in every aspect of development work. Software project plan indicate scope of the project, milestones and deliverables, project estimates, resource allocation, risk management, scheduling techniques and quality control and standard. The cost of this project is derived from effort, hardware cost, travel expenses, training cost, telecommunication costs etc.

- **Project goals :**

  - **Quick Uploading Files:**
    The system helps the faculty member to easily upload the study resource of their own subject. Also, student can see the file that uploaded by the faculty.

  - **Fast and Secure:**
    It saves the time of the students and faculty too. The system can be accessed from anywhere and anytime. It provide very fast access and data security to the user.

  - **Easy to store and retrieve data:**
    Rather to share files with student manually is a very haptic job. So the Faculty can easily store/upload their study data which can be easily view by the students. The Faculty can also retrieve the data that can be further modified.

Project Schedule:

Gantt chart

Phase	Task	1st week	2nd week	3rd week	4th week	5th week	6th week	7th week	8th week
1.	Requirement Analysis								
2.	Analysis & Design								
3.	Coding								
4.	Testing								
5.	Implementation								

Figure: Gantt chart of SCA Study Resource

Pert Chart:



M (Most likely Time) is the best estimate of the time in days required to accomplish a task, assuming everything proceeds as normal. FT (Finishing Time) is the actual finishing time in days.

Figure 2.5.2: Pert chart of **SCA Study Resource Management System**

Data Flow Diagram:

The **Data Flow Diagram (DFD)** is a tool, which has, in modern techniques, the physical system of structural analysis. The DFD displays the system functions with data flows and data stores. It presents a picture of determined specification with the aid of system flow. A DFD is also known as a 'bubble-chart'. It denotes the system requirements to make a program in design. So it may be called as primary phase of designing a program.

In a *Data Flow Design*, there are four symbols, as illustrated hereunder:-



A *square* defines a **source** that originates the data system.



An *arrow* indicates **data flow**.



A *circle* (or a bubble) represents a **process** that moves incoming data flow(s) into outgoing data flow(s).

An *open rectangle* defines a **data store**s



It defines printing report.

Context Diagram:



1-Level DFD:


Login details
Login details
ADMIN
FACULTY
STUDENT
1
Registration & Authentication Process
ADMIN
FACULTY
STUDENTS
Fetch Login Details
Student Resource Details
2
Resources Viewing & Download Process
PDFFILE
EXAMFILE
Fetch and Upload Pdf Resource
Faculty Uploaded Resource Details
3
Resources Uploading Process
Fetch and Upload Resources
Resource Details
4
Resources and Account Management Process

2-Level DFD:


Store Registration Details
1.1
Student
Registration
STUDENT
STUDENTS
Login Details
Fetch Login Details
ADMIN
FACULTY
1.2
Login Process
FACULTY
ADMIN


Fetch Resource Details
2.1
Study
Resources View
Process
STUDENT
PDFRESOURCE
EXAMRESOURCE
Student Details
Update
2.1
Student Profile
Update Process
STUDENT


FACULTY
3.1
Upload Study Resource
Fetch Resource Details
PDFRESOURCE
Update Upload Files
Fetch Resource Details
3.2
Update Upload Files Process
3.3
Faculty Profile Update Process
Faculty Details Update
FACULTY


Fetch Resource Details
ADMIN
4.1
View All Resources
PDFRESOURCE
EXAMRESOURCE
Resources Update
4.2
View All Profiles
ADMIN
FACULTY
STUDENTS
4.3
Update All Resources
Profile Details Update
4.4
Update All Profiles

Entity-Relationship Diagram:

Entity-Relationship (ER) model is a conceptual data model, used for the conceptual design of database applications and data structures in a graphical manner.

Data is the facts that can be recorded. In ER model, data represents as entities, relationships and attributes. Hence entity is an element that has existence in the reality.
The entity may have existence like a person, a car etc. Each entity has some **attributes**. A student entity is attributed with the student's name, address, qualifications etc. Thus each of the attributes is related with the entity. Such attributes become valuable part of the data.
An attribute of an entity may be referred to other entity and here stands a **relationship** between two entities. In ER model, such references are not treated as attribute, but as relationship. An attribute in design may be converted, when redesigned, into relationships between entity types.

Following are the graphical expressions of the entity, relationship and attribute:-

Symbol	***Meaning***
	Entity
	Relationship
	Attribute
	Entity Reference

ENTITY RELATIONSHIP DIAGRAM



3.0 SYSTEM DESIGN

System Design is all about developing the blue print for designing workable system. The goal of a system designer is to develop models that can be translated into system. Unlike design in civil and mechanical engineering, system design is a new and evolving discipline contrary to classical building design etc. In early days, software development mostly concentrated on writing codes. Software is central to the software engineering process. Various design models are developed during the design phase. The design models are further refined to develop detailed design models, which are closely related to the program.

Software design is the process of applying various software engineering techniques for developing models in order to define a software system, which provides sufficient details for the actual realization of the software. The goal of software design is to translate user requirements into an implements program.

Software design is the only way through which we can translate user requirements to workable software. In contrary to designing, a building software design is not a fully developed and mature process. Nevertheless the technique available provides us with tools for a systematic approach to the design of software. Figure 3.1 depicts the process of software design.



Figure 3.0.1: Process of Software Design

During the process of software design, the information model is translated in to data design. Functional model and behavioral model are translated to architectural design, which define major component of the software. Keeping in view the importance of design, it should be given due weight age before rushing to the coding of the software.

Modularizations Details:

Modular design facilitates future maintenance of software. Modular designs have become well accepted approach to built software product. Software can be divided in to relatively independent, named and addressable component called a module. Modularity is the only attribute approach makes it manageable and maintainable. The concept of modular approach has been derived from the fundamental concept of "divide and conquer". Dividing the software to modules helps software developer to work on independent modules that can be later integrated to build the final product. In a sense, it encourages parallel development effort thus saving time and cost.

During designing of software one must keep a balance between number of modules and integration cost. Although, more numbers of modules make the software product more manageable and maintainable at the same time, as the number of modules increases, the cost of integrating the modules also increases.

Modules are generally activated by a reference or through an external system interrupt. Activation starts life of a module. A module can be classified three types depending activation mechanism.

- An incremental module is activated by an interruption and can be interrupted by another interrupt during the execution prior to completion.
- A sequential module is a module that is referenced by another module and without interruption of any external software.
- Parallel modules are executed in parallel with another module.

Sequential module is most common type of software module. While modularity is good for software quality, independence between various modules is even better for software quality and manageability. Independence is a measured by two parameters called cohesion and coupling.

Cohesion is a measure of functional strength of a software module. This is the degree of interaction between statements in a module. Highly cohesive system requires little interaction with external module.

Coupling is a measure of interdependence between / among modules. This is a measure of degree of interaction between module i.e. their inter relationship.
Hence, highly cohesive modules are desirable. But, highly coupled modules are undesirable.

Details Description of the System:

SCA Study Resource Management System is a web application which allows a particular institute to present all there study resources online which can be used anywhere at any time.

- The Students can register them self to the system. After the registration the Student Profile is verified by the Admin and notified to the students.
- The Students can then Login and View all the resources provided and can use it.
- Students can update/change their details.
- Faculty can login to their profile and upload the study resources of the particular subject that are assigned to the faculty member.
- Faculty can edit the files that are uploaded by the faculty members.
- Faculty can update/change their details.
- Admin can login to their particular profile.
- Admin can view all the pending student profiles and can give permission or deny the permission.
- Admin can view all the Student, Faculty and Admin profile and can edit, add or delete profiles.
- Admin can view, add, edit and delete all the resources uploaded.
- Admin can manage exam files.
- All the users can reset their password if forgot.

Database Design:

Data design is the first and the foremost activity of system design. Data describes a real-world information resource that is important for the application. Identifying data in system is an iterative process. At the highest level, data is defined in a very vague manner. A high level design describes how the application handles these information resources. The primary objective of the data design is to select logical representation of data items identified in requirement analysis phase.

- **Data Structure :**

  A data structure defines a logical relationship between individual elements of a group of data. We must understand the fact that the structure of information affects the design of procedures / algorithms. Proper selection of data structure is very important in data designing. Simple data structure scalar item forms the building block of more sophisticated and complex.

- **Data Dictionary :**

Definition of all the data and control elements used in the software product or sub-system. Complete definition of each data item and its synonyms are included in the data dictionary may consist of description of data elements and definitions of tables.

Description of Data Elements:

- Name and aliases of data item.
- Uses
- Format
- Additional information such as default values, initial value(s), limitations and constraints that are associated with the data elements.

Table Definitions:

- Tables name and aliases
- Tables owner or database name
- Key order for all the tables, possible keys including primary key and foreign key.
- Information about indexes the exist on the table

The data dictionary of the **"SCA Study Resource"** is depicted bellow:

- **Table Name: STUDENTS**

Column Name	Data Type	Constraint	Description
ROLLNO	INT(7)	PRIMARY KEY	Student Roll no
FIRSTNAME	VARCHAR(20)		Student First Name
LASTNAME	VARCHAR(20)		Student Last Name
IMAGELOCATION	VARCHAR(100)		Profile Image Location
BRANCH	VARCHAR(3)		Branch
SEMESTER	INT(1)		Semester
EMAIL	VARCHAR(30)		Email ID
MOBNUMBER	VARCHAR(10)		Contact Number
PASSWORD	VARCHAR(20)		Profile Password
PERMISSION	INT(1)		Permission Status

- **Table Name: Faculty**

Column Name	Data Type	Constraint	Description
FID	INT(11)	PRIMARY KEY	Faculty ID
FIRSTNAME	VARCHAR(20)		First Name
LASTNAME	VARCHAR(20)		Last Name
EMAIL	VARCHAR(30)		Email ID
MOBNUMBER	VARCHAR(10)		Contact Number
PASSWORD	VARCHAR(20)		Password
IMAGELOCATION	VARCHAR(100)		Image Location

- **Table Name: ADMIN**

Column Name	Data Type	Constraint	Description
AID	INT(11)	PRIMARY KEY	Admin ID
FIRSTNAME	VARCHAR(20)		First Name
LASTNAME	VARCHAR(20)		Last Name
EMAIL	VARCHAR(30)		Email ID
MOBNUMBER	VARCHAR(10)		Contact Number
PASSWORD	VARCHAR(20)		Password
IMAGELOCATION	VARCHAR(100)		Image Location

- **Table Name: SUBJECT**

Column Name	Data Type	Constraint	Description
SID	INT(11)	PRIMARY KEY	Subject ID
SUBJCODE	VARCHAR(7)		Subject Code
FID	VARCHAR(10)	FOREIGN KEY	Faculty ID
BRANCH	VARCHAR(3)		Branch
SEMESTER	INT(1)		Semester
SUBJNAME	VARCHAR(20)		Subject Name

- **Table Name: PDFFILE**

Column Name	Data Type	Constraint	Description
FLID	INT(11)	PRIMARY KEY	File ID
SID	INT(11)	FOREIGN KEY	Subject ID
FID	INT(11)	FOREIGN KEY	Faculty ID
FILETITLE	VARCHAR(30)		File Title
FILELOCATION	VARCHAR(100)		File Location
UPDATEDATE	TIMESTAMP		Last Update Date

- **Table Name: EXAMFILE**

Column Name	Data Type	Constraint	Description
EID	INT(11)	PRIMARY KEY	Exam File ID
SID	INT(11)	FOREIGN KEY	Subject ID
EXAMTITLE	VARCHAR(7)		Name of Exam
FILELOCATION	VARCHAR(100)		File Location
UPDATEDATE	TIMESTAMP		Last Update Date
AID	INT(11)	FOREIGN KEY	Admin ID

- **MySQL Database(online_exam_system) tables :**



- **Design view of Database(online_exam_system) tables :**



User Interface Design:

Interface design deals with the personnel issues of the software. Interface design is one of the most important parts of software design. It is crucial in a sense that user interaction with the system takes place through various interfaces provided by the software. Any interface design is targeted to users of different categories.

- Expert user with adequate knowledge of the system and application.
- Average user with reasonable knowledge.
- Novice user with little or no knowledge

The following are the elements of good interface design:

- Goal and the intension of task must be identified.
- The important thing about designing interfaces is all about maintaining consistency
- Develop standards for good interface design and stick to it.
- Use icons where ever possible to provide appropriate message.
- Allow user to undo the current command. This helps in undoing mistake committed by the user.
- Provide context sensitive help to guide the user.
- Us proper navigational scheme for easy navigation within the application.
- Discuss with the current user to improve the interface.
- Thinks from user prospective
- Grouping of data element is important. Group related data items accordingly.
- Justify the items

The overall process of design leads to the translation of design models to user model. Human-Computer Interface design goal is discover the efficient way to design interfaces for human interaction and understandable electronic messages. A lot of research is taking place in this area that even helps physically disabled person to operate computer as easily as a normal person.

Figure 4.3 depicts the process of interface design.

Figure 3.3.1: The process of interface design

"SCA Study Resource Management System" is a Web Based system which can be accessed by typing the URL of the system homepage in the browser. The home page will include a login screen common to all user.

Student Login Page:



Student Login Failed:



Student Registration Page:



Student Registration Successfully:



Student Registration Failed (Error):



Student Dashboard (Study Resource Page):



(Menu bar Open) Study Resource Page:



Student Question Paper Page:



Student Profile Page:



Faculty Login Page:



Faculty Login Failed:



Faculty Dashboard (Faculty Upload Files Page):



Faculty View File Page:



Faculty Profile Page:



Admin Login:



Admin Login Failed:



Admin Dashboard:



Admin Students Approval Page:



Admin Students Page (Approved Students):



Admin Students Denied Page:



Admin Students Page (Add Student):



Admin Faculty Page:



Admin Faculty Page (Add Faculty):



Admin Subjects Page:



Admin Subjects Page (Add Subject):



Admin Adminview Page:



Admin Adminview Page (Add Admin):



Admin Files View Page:



Admin Files View Page (Add File):



Admin Exam Files View Page:



Admin Exam Files View Page (Add Exam File):



Admin Profile Page:



(Student/Faculty/Admin) Forgot Password / Reset Password:



Password Reset Failed:



Password reset link sent to Email:



Reset Link on Email:



Reset Password Page (New Password):



Password Changing Failed:



Reset Password Successfully:



CODING

The input to the coding phase is the design document. During the coding phase, different modules identified in the design document are coded according to the respective module specifications. The objective of the coding phase is to transform the design of a system, as given by its module specification, into a high-level language code and to unit test this code. Good software development organizations require their programmers to adhere to some well-defined and standard style of coding called coding standards

Standardization of Code:

A coding standard lists several rules to the followed during coding, such as the way variables should be named, the way the code should be laid out, error return conventions, and so forth. Besides the coding standards, several coding guidelines are also suggested by software companies. The following are some representative coding standards.

- Rules for limiting the use of global.
- Contents of the headers preceding codes for different modules.
- Naming conventions for global variables, local variables and constant identifiers.
- Error return conventions and exception handling mechanisms

Coding Guideline:

Coding guidelines, on the other hand, provide only general suggestions regarding the coding style to be followed and leave the actual implementation of these guidelines to the discretion of the individual engineers. The following are some representative coding guidelines recommended by many software development organizations.

- Do not use a coding style that is too clever or too difficult to understand.
- Avoid obscure side effects
- Do not use an identifier for multiple purposes,
- The code should be well documented.
- The length of any function should not exceed 10 source lines.
- Do not use go to statements

Code Inspection:

The aim of code inspection is to discover some common types of errors caused due to oversight and improper programming. During the code inspection the code is examined for the presence of certain kinds of errors, in contrast to the hand simulation f code execution done in code walk-through. The following is a list of some classical programming errors which can be checked during code inspection:

- Use of un-initialized variables
- Jumps into loops
- Non-terminating assignments
- Array in dices out of bounds
- Improper storage allocation and de-allocation
- Mismatches between actual and formal parameters in procedure calls
- Use of incorrect logical operators or incorrect precedence among operators
- Improper modification of loop variables
- Comparison of equality of floating points values etc.

Project Coding:

➢ index.php :

```
<!DOCTYPE html>
<html>
<head>
        <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>

<!-- Popper JS -->
```

```
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<link href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<body>
                                <div class="container-fluid inner">

                                <div class="row justify-content-center">
                                        <h2 class="modal-title webtitle">SCA
RESOURCE</h2>
                                </div>

                        <div class="row">
                                <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
                                        <img src="images/img-01.png"
class="rounded-circle logimage">
                                </div>
                                <div class="col-sm-6 col2">
                                        <div class="modal-dialog modal-login">
                <div class="modal-content">
                        <div class="modal-header">
                                <h4 class="modal-title">Student Login</h4>
                        </div>
                        <div class="modal-body">
                                <form action="logincheck.php" method="post"
enctype="multipart/form-data" name="loginForm" id="loginForm">


                                        <div class="form-group">
                                                <i class="fa fa-user"></i>
                                                <input type="text" class="form-
control" placeholder="Email" required="required" name="email"
                                                <?php
                                                if(isset($_COOKIE['email']))
                                                        echo
"value='".$_COOKIE['email']."'";
                                                ?>
                                                >
                                        </div>
                                        <div class="form-group">
                                                <i class="fa fa-lock"></i>
```

```
                                                <input type="password"
class="form-control" placeholder="Password" required="required"
name="password"
                                                <?php
                                                if(isset($_COOKIE['password']))
                                                        echo
"value='".$_COOKIE['password']."'";
                                                ?>
                                                >
                                        </div>

                                        <div class="custom-control form-group
custom-checkbox">
                                        <input type="checkbox" class="custom-
control-input" id="customCheck" name="rem" value="1">
                                        <label class="custom-control-label"
for="customCheck">Remember Me</label>
                                        </div>

                                        <?php
                                                $uri = $_SERVER['REQUEST_URI'];

                                                if (strpos($uri, 'failed=1')) {
                                                        echo "<div class='form-
group'>";
                                                        echo "<h5 style='color:
red;'>Invalid Email and Password !! </h5>";
                                                        echo "</div>";
                                                }
                                        ?>

                                        <div class="form-group">
                                                <input type="submit" class="btn
btn-primary btn-block btn-lg" value="Login" name="submit">
                                        </div>
                                </form>

                        </div>
                        <div class="row footer">
                                <div class="col-sm-6">
                                        <a
href="student_forgot_password.php">Forgot Password?</a>
                                </div>
                                <div class="col-sm-6 ">
                                        <a
href="studentregistrationpage.php">Do not have account?</a>
                                </div>
                        </div>
                        <div class="row footer">
                                <div class="col-sm-4 modal-footer">
                                        <a href="adminlogin.php">Admin
Login?</a>
                                </div>
                                <div class="col-sm-4 modal-footer">
                                        <a href="facultylogin.php">Faculty
Login?</a>
                                </div>
                        </div>
```

```
                </div>
                        </div>
                </div>
        </div>
        </div>

</body>
</html>
```

➢ uploadfacultyfile.php :

```
<?php
      session_start();
      ob_start();

      if (isset($_POST['submit'])) {
            include 'connectdb.php';

            $fid = $_SESSION['fid'];
            $filetitle = $_POST['filetitle'];
            $branch = $_POST['branch'];
            $semester = $_POST['semester'];
            $sid = $_POST['subject'];
            $target_dir = "files/studyfiles/";
            $target_file =
$target_dir.basename($_FILES["pdfupload"]["name"]);
            $uploadOk = 1;
            $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));


                  // Check if file already exists
            if (file_exists($target_file)) {
                header("location: facultydashboard.php?error=1");
                exit();
                $uploadOk = 0;
            }

            // Check if $uploadOk is set to 0 by an error
            if ($uploadOk == 0) {
                echo "Sorry, your file was not uploaded.";
            // if everything is ok, try to upload file
            } else {
                $target_file = str_replace(' ', '', $target_file);
                if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                      $sql = "INSERT INTO pdffile
(SID,FID,FILETITLE,FILELOCATION)
VALUES($sid,$fid,'$filetitle','$target_file')";

                      if ($conn->query($sql) === TRUE) {
                          header('location: facultydashboard.php?success=1');
                          exit();
                      }else{
```

```
                        header("location: facultydashboard.php?error=1");
                        exit();
                    }
                } else {
                    header("location: facultydashboard.php?error=1");
                    exit();
                }
            }

        }

        ob_end_flush();

?>
```

➢ successregistration.php :

```
<?php
        session_start();
        ob_start();
        if (!isset($_SESSION['firstname'])) {
                header("location: studentregistrationpage.php");
                exit();
        }
?>

<!DOCTYPE html>
<html>
<head>
        <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
```

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<!--Font Awesome Link-->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<!---->
<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<!--CSS link-->
<link rel="stylesheet" type="text/css" href="css/regstyle.css">
<!---->

<body>
                      <div class="container-fluid inner"
style="height: 95%;">
                 <div class="row" style="height: inherit;">
                      <div class="col-sm-6 d-none d-md-block d-lg-
block col1 ">
                           <img src="images/studreg.png"
class="rounded-circle logimage" id="imagepreview">
                      </div>
                      <div class="col-sm-6 col2" style="padding-top:
300px; padding-left: 10px; padding-right: 10px;">
                           <h2>Thank You <?php echo
$_SESSION['firstname']?> for Registration!</h2>
                           <h2>Your profile will verified by the admin
as soon as possible!!</h2>
                           <h2>Your receive a notification after
verification on you Email : <?php echo $_SESSION['email'];?></h2>
           </div>
     </div>
     </div>
```

```
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

      <?php
            unset($_SESSION['firstname']);
            unset($_SESSION['email']);
      ?>
</body>
</html>

<?php
      ob_end_flush();
?>
```

➢ studyresourcepage.php :

```
<?php
  session_start();
  if (!isset($_SESSION['email']) || !isset($_SESSION['password']) ||
!isset($_SESSION['rollno'])) {
    header("location: index.php");
  }

  include 'student_details.php';

?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>
```

```
<!-- AJAX -->
<script type="text/javascript"
src="//ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js"></script>
<!---->

<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/studentstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></scri
pt>

</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="studentdashboard.php" class="link l1"><i class="fa fa-file"
aria-hidden="true"></i>
 Study Resource</a></li>
  <li><a href="studyresourcepage.php" class="link l2 active"><i class="fa fa-
file-pdf-o"></i>
 Question Paper</a></li>
  <li><a href="profilepage.php" class="link l3"><i class="fa fa-user" aria-
hidden="true"></i>  Profile</a></li>
  <li><a href="signout.php" class="link"><i class="fa fa-sign-out" aria-
hidden="true"></i>
Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
            <div class="col-sm-6">
                  <h3><a href="studentdashboard.php" style="color:
black;">SCA STUDENT RESOURCES</a></h3>
            </div>
            <div class="col-sm-6">
```

```
                  <h3 class="pfname"><a href="profilepage.php" style="color:
black;"><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></a></h3>
            </div>
      </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <span class="openbtn" id="openbtn"onclick="openNav()"><i class="fa fa-bars"
aria-hidden="true"></i>
 Open Menu</span>
</div>
<!---->

<!--Exam Resources-->
 <div class="container-fluid examres">
      <h4 class="text-center">Question Papers</h4>


                  <div class="form-group">
                <div class="input-group">
                 <div class="input-group-prepend">
                  <span class="input-group-text">Search</span>
                 </div>
                 <input type="text" name="search_text" id="search_text"
placeholder="Search for the File" class="form-control" />
                </div>
               </div>
               <br />
               <div id="result">


               </div>
</div>
<!--Exam Resource Code Ending-->


</body>
</html>

<script>
$(document).ready(function(){

 load_data();

             function load_data(query)
             {
              $.ajax({
               url:"fetch_pdf_examresource.php",
               method:"POST",
               data:{query:query},
               success:function(data)
               {
                $('#result').html(data);
               }
              });
             }
```

```
            $('#search_text').keyup(function(){
             var search = $(this).val();
             if(search != '')
             {
              load_data(search);
             }
             else
             {
              load_data();
             }
            });
});
</script>
```

➢ studentregistrationpage.php :

```
<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<link href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap"
rel="stylesheet">
<!--Font Awesome Link-->
```

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<!---->
<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate.min.js
"></script>
<script src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<!--CSS link-->
<link rel="stylesheet" type="text/css" href="css/regstyle.css">
<!---->

<body>
                        <div class="container-fluid inner">
                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-block
col1 ">
                              <img src="images/studreg.png" class="rounded-
circle logimage" id="imagepreview">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Student Registration</h4>
                  </div>
                  <div class="modal-body">
                        <form action="registerstudent.php" method="post"
id="regform" enctype="multipart/form-data">
                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-control"
placeholder="First Name" name="firstname">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-control"
placeholder="Last Name" name="lastname">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-envelope" aria-
hidden="true"></i>
                                    <input type="text" class="form-control"
placeholder="Email" name="email">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-phone" aria-
hidden="true"></i>
                                    <input type="number" class="form-control"
placeholder="Mobile Number" name="phonenumber">
                              </div>
                              <div class="form-group">
                                    <div class="custom-file">
```

```
                                        <input type="file" class="custom-
file-input" id="customFile" name="imageupload" id="imageupload">
                                        <label class="custom-file-label text-
left" for="customFile">Choose Image</label>
                                         </div>
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="number" name="rollno"
placeholder="Roll No" class="form-control">
                              </div>
                              <div class="form-group">
                                     <select name="branch" class="custom-
select" >
                                    <option value="" selected>Branch</option>
                                    <option value="MCA">MCA</option>
                                    <option value="BCA">BCA</option>
                                    <option value="MSC CS">MSC CS</option>
                                    <option value="BSC CS">BSC CS</option>
                              </select>
                              </div>
                              <div class="form-group">
                                    <select name="semester" class="custom-
select" >
                                          <option value=""
selected>Semester</option>
                                      <option value="1">1</option>
                                      <option value="2">2</option>
                                      <option value="3">3</option>
                                      <option value="4">4</option>
                                      <option value="5">5</option>
                                      <option value="6">6</option>
                              </select>
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Password" name="password" id="password">

                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Confirm Password" name="password_again">

                              </div>
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    if (strpos($uri, 'error=1')) {
                                          echo "<div class='form-group'>";
                                          echo "<h5 style='color:
red;'>Student Registration Failed!! </h5>";
                                          echo "</div>";
                                    }
                              ?>

                              <div class="form-group">
```

```
                                    <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Register" name="submit">
                              </div>
                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-6 modal-footer">
                              <a href="index.php">Have an Account?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
      </div>

<script type="text/javascript" src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>
```

➢ studentdashboard.php :

```
<?php
      session_start();
      ob_start();
      include 'student_details.php';
      if (!isset($_SESSION['email']) || !isset($_SESSION['password']) ||
!isset($_SESSION['rollno'])) {
            header("location: index.php");
            exit();
      }

?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<!-- jQuery library -->
```

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<!-- AJAX -->
<script type="text/javascript"
src="//ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js"></script>
<!---->

<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/studentstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
 <script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></scri
pt>

</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="studentdashboard.php" class="link l1 active"><i class="fa fa-
file" aria-hidden="true"></i>
 Study Resource</a></li>
  <li><a href="studyresourcepage.php" class="link l2"><i class="fa fa-file-
pdf-o"></i>
 Question Paper</a></li>
  <li><a href="profilepage.php" class="link l3"><i class="fa fa-user" aria-
hidden="true"></i>  Profile</a></li>
  <li><a href="signout.php" class="link"><i class="fa fa-sign-out" aria-
hidden="true"></i>
Sign Out</a></li>
</ul>
</div>
<!---->
```

```
<div id="main" >
<!--Header Row-->
   <div class="row rcol">
            <div class="col-sm-6">
                  <h3><a href="studentdashboard.php" style="color:
black;">SCA STUDENT RESOURCES</a></h3>
            </div>
            <div class="col-sm-6">
                  <h3 class="pfname"><a href="profilepage.php" style="color:
black;"><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></a></h3>
            </div>
      </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <span class="openbtn" id="openbtn"onclick="openNav()"><i class="fa fa-bars"
aria-hidden="true"></i>
 Open Menu</span>
</div>
<!---->

<!--Exam Resources-->
 <div class="container-fluid examres">
      <h4 class="text-center">Study Resources</h4>


                  <div class="form-group">
                <div class="input-group">
                 <div class="input-group-prepend">
                  <span class="input-group-text">Search</span>
                 </div>
                 <input type="text" name="search_text" id="search_text"
placeholder="Search for the File" class="form-control" />
                </div>
               </div>
               <br />
               <div id="result">


               </div>
</div>
<!--Exam Resource Code Ending-->


</body>
</html>

<script>
$(document).ready(function(){

 load_data();

             function load_data(query)
             {
              $.ajax({
```

```
                  url:"fetch_pdf_resource.php",
                  method:"POST",
                  data:{query:query},
                  success:function(data)
                  {
                   $('#result').html(data);
                  }
                 });
                }

                $('#search_text').keyup(function(){
                 var search = $(this).val();
                 if(search != '')
                 {
                  load_data(search);
                 }
                 else
                 {
                  load_data();
                 }
                });
});
</script>

<?php
      ob_end_flush();
?>
```

➢ student_success_email_reset.php :

```
<?php
      $rollno = $_GET['rollno'];
?>

<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>

<!-- Latest compiled JavaScript -->
```

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<link href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate.min.js
"></script>
<script src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>

<body>
                        <div class="container-fluid inner">
                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-block
col1">
                              <img src="images/lock.png" class="logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
                        <form action="stud_reset_pass.php" method="post"
id="regform" enctype="multipart/form-data">
                                    <input type="hidden" name="rollno"
value="<?php echo $rollno;?>">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    if (strpos($uri,'change=1')) {
                                              $input = '<h2
style="color:green;">Thank You!!</h4>';
                                    }else{
                                          $input = '<div class="form-group">
                                    <i class="fa fa-lock"></i>
```

```
                                    <input type="password" class="form-
control" placeholder="Enter a new password" name="password" id="password">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Reenter new password" name="password_again" >
                              </div>';
                                    }
                                    echo $input;

                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password change Failed !! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: green;'>Password changed successfully !!
</h5></div>";
                                    }else{
                                          $output = "";
                                    }
                                    echo $output;

                                    if (strpos($uri, 'change=1')){
                                          echo '';
                                    }else{
                                          echo '<div class="form-group">
                                                                  <input
type="submit" class="btn btn-primary btn-block btn-lg" value="Reset Password"
name="submit">
                                                                  </div>';
                                    }
                              ?>
                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="index.php">Back to Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
      </div>

<script type="text/javascript" src="script/formvalidation.js"></script>
</body>
</html>
```

➢ student_forgot_password.php :

```
<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<link href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate.min.js
"></script>
<script src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>
```

```
<body>
                        <div class="container-fluid inner">
                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-block
col1">
                              <img src="images/lock.png" class=" logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
                        <form action="reset_student_password.php"
method="post" id="regform" enctype="multipart/form-data">

                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-control"
placeholder="Please enter your Email" name="email" >
                              </div>

                              <div class="form-group">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    $output = "";
                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password Reset Failed!! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: green;'>Confirmation Link has been sent to your
Email!! </h5></div>";
                                    }else{
                                          $output = "";
                                    }
                                    echo $output;
                              ?>
                              </div>


                              <div class="form-group">
                                    <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Reset Password" name="submit">
                              </div>
                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="index.php">Back to Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
```

```
      </div>

<script type="text/javascript" src="script/formvalidation.js"></script>
</body>
</html>
```

➢ student_details.php :

```
<?php
      include 'connectdb.php';

      $rollno = $_SESSION['rollno'];
      $firstname = "";
      $lastname = "";
      $imagelocation ="";
      $mobnumber = "";
      $email = "";

      $sql = "SELECT * FROM students WHERE ROLLNO=".$rollno;
      $result = $conn->query($sql);
      if ($result->num_rows > 0) {
            while ($row = $result->fetch_assoc()) {
                  $firstname = $row['FIRSTNAME'];
                  $lastname = $row['LASTNAME'];
                  $imagelocation = $row['IMAGELOCATION'];
                  $mobnumber = $row['MOBNUMBER'];
                  $email = $row['EMAIL'];
            }
      }

?>
```

➢ stud_reset_pass.php :

```
<?php
ob_start();
include 'connectdb.php';
      if (isset($_POST['submit'])) {
                  $password = $_POST['password_again'];
                  $password = trim($password);
                  $rollno = $_POST['rollno'];
                  $column_name = "PASSWORD";
                  $sql = 'UPDATE students SET PASSWORD= "'.$password.'" WHERE
ROLLNO='.$rollno;
                  echo $password;
                   if(mysqli_query($conn, $sql))
                   {
                        header("location:
student_success_email_reset.php?rollno=".$rollno."&success=1&change=1");
                        exit();
                   }  else{
```

```
                                header("location:
student_success_email_reset.php?rollno=".$rollno."&error=1");
                                exit();
                        }
        }

        ob_end_flush();
?>
```

➢ stud_edit_profile.php:

```
<?php
        session_start();

ob_start();

        if(isset($_POST['submit'])){

                $rollno = $_SESSION['rollno'];

                include 'connectdb.php';
                include 'student_details.php';

                $firstname = trim($_POST['firstname']);
                $lastname = trim($_POST['lastname']);
                $email = trim($_POST['email']);
                $mobnumber = trim($_POST['mobnumber']);

                $sql = "";

                if ($_FILES["imageupload"]["name"]) {
                        checkFile($imagelocation);
                        if ($newimagelocation != '') {
                                $sql = "UPDATE students SET FIRSTNAME = '$firstname',
LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER = '$mobnumber' ,
IMAGELOCATION = '$newimagelocation' WHERE ROLLNO=$rollno";
                        }else{
                                $sql = "UPDATE students SET FIRSTNAME = '$firstname',
LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER = '$mobnumber' WHERE
ROLLNO=$rollno";
                        }
                }else{
                        $sql = "UPDATE students SET FIRSTNAME = '$firstname',
LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER = '$mobnumber' WHERE
ROLLNO=$rollno";
                }

                if ($conn->query($sql) === TRUE) {
                    header('location: profilepage.php?success=1');
                    exit();
                } else {
                        header('location: profilepage.php?error=1');
                        exit();
                }
        }
```

```
            function checkFile($imagelocation){
                  global $newimagelocation;
                  $newimagelocation = '';

                  echo $imagelocation;

                  $target_dir = "imageuploads/student/student";
                  $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
                  echo $target_file;
                  $uploadOk = 1;
                  $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

                  if (isset($_POST["submit"])) {
                        $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                        if ($check !== false) {
                              echo "File is an image - " .
$check["mime"].".";
                        }else{
                              echo "File is not an image.";
                              $uploadOk = 0;
                        }
                  }

                        // Check if file already exists
                  if (file_exists($target_file)) {
                        header('location: profilepage.php?error=1');
                        exit();
                      $uploadOk = 0;
                  }

                  // Check if $uploadOk is set to 0 by an error
                  if ($uploadOk == 0) {
                      header('location: profilepage.php?error=1');
                      exit();
                  // if everything is ok, try to upload file
                  } else {

                      if (@unlink($imagelocation)) {
                        $target_file = str_replace(' ', '', $target_file);
                        if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                              $newimagelocation = $target_file;
                          }else{
                              header('location: profilepage.php?error=1');
                              exit();
                          }
                      }else{
                        header('location: profilepage.php?error=1');
                        exit();
                      }

                      }

            }
```

```
ob_end_flush();


?>
```

➢ signout.php:

```
<?php

      session_start();

      ob_start();

      unset($_SESSION['email']);
      unset($_SESSION['password']);
      unset($_SESSION['rollno']);

      header("location: index.php")


?>
```

➢ select.php:

```
<?php

  session_start();
  include 'connectdb.php';
  $fid = $_SESSION['fid'];

 $output = '';
 $sql = "SELECT * FROM pdffile WHERE FID=$fid ORDER BY FLID DESC";
 $result = mysqli_query($conn, $sql);
 $output .= '
      <div class="table-responsive">
           <table class="table table-bordered" id="data">
                <tr id="data">
                     <th width="20%">SUBJECT NAME</th>
                     <th width="10%">BRANCH</th>
                     <th width="10%">SEMSETER</th>
                     <th width="40%">FILE TILE</th>
                     <th width="40%">FILE LOCATION</th>
                     <th width="10%">UPDATE</th>
                     <th width="10%">DELETE</th>
                </tr>';
 if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
```

```
      {
          getDetails($row['SID']);
          getSelect($row['FID'],$row['FLID'],$subjname);
           $output .= '
                <tr>
                     <td class="sid">'.$subject.'</td>
                     <td class="sid" data-id1="'.$row["FLID"].'"
>'.$branch.'</td>
                     <td class="fid" data-id2="'.$row["FLID"].'"
>'.$semester.'</td>
                     <td class="filetitle" data-id3="'.$row["FLID"].'"
contenteditable>'.$row["FILETITLE"].'</td>
                     <td class="filelocation" data-id4="'.$row["FLID"].'"><a
href="'.$row["FILELOCATION"].'" style
="color:black">'.$row["FILELOCATION"].'</a></td>
                      <td>
                      <button type="button" name="update_btn" data-
id5="'.$row["FLID"].'" class="btn btn-xs btn-success update_btn"><i class="fa
fa-refresh" aria-hidden="true"></i></button>
                      </td>
                      <td>
                        <button type="button" name="delete_btn" data-
id6="'.$row["FLID"].'" class="btn btn-xs btn-danger btn_delete"><i class="fa
fa-trash" aria-hidden="true"></i>
                        </button>
                      </td>
                </tr>
            ';
      }
 }
 else
 {
      $output .= '<tr>
                      <td colspan="7">Data not Found</td>
                  </tr>';
 }
 $output .= '</table>
      </div>';
 echo $output;

 function getDetails($sid){

  include 'connectdb.php';

  $sql = "SELECT * FROM subject WHERE SID=$sid";
  $result = mysqli_query($conn, $sql);
  if(mysqli_num_rows($result) > 0)
    {
      while($row = mysqli_fetch_array($result))
      {
        global $subjname;
        global $branch;
        global $semester;
        $subjname = $row['SUBJNAME'];
        $branch = $row['BRANCH'];
        $semester = $row['SEMESTER'];
      }
    }
```

```
  }


  function getSelect($fid,$flid,$subjname){

    include 'connectdb.php';

    global $subject;
    $subject = "<select name='subject' class='custom-select' data-
id7='$flid'>";
    $sql = "SELECT * FROM subject WHERE FID=$fid";
    $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
    {
      while($row = mysqli_fetch_array($result))
      {
          if($subjname == $row["SUBJNAME"]){
            $subject .= '
              <option value="'.$row["SID"].'"
selected>'.$row["SUBJNAME"].'</option>
            ';
        }else{
            $subject .= '
              <option value="'.$row["SID"].'" >'.$row["SUBJNAME"].'</option>
            ';
        }
      }
      $subject .= '</select>';
    }
  }

 ?>
```

➢ reset_student_password.php:

```
<?php

ob_start();

      include 'connectdb.php';

      $email = trim($_POST['email']);

      $sql = 'SELECT * FROM students WHERE EMAIL = "'.$email.'" AND
PERMISSION = 1';
      $result = $conn->query($sql);

if ($result->num_rows > 0) {
    while($row = $result->fetch_assoc()) {
      $rollno = $row["ROLLNO"];
        $name = $row["FIRSTNAME"];
```

```
            $actual_link =
"http://$_SERVER[HTTP_HOST]/$_SERVER[REQUEST_URI]/"."student_success_email_re
set.php?rollno=" . $rollno;
            $actual_link = str_replace('reset_student_password.php/', '',
$actual_link);
            include 'forgot_pass_email.php';
    }
} else {
    header("location: student_forgot_password.php?error=1");
    exit();
}


?>
```

- **reset_faculty_password.php:**

```
<?php

ob_start();
      include 'connectdb.php';

      $email = trim($_POST['email']);

      $sql = 'SELECT * FROM FACULTY WHERE EMAIL = "'.$email.'"';
      $result = $conn->query($sql);

if ($result->num_rows > 0) {
    while($row = $result->fetch_assoc()) {
         $fid = $row["FID"];
        $name = $row["FIRSTNAME"];
            $actual_link =
"http://$_SERVER[HTTP_HOST]/$_SERVER[REQUEST_URI]/"."faculty_success_e
mail_reset.php?fid=" . $fid;
            $actual_link = str_replace('reset_faculty_password.php/',
'', $actual_link);
            include 'faculty_forgot_mail.php';
    }
} else {
    header("location: faculty_forgot_password.php?error=1");
    exit();
}

ob_end_flush();

?>
```

- **reset_admin_password.php:**

```
<?php
ob_start();
```

```
      include 'connectdb.php';

      $email = trim($_POST['email']);

      $sql = 'SELECT * FROM admin WHERE EMAIL = "'.$email.'"';
      $result = $conn->query($sql);

if ($result->num_rows > 0) {
    while($row = $result->fetch_assoc()) {
        $aid = $row["AID"];
        $name = $row["FIRSTNAME"];
           $actual_link =
"http://$_SERVER[HTTP_HOST]/$_SERVER[REQUEST_URI]/"."admin_success_ema
il_reset.php?aid=" . $aid;
           $actual_link = str_replace('reset_admin_password.php/', '',
$actual_link);
           include 'admin_forgot_mail.php';
    }
} else {
    header("location: admin_forgot_password.php?error=1");
    exit();
}

ob_end_flush();

?>
```

- **registerstudent.php:**

```
<?php
      session_start();
      ob_start();

      if (isset($_POST['submit'])) {
            include 'connectdb.php';

            $firstname = $_POST['firstname'];
            $lastname = $_POST['lastname'];
            $email = $_POST['email'];
            $mobnumber = $_POST['phonenumber'];
            $rollno = $_POST['rollno'];
            $branch = $_POST['branch'];
            $semester = $_POST['semester'];
            $password = $_POST['password_again'];

            $target_dir = "imageuploads/student/student";
            $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
            echo $target_file;
            $uploadOk = 1;
```

```
            $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

            if (isset($_POST["submit"])) {
                  $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                  if ($check !== false) {
                        echo "File is an image - " . $check["mime"].".";
                  }else{
                        echo "File is not an image.";
                        $uploadOk = 0;
                  }
            }

                  // Check if file already exists
            if (file_exists($target_file)) {
                  header("location:
studentregistrationpage.php?error=1");
                  exit();
                $uploadOk = 0;
            }

            // Check if $uploadOk is set to 0 by an error
            if ($uploadOk == 0) {
                header("location:
studentregistrationpage.php?error=1");
                exit();
            // if everything is ok, try to upload file
            } else {

                        $target_file = str_replace(' ', '',
$target_file);

                if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {

                      $sql = "INSERT INTO students
VALUES('$rollno','$firstname','$lastname','$target_file','$branch','$s
emester','$email','$mobnumber','$password',2)";

                      if ($conn->query($sql) === TRUE) {
                         $_SESSION['firstname']=$firstname;
                         $_SESSION['email']=$email;
                         header('location: successregistration.php');
                         exit();
                      }else{
                         @unlink($target_file);
                         header("location:
studentregistrationpage.php?error=1");
                         exit();
                      }
                } else {
```

```
                    header("location:
studentregistrationpage.php?error=1");
                    exit();
                }
            }

      }

?>
```

➢ profilepage.php:

```
<?php
  session_start();
  if (!isset($_SESSION['email']) || !isset($_SESSION['password']) ||
!isset($_SESSION['rollno'])) {
    header("location: index.php");
  }

  include 'student_details.php';

?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
```

```
<!--Font Awesome-->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/studentstyle.css">


<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate.min.js
"></script>
<script src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
  label{
    color: red;
  }
</style>


</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="studentdashboard.php" class="link l1 "><i class="fa fa-file"
aria-hidden="true"></i>
 Study Resource</a></li>
  <li><a href="studyresourcepage.php" class="link l2"><i class="fa fa-file-
pdf-o"></i>
 Question Paper</a></li>
  <li><a href="profilepage.php" class="link l3 active"><i class="fa fa-user"
aria-hidden="true"></i>  Profile</a></li>
  <li><a href="signout.php" class="link "><i class="fa fa-sign-out" aria-
hidden="true"></i>
Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
            <div class="col-sm-6">
        <h3><a href="studentdashboard.php" style="color: black;">SCA STUDENT
RESOURCES</a></h3>
            </div>
            <div class="col-sm-6">
```

```
        <h3 class="pfname"><a href="profilepage.php" style="color:
black;"><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></a></h3>
            </div>
      </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <span class="openbtn" id="openbtn"onclick="openNav()"><i class="fa fa-bars"
aria-hidden="true"></i>
 Open Menu</span>
</div>

<!--Profile Page-->

<div class="container-fluid profiling">
<form action="stud_edit_profile.php" method="post" id="regform"
enctype="multipart/form-data" >
  <div class="row">
    <div class="col-sm-3 imagecol">
      <img src="<?php echo $imagelocation;?>" class="img-thumbnail"
alt="Image Loading Failed" id="imagepreview" >
    </div>
    <div class="col-sm-9">
      <div class="row ">
        <div class="col-sm-6"><h5>Profile Name : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $firstname." ".$lastname;?></h5>
          <input type="text" name="firstname" value="<?php echo
$firstname;?>" class="form-control pshow">
          <input type="text" name="lastname" value="<?php echo $lastname;?>"
class="form-control pshow">
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Email : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $email;?></h5>
          <input type="email" name="email" value="<?php echo $email;?>"
class="form-control pshow" >
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Mobile Number : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $mobnumber;?></h5>
          <input type="text" name="mobnumber" value="<?php echo
$mobnumber;?>" class="form-control pshow">
        </div>
      </div>
      <div class="row pshow">
        <div class="col-sm-6"><h5>Profile Image : </h5></div>
        <div class="col-sm-6">
          <div class="form-group">
            <div class="custom-file ">
                <input type="file" class="custom-file-input" id="customFile"
name="imageupload" id="imageupload">
```

```
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
              </div>
          </div>
        </div>
      </div>

      <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                echo "<div class='row justify-content-end'>";
                echo "<h4 style='color: red; padding: 10px;'>Error
updating.Try Again!</h4>";
                echo "</div>";
              }elseif (strpos($uri, 'success=1')) {
                echo "<div class='row justify-content-end'>";
                echo "<h5 style='color: green; padding: 10px;'>Profile
Updated Successfully!! </h5>";
                echo "</div>";
              }
        ?>


      <div class="row justify-content-end">
        <div class="col-sm-1 text-center">
          <a href="#" class="btn btn-primary" id="pedit">Edit</a>
          <input type="submit" class="btn btn-primary" id="pdone"
value="Done" name="submit"></a>
        </div>
        <div class="col-sm-1 text-center" id="cancol"><a href="#" class="btn
btn-primary" id="cancel">Cancel</a></div>
        <div class="col-sm-1 text-center" id="signoutcol"><a
href="signout.php" class="btn btn-primary">Signout</a></div>
        <div class="col-sm-2 text-center" id="resetcol"><a
href="student_forgot_password.php" class="btn btn-primary">Reset
Password</a></div>
      </div>
      </form>
    </div>
  </div>
</div>
<!--Profile Code Ending-->

<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>
<script type="text/javascript"
src="script/profile_form_validate.js"></script>

</body>
</html>
```

➢ pendinguser.php:

```
<!DOCTYPE html>
```

```
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scri
pt>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.j
s"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></s
cript>

<link href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap"
rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap"
rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<style type="text/css">
      .modal-login i {
            position: relative;
            left: 0px;
            right: 0px;
            top:0px;
            bottom:0px;
      }

      .modal-login .fa-hand-peace-o{
            color: yellow;
            font-size: 30px;
      }

      .modal-login .fa-clock-o{
            color: yellow;
            font-size: 30px;
      }

      .modal-login .fa-heart{
            color: red;
            font-size: 20px;
```

```
      }

</style>


<body>
                        <div class="container-fluid inner">

                        <div class="row justify-content-center">
                              <h2 class="modal-title webtitle">SCA
RESOURCE</h2>
                        </div>

                  <div class="row">
                        <div class="col-sm-12 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Sorry Pending <i class="fa
fa-clock-o" aria-hidden="true"></i></h4>

                  </div>
                  <div class="modal-body ">
                        <p>Sorry for the inconvenience.</p>
                        <p>Your profile will soon be reviewed by the
Admin.</p>
                        <p>You will soon be notified through your Email.</p>
                        <p>Thank <i class="fa fa-hand-peace-o" aria-
hidden="true"></i> You </p>
                        <p>Admin <i class="fa fa-heart" aria-
hidden="true"></i></p>
                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="index.php">Login Through
Different?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>

      </div>

</body>
</html>
```

➢ logincheck.php:

```
<?php
session_start();
ob_start();
include 'connectdb.php';
```

```
if (isset($_POST['submit'])) {

      $email = trim($_POST['email']);
      $password = trim($_POST['password']);

      $email = mysqli_real_escape_string($conn,stripslashes($email));
      $password =
mysqli_real_escape_string($conn,stripcslashes($password));


      if(isset($_POST['rem'])){
            setcookie('email',$email,time() + (86400 * 30),"/");
            setcookie('password',$password,time() + (86400*30),"/");
      }

      $sql = "SELECT * FROM students WHERE EMAIL = '$email' AND BINARY
PASSWORD='$password'";
      $result = $conn->query($sql);

      if ($result->num_rows > 0) {
            while ($row = $result->fetch_assoc()) {
                        $check_email = $row['EMAIL'];
                        $check_password = $row['PASSWORD'];
                        $check_permission = $row['PERMISSION'];
                        $rollno = $row['ROLLNO'];
                        if ($email == $check_email && $password ==
$check_password) {
                              if ($check_permission == 1) {
                                    $_SESSION['email'] = $email;
                                    $_SESSION['password'] = $password;
                                    $_SESSION['rollno'] = $rollno;
                                    header("location:
studentdashboard.php");
                                    exit();
                              }elseif ($check_permission == 2) {
                                    header("location: pendinguser.php");
                                    exit();
                              }elseif($check_permission == 0){
                                    header("location: denyeduser.php");
                                    exit();
                              }
                        }else{
                              header("location: index.php?failed=1");
                              exit();
                        }
                  }
            }else{
                  header("location: index.php?failed=1");
                  exit();
            }
}
?>
```

➢ insert.php:

```
<?php

 include 'connectdb.php';

$sid = $_POST['sid'];
$fid = $_POST['fid'];
$filetitle = $_POST['filetitle'];
$filelocation = $_POST['filelocation'];

 $sql = "INSERT INTO pdffile(SID, FID, FILETITLE, FILELOCATION)
VALUES($sid,$fid,'$filetitle','$filelocation')";
 if(mysqli_query($conn, $sql))
 {
      echo 'Data Inserted';
 }
 ?>
```

➢ get_admin_details.php:

```
<?php

include 'connectdb.php';

$sql = 'SELECT * FROM admin WHERE AID='.$aid;
$result = $conn->query($sql);

if ($result->num_rows > 0) {
    while ($row = $result->fetch_assoc()) {
          $firstname = $row['FIRSTNAME'];
          $lastname = $row['LASTNAME'];
          $mobnumber = $row['MOBNUMBER'];
          $email = $row['EMAIL'];
          $imagelocation = $row['IMAGELOCATION'];
    }
  }

?>
```

➢ forgor_pass_email.php:

```
<?php

      ob_start();

      $to = $email;
      $subject = "Reset Password";

      $message = "
      <html>
      <head>
      <title>Password Reset Email</title>
      </head>
      <body>
      <p>Hi , <b>".$name."</b></p>
      <p>Your request for password reset in under procees click the link to
proceed :</p>
      <a href=".$actual_link.">".$actual_link."</a>
      <p>Thank You </p>
      <p>Admin</p>
      <p>SCA Study Resource</p>
      </body>
      </html>
      ";

      // Always set content-type when sending HTML email
      $headers = "MIME-Version: 1.0" . "\r\n";
      $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";

      // More headers
      $headers .= 'From: <admin@scaresource.com>' . "\r\n";
      $headers .= 'Cc: admin@scaresource.com' . "\r\n";

      $uri = $_SERVER['REQUEST_URI'];

      if(mail($to,$subject,$message,$headers)){
                        header("location:
student_forgot_password.php?success=1");
                        exit();
            }else{
                  header("location: student_forgot_password.php?error=1");
                  exit();
            }

?>
```

➢ fetch_pdf_resource.php:

```
<?php


//fetch_pdf_resource.php
include 'connectdb.php';

ob_start();
```

```
$output = '';

  if(isset($_POST["query"]))
  {
       $search = mysqli_real_escape_string($conn, $_POST["query"]);

       getSubject($search);
       getFaculty($search);

       if (empty($fid) && empty($sid)) {
          $query = "SELECT * FROM pdffile WHERE FILETITLE LIKE
'%".$search."%'";
       }
       elseif (empty($fid)) {
           $query = "
          SELECT * FROM pdffile
          WHERE FILETITLE LIKE '%".$search."%'
          OR SID IN (".implode(',', $sid).")
         ";
       }elseif (empty($sid)) {
         $query = "
          SELECT * FROM pdffile
          WHERE FILETITLE LIKE '%".$search."%'
          OR FID IN (".implode(',', $fid).")
         ";
       }else{
          $query = "
          SELECT * FROM pdffile
          WHERE FILETITLE LIKE '%".$search."%'
          OR SID IN (".implode(',', $sid).")
          OR FID IN (".implode(',', $fid).")
         ";
       }


  }
  else
    {
       $query = "
        SELECT * FROM pdffile ORDER BY UPDATEDATE DESC
       ";
    }


if($result = mysqli_query($conn, $query)){
    if(mysqli_num_rows($result) > 0)
      {
        $trigger = 1;
        $output .= '<div class="card-columns">';
         while($row = mysqli_fetch_array($result))
         {
            getFacultyName($row['FID']);
            getSubjectDetails($row['SID']);

            $output .= '
                  <div class="card">
                    <div class="card-body text-center">
```

```
                        <h4 class="card-title"><i class="fa fa-file-pdf-
o"></i></h4>
                        <p class="card-text">'.$row['FILETITLE'].'</p>
                        <p class="card-text">Subject : '.$subject.'</p>
                        <p class="card-text">Branch : '.$branch.'  
Semester : '.$semester.'</p>
                        <p class="card-text">By : Prof. '.$firstname.'</p>
                        <a href="'.$row['FILELOCATION'].'" class="btn btncard"
target="_blank">View</a>
                      </div>
                    </div>
          ';

          if ($trigger%3 == 0) {
            $output .= '</div><div class="card-columns">';
          }
          $trigger++;
         }
       echo $output;
      }
      else
      {
        echo 'Data Not Found';
      }
}else{
  echo "Data Not Found";
}



function getSubject($search){

    global $sid;
    $sid = array();

    include 'connectdb.php';

    $query = "
      SELECT * FROM subject WHERE
      BRANCH LIKE '%".$search."%'
      OR SEMESTER LIKE '%".$search."%'
      OR SUBJNAME LIKE '%".$search."%'
    ";

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
          array_push($sid, $row['SID']);
       }
     }

}


function getFaculty($search){
```

```
    global $fid;
    $fid = array();

    include 'connectdb.php';

    $query = "
      SELECT * FROM faculty WHERE
      FIRSTNAME LIKE '%".$search."%'
      OR LASTNAME LIKE '%".$search."%'
    ";

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
          array_push($fid, $row['FID']);
       }
     }

}


function getFacultyName($fid){

    global $firstname,$lastname;

    include 'connectdb.php';

    $query = "SELECT * FROM faculty WHERE FID=".$fid;

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
          $firstname = $row['FIRSTNAME'];
          $lastname = $row['LASTNAME'];
       }
     }

}


function getSubjectDetails($sid){

    global $branch,$semester,$subject;

    include 'connectdb.php';

    $query = "SELECT * FROM subject WHERE SID=".$sid;

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
          $branch = $row['BRANCH'];
          $semester = $row['SEMESTER'];
          $subject = $row['SUBJNAME'];
       }
```

```
     }
}

ob_end_flush();


?>
```

➢ fetch_pdf_examresource.php:

```
<?php

//fetch_pdf_resource.php

include 'connectdb.php';

ob_start();

$output = '';

  if(isset($_POST["query"]))
  {
       $search = mysqli_real_escape_string($conn, $_POST["query"]);

       getSubject($search);

       if (empty($sid)) {
           $query = "
          SELECT * FROM examfile
          WHERE EXAMTITLE LIKE '%".$search."%'
          OR YEAR LIKE '%".$search."%'
         ";
       }else{
          $query = "
          SELECT * FROM examfile
          WHERE EXAMTITLE LIKE '%".$search."%'
          OR SID IN (".implode(',', $sid).")
          OR YEAR LIKE '%".$search."%'
         ";
       }


  }
  else
    {
       $query = "
        SELECT * FROM examfile ORDER BY UPDATEDATE DESC
       ";
    }


if($result = mysqli_query($conn, $query)){
    if(mysqli_num_rows($result) > 0)
      {
        $trigger = 1;
```

```
        $output .= '<div class="card-columns">';
         while($row = mysqli_fetch_array($result))
         {
            getSubjectDetails($row['SID']);

            $output .= '
                  <div class="card">
                    <div class="card-body text-center">
                      <h4 class="card-title"><i class="fa fa-file-pdf-
o"></i></h4>
                      <p class="card-text">'.$row['EXAMTITLE'].'</p>
                      <p class="card-text">Subject : '.$subject.'</p>
                      <p class="card-text">Branch : '.$branch.'  
Semester : '.$semester.'</p>
                      <p class="card-text">Year : '.$row['YEAR'].'</p>
                      <a href="'.$row['FILELOCATION'].'" class="btn btncard"
target="_blank">View</a>
                    </div>
                  </div>
          ';

          if ($trigger%3 == 0) {
            $output .= '</div><div class="card-columns">';
          }
          $trigger++;
         }
       echo $output;
      }
      else
      {
        echo 'Data Not Found';
      }
}else{
  echo "Data Not Found";
}



function getSubject($search){

    global $sid;
    $sid = array();

    include 'connectdb.php';

    $query = "
      SELECT * FROM subject WHERE
      SUBJCODE LIKE '%".$search."%'
      OR BRANCH LIKE '%".$search."%'
      OR SEMESTER LIKE '%".$search."%'
      OR SUBJNAME LIKE '%".$search."%'
    ";

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
```

```
            array_push($sid, $row['SID']);
        }
      }

}




function getSubjectDetails($sid){

    global $branch,$semester,$subject;

    include 'connectdb.php';

    $query = "SELECT * FROM subject WHERE SID=".$sid;

    $result = mysqli_query($conn, $query);
    if(mysqli_num_rows($result) > 0)
    {
       while($row = mysqli_fetch_array($result)){
          $branch = $row['BRANCH'];
          $semester = $row['SEMESTER'];
          $subject = $row['SUBJNAME'];
       }
      }
}


ob_end_flush();


?>
```

➢ fdprofileview.php:

```
<?php
  session_start();

  ob_start();

  if (!isset($_SESSION['femail']) || !isset($_SESSION['fpassword']) ||
!isset($_SESSION['fid'])) {
     header("location: facultylogin.php");
     exit();
  }

  include 'faculty_details.php';

?>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/sidebarstyle.css">
<!--Javascript Link-->

<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
```

```
<style type="text/css">
  label{
    color: red;
  }
</style>

</head>
<body>

<!--Close and Open Button Code-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>

<!--Top Navbar Code-->
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
  </div>

<!--Side Navbar Code-->
<ul style="list-style-type: none;">
  <li><a href="facultydashboard.php" class="link l1"><i class="fa fa-
upload" aria-hidden="true"></i>
 Upload Files</a></li>
  <li><a href="fdfileview.php" class="link l2"><i class="fa fa-eye"
aria-hidden="true"></i>
 View Files</a></li>
  <li><a href="fdprofileview.php" class="link l3 active"><i class="fa
fa-user" aria-hidden="true"></i>  Profile</a></li>
  <li><a href="facultysignout.php" class="link l4"><i class="fa fa-
sign-out" aria-hidden="true"></i>
Sign Out</a></li>
</ul>

</div>

<div id="main" >


  <div class="row rcol">
    <div class="col-sm-6">
      <h2><a href="facultydashboard.php" style="color: black;">Faculty
Dashboard</a></h2>
    </div>
    <div class="col-sm-6">
      <a href="fdprofileview.php" class="headlink">
      <h3><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></h3>
       </a>
    </div>
  </div>

  <div class="container-fluid opnbtn">
```

```
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
  </div>
</div>


<br>
<br>
<br>


 <div class="container-fluid profiling">
<form action="faculty_edit_profile.php" method="post" id="regform"
enctype="multipart/form-data" >
  <div class="row">
    <div class="col-sm-3">
      <img src="<?php echo $imagelocation;?>" class="img-thumbnail
float-left" alt="Image Loading Failed" id="imagepreview" >
    </div>
    <div class="col-sm-9">
      <div class="row ">
        <div class="col-sm-6"><h5>Profile Name : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $firstname."
".$lastname;?></h5>
          <input type="text" name="firstname" value="<?php echo
$firstname;?>" class="form-control pshow">
          <input type="text" name="lastname" value="<?php echo
$lastname;?>" class="form-control pshow">
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Email : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $email;?></h5>
          <input type="email" name="email" value="<?php echo
$email;?>" class="form-control pshow" >
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Mobile Number : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $mobnumber;?></h5>
          <input type="text" name="mobnumber" value="<?php echo
$mobnumber;?>" class="form-control pshow">
        </div>
      </div>
      <div class="row pshow">
        <div class="col-sm-6"><h5>Profile Image : </h5></div>
```

```
        <div class="col-sm-6">
          <div class="form-group">
            <div class="custom-file ">
                <input type="file" class="custom-file-input"
id="customFile" name="imageupload" id="imageupload">
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
             </div>
          </div>
        </div>
      </div>

      <?php
               $uri = $_SERVER['REQUEST_URI'];
               if (strpos($uri, 'error=1')) {
                 echo "<div class='row justify-content-end'>";
                 echo "<h4 style='color: red; padding: 10px;'>Error
updating.Try Again!</h4>";
                 echo "</div>";
               }elseif (strpos($uri, 'success=1')) {
                 echo "<div class='row justify-content-end'>";
                 echo "<h5 style='color: green; padding: 10px;'>Profile
Updated Successfully!! </h5>";
                 echo "</div>";
               }
        ?>


  <div class="row justify-content-end">
        <div class="col-sm-2 text-center">
          <a href="#" class="btn btn-primary" id="pedit">Edit</a>
          <input type="submit" class="btn btn-primary" id="pdone"
value="Done" name="submit"></a>
        </div>
        <div class="col-sm-2 text-center" id="cancol"><a href="#"
class="btn btn-primary" id="cancel">Cancel</a></div>
        <div class="col-sm-2 text-center" id="signoutcol"><a
href="facultysignout.php" class="btn btn-primary">Signout</a></div>
        <div class="col-sm-2 text-center" id="resetcol"><a
href="faculty_forgot_password.php" class="btn btn-primary">Reset
Password</a></div>
      </div>
      </form>
    </div>
  </div>
</div>


<script type="text/javascript" src="script/uploadscript.js"></script>
<script type="text/javascript"
src="script/profile_form_validate.js"></script>
```

```
</body>
</html>

<?php
  ob_end_flush();
?>
```

➢ fdfileview.php:

```
<?php
  session_start();

  ob_start();

  if (!isset($_SESSION['femail']) || !isset($_SESSION['fpassword']) ||
!isset($_SESSION['fid'])) {
    header("location: facultylogin.php");
    exit();
  }

  include 'faculty_details.php';

?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>
```

```
<!--Bootstrap 4 Ends-->


<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/sidebarstyle.css">

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.0/jquery.min.js"
></script>

<style type="text/css">
  .highlight { background-color: red; }
</style>

</head>
<body>

<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>

  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
  </div>

<ul style="list-style-type: none;">
  <li><a href="facultydashboard.php" class="link l1"><i class="fa fa-
upload" aria-hidden="true"></i>
 Upload Files</a></li>
  <li><a href="fdfileview.php" class="link l2 active"><i class="fa fa-
eye" aria-hidden="true"></i>
 View Files</a></li>
  <li><a href="fdprofileview.php" class="link l3"><i class="fa fa-
user" aria-hidden="true"></i>  Profile</a></li>
  <li><a href="facultysignout.php" class="link l4"><i class="fa fa-
sign-out" aria-hidden="true"></i>
Sign Out</a></li>
</ul>

</div>

<div id="main" >

  <div class="row rcol">
    <div class="col-sm-6">
```

```
      <h2><a href="facultydashboard.php" style="color: black;">Faculty
Dashboard</a></h2>
    </div>
    <div class="col-sm-6">
      <a href="fdprofileview.php" class="headlink">
      <h3><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></h3>
       </a>
    </div>
  </div>

  <div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
  </div>
</div>


<br>
<br>
<br>

<div class="container-fluid viewing">
  <h2 class="text-center">File Uploaded</h2>
     <div class="container-fluid text-center">
                <div class="table-responsive">
                     <h5 class="text-right message" style="color:
red;" id="msg"></h5>
                     <br />
                     <div id="live_data"></div>
                </div>
           </div>

</div>

<script type="text/javascript" src="script/fdscript.js"></script>
</body>
</html>


<script>
 $(document).ready(function(){
      function fetch_data()
      {
           $.ajax({
                url:"select.php",
                method:"POST",
                success:function(data){
                     $('#live_data').html(data);
```

```
            }
        });
}
fetch_data();

function edit_data(id, text, column_name)
{
    $(".update_btn").click(function(){
      $.ajax({
            url:"edit.php",
            method:"POST",
            data:{id:id, text:text, column_name:column_name},
            dataType:"text",
            success:function(data){
                  document.getElementById('msg').innerHTML=data;
            }
        });
    });
}


$(document).on('change', 'select', function(){
      var id = $(this).data("id7");
      var sid = $(this).val();
      edit_data(id,sid,"SID");
});


$(document).on('blur', '.filetitle', function(){
    $(this).css("background-color","transparent");
      var id = $(this).data("id3");
      var filetitle = $(this).text();
      edit_data(id,filetitle, "FILETITLE");
});

$(document).on('click', '.filetitle', function(){
      $(this).css("background-color","white");
});

$(document).on('blur', '.fid', function(){
      var id = $(this).data("id4");
      var filelocation = $(this).text();
      edit_data(id,filelocation, "FILELOCATION");
});
$(document).on('click', '.btn_delete', function(){
      var id=$(this).data("id6");
      if(confirm("Are you sure you want to delete this?"))
      {
            $.ajax({
                  url:"delete.php",
                  method:"POST",
                  data:{id:id},
                  dataType:"text",
```

```
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                                fetch_data();
                        }
                    });
                }
            });
 });
 </script>
```

➢ facultysignout.php:

```
<?php

      session_start();

      ob_start();

      unset($_SESSION['femail']);
      unset($_SESSION['fpassword']);
      unset($_SESSION['fid']);

      header("location: facultylogin.php")


?>
```

➢ facultylogincheck.php:

```
<?php

            session_start();

            ob_start();

            include 'connectdb.php';

            if (isset($_POST['submit'])) {

                  $femail = trim($_POST['femail']);
                  $fpassword = trim($_POST['fpassword']);

                  $femail =
mysqli_real_escape_string($conn,stripslashes($femail));
                  $fpassword =
mysqli_real_escape_string($conn,stripcslashes($fpassword));
```

```
                if($_POST['frem']){
                          setcookie('femail',$femail,time() + (86400
* 30),"/");
                          setcookie('fpassword',$fpassword,time() +
(86400*30),"/");
                }

                $sql = "SELECT * FROM faculty WHERE EMAIL = '$femail'
AND BINARY PASSWORD='$fpassword'";
                $result = $conn->query($sql);

                if ($result->num_rows > 0) {
                      while ($row = $result->fetch_assoc()) {
                                $fcheck_email = $row['EMAIL'];
                                $fcheck_password = $row['PASSWORD'];
                                $fcheck_fid = $row['FID'];
                                if ($femail == $fcheck_email &&
$fpassword == $fcheck_password) {
                                      $_SESSION['femail'] = $femail;
                                      $_SESSION['fpassword'] =
$fpassword;
                                      $_SESSION['fid'] = $fcheck_fid;
                                      header("location:
facultydashboard.php");
                                      exit();
                                }else{
                                      header("location:
facultylogin.php?failed=1");
                                      exit();
                                }
                          }
                      }else{
                          header("location:
facultylogin.php?failed=1");
                          exit();
                      }
           }

           ob_end_flush();

?>
```

➢ facultylogin.php:

```
<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
```

```
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">

<!--Font Awesome-->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<!--CSS Link-->
<link rel="stylesheet" type="text/css" href="css/style.css">

<body>
<div class="container-fluid inner">

      <div class="row justify-content-center">
                              <h2 class="modal-title webtitle">SCA
RESOURCE</h2>
      </div>


      <div class="row">
            <div class="col-sm-6 d-none d-md-block d-lg-block col1">
                  <img src="images/teachericon.png" class="rounded-
circle logimage">
```

```
            </div>
<div class="col-sm-6 col2">
      <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Faculty Login</h4>
                  </div>
                  <div class="modal-body">
                        <form action="facultylogincheck.php"
method="post">
                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-
control" placeholder="Email" required="required" name="femail"
                                    <?php
                                    if(isset($_COOKIE['femail']))
                                          echo
"value='".$_COOKIE['femail']."'";
                                    ?>
                                    >
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Password" required="required" name="fpassword"
                                    <?php
                                    if(isset($_COOKIE['fpassword']))
                                          echo
"value='".$_COOKIE['fpassword']."'";
                                    ?>
                                    >
                              </div>

                              <div class="custom-control form-group
custom-checkbox">
                              <input type="checkbox" class="custom-
control-input" id="customCheck" name="frem" value="1">
                              <label class="custom-control-label"
for="customCheck">Remember Me</label>
                              </div>

                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    if (strpos($uri, 'failed=1')) {
                                          echo "<div class='form-group'>";
                                          echo "<h5 style='color:
red;'>Invalid Email and Password !! </h5>";
                                          echo "</div>";
                                    }
                              ?>

                              <div class="form-group">
```

```
                                    <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Login" name="submit">
                              </div>
                        </form>

                  </div>

                  <div class="row footer">
                        <div class="col-sm-6">
                              <a
href="faculty_forgot_password.php">Forgot Password?</a>
                        </div>
                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="adminlogin.php">Admin Login?</a>
                        </div>
                        <div class="col-sm-4 modal-footer">
                              <a href="index.php">Student Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>


</body>
</html>
```

➢ facultydashboard.php:

```
<?php
  session_start();
  ob_start();
  if (!isset($_SESSION['femail']) || !isset($_SESSION['fpassword']) )
{
    header("location: facultylogin.php");
    exit();
  }

  include 'faculty_details.php';

?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
```

```
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<!--Font Awesome Link-->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<!---->
<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/sidebarstyle.css">
<style type="text/css">
  h2{
    font-weight: 800;
  }
  .form-group{
    width: 100% !important;
  }
  label {
    display: inline-block;
```

```
    margin-bottom: .5rem;
    width: inherit;
    text-align: center;
    font-size: 20px;
    padding-top: 10px;
    color: red;
}

.row{
  margin: 0px;
  padding: 0px;
}


.row .col-sm-4{
  margin: 0px;
  padding: 5px;
}

</style>

</head>
<body>

<!--Close and Open Button Code-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>

<!--Top Navbar Code-->
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
  </div>

<!--Side Navbar Code-->
<ul style="list-style-type: none;">
  <li><a href="facultydashboard.php" class="link l1 active"><i
class="fa fa-upload" aria-hidden="true"></i>
 Upload Files</a></li>
  <li><a href="fdfileview.php" class="link l2"><i class="fa fa-eye"
aria-hidden="true"></i>
 View Files</a></li>
  <li><a href="fdprofileview.php" class="link l3"><i class="fa fa-
user" aria-hidden="true"></i>  Profile</a></li>
  <li><a href="facultysignout.php" class="link"><i class="fa fa-sign-
out" aria-hidden="true"></i>
Sign Out</a></li>
</ul>

</div>

<div id="main" >
```

```
   <div class="row rcol">
    <div class="col-sm-6">
      <h2><a href="facultydashboard.php" style="color: black;">Faculty
Dashboard</a></h2>
    </div>
    <div class="col-sm-6">
      <a href="fdprofileview.php" class="headlink">
      <h3><?php echo $firstname." ".$lastname;?> <img src="<?php echo
$imagelocation;?>" class="rounded-circle imgheading"></h3>
       </a>
    </div>
  </div>

  <div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
  </div>
</div>


<br>
<br>
<br>

 <div id="main" class="container-fluid uploading">
     <h2>Upload Files</h2>
     <br>

<form action="uploadfacultyfile.php" method="post" id="regform"
enctype="multipart/form-data">

  <div class="row" style="width: 100%;">
    <div class="form-group">
            <input type="text" class="form-control" placeholder="File
Title" name="filetitle">
      </div>
  </div>

     <div class="row" style="width: 100%;">
   <div class="form-group">
   <div class="custom-file mb-3">
        <input type="file" class="form-control custom-file-input"
id="customFile" name="pdfupload">
      <label class="custom-file-label text-left"
for="customFile">Browse File to upload</label>
    </div>
  </div>
  </div>
```

```
      <div class="row">
            <div class="col-sm-4">
            <div class="form-group">
        <select name="branch" class="custom-select">
            <option value="" selected>Branch</option>
            <option value="MCA">MCA</option>
            <option value="BCA">BCA</option>
            <option value="MSC CS">MSC CS</option>
            <option value="BSC CS">BSC CS</option>
          </select>
    </div>
      </div>

      <div class="col-sm-4">
            <div class="form-group">
            <select name="semester" class="custom-select" >
              <option value="" selected>Semester</option>
                      <option value="1">1</option>
                      <option value="2">2</option>
                      <option value="3">3</option>
                      <option value="4">4</option>
                      <option value="5">5</option>
                      <option value="6">6</option>
                  </select>
          </div>
      </div>

  <div class="col-sm-4">
    <div class="form-group">
      <select name="subject" class="custom-select">
        <option value="" selected>Subject</option>
        <?php
          if ($result->num_rows > 0) {
          while ($row = $result->fetch_assoc()) {
              echo "<option
value=".$row['SID']."">".$row['SUBJNAME']."</option>";
          }
        }
      ?>
      </select>
    </div>
  </div>

      </div>
      <div class="row justify-content-end">
   <div class="col-sm-2">
    <div class="form-group">
            <input type="submit" class="btn btn-primary btn-block btn-
lg" value="Submit" name="submit">
      </div>
   </div>
  </div>
```

```
        <div class="row justify-content-end">
          <div class="col-sm-2">
            <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                echo "<div class='form-group'>";
                echo "<h5 style='color: red;'>PDF upload Failed!!
</h5>";
                echo "</div>";
              }elseif (strpos($uri, 'success=1')) {
                echo "<div class='form-group'>";
                echo "<h5 style='color: black;'>PDF uploaded
Successfully!! </h5>";
                echo "</div>";
              }
        ?>
          </div>
        </div>

      </form>
</div>
<!--Javascript Link-->
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/fdscript.js"></script>
</body>
</html>

<?
  ob_end_flush();
?>
```

➢ faculty_success_email_reset.php:

```
<?php
      $fid = $_GET['fid'];
?>

<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
```

```
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>

<body>
                        <div class="container-fluid inner">

                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
```

```
                              <img src="images/lock.png"
class="logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
                        <form action="faculty_reset_pass.php"
method="post" id="regform" enctype="multipart/form-data">
                                    <input type="hidden" name="fid"
value="<?php echo $fid;?>">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    if (strpos($uri,'change=1')) {
                                              $input = '<h2
style="color:green;">Thank You!!</h4>';
                                    }else{
                                          $input = '<div class="form-
group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Enter a new password" name="password"
id="password">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Reenter new password" name="password_again" >
                              </div>';
                                    }
                                    echo $input;

                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password change Failed !! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: green;'>Password changed successfully !!
</h5></div>";
                                    }else{
                                          $output = "";
                                    }
                                    echo $output;

                                    if (strpos($uri, 'change=1')){
                                          echo '';
                                    }else{
                                          echo '<div class="form-group">
```

```
                                                                <input
type="submit" class="btn btn-primary btn-block btn-lg" value="Reset
Password" name="submit">
                                                        </div>';
                                    }
                              ?>


                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="facultylogin.php">Back to
Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
      </div>

<script type="text/javascript"
src="script/formvalidation.js"></script>
</body>
</html>
```

➢ faculty_reset_pass.php:

```
<?php

      ob_start();

      include 'connectdb.php';
      if (isset($_POST['submit'])) {
                  $password = $_POST['password_again'];
                  $password = trim($password);
                  $fid = $_POST['fid'];
                  $column_name = "PASSWORD";
                  $sql = 'UPDATE faculty SET PASSWORD= "'.$password.'"
WHERE FID='.$fid;
                  echo $password;
                   if(mysqli_query($conn, $sql))
                   {
                        header("location:
faculty_success_email_reset.php?fid=".$fid."&success=1&change=1");
                        exit();
                   }  else{
                              header("location:
faculty_success_email_reset.php?fid=".$fid."&error=1");
```

```
                                exit();
                        }
        }


?>
```

➢ faculty_forgot_password.php:

```
<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
```

```
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>

<body>
                        <div class="container-fluid inner">

                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
                              <img src="images/lock.png" class="
logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
                        <form action="reset_faculty_password.php"
method="post" id="regform" enctype="multipart/form-data">

                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-
control" placeholder="Please enter your Email" name="email" >
                              </div>

                              <div class="form-group">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    $output = "";
                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password Reset Failed!! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
```

```
                                        $output = "<div class='form-
group'><h5 style='color: green;'>Confirmation Link has been sent to
your Email!! </h5></div>";
                                  }else{
                                        $output = "";
                                  }
                                  echo $output;
                            ?>
                            </div>


                            <div class="form-group">
                                  <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Reset Password" name="submit">
                            </div>
                      </form>

                </div>
                <div class="row footer">
                      <div class="col-sm-4 modal-footer">
                            <a href="index.php">Back to Login?</a>
                      </div>
                </div>
           </div>
                </div>
           </div>
     </div>
     </div>

<script type="text/javascript"
src="script/formvalidation.js"></script>
</body>
</html>
```

➢ faculty_forgot_mail.php:

```
<?php

      ob_start();

      $to = $email;
      $subject = "Reset Password";

      $message = "
      <html>
      <head>
      <title>Password Reset Email</title>
      </head>
      <body>
      <p>Hi , <b>".$name."</b></p>
      <p>Your request for password reset in under procees click the
link to proceed :</p>
```

```
        <a href=".$actual_link.">".$actual_link."</a>
        <p>Thank You </p>
        <p>Admin</p>
        <p>SCA Study Resource</p>
        </body>
        </html>
        ";

        // Always set content-type when sending HTML email
        $headers = "MIME-Version: 1.0" . "\r\n";
        $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";

        // More headers
        $headers .= 'From: <admin@scaresource.com>' . "\r\n";
        $headers .= 'Cc: admin@scaresource.com' . "\r\n";

        $uri = $_SERVER['REQUEST_URI'];


              if(mail($to,$subject,$message,$headers)){

              header("location: faculty_forgot_password.php?success=1");
              exit();
           }else{
              header("location: faculty_forgot_password.php?error=1");
              exit();
           }

?>
```

- **faculty_edit_profile.php:**

```
<?php
      session_start();

      ob_start();

      if(isset($_POST['submit'])){


            $fid = $_SESSION['fid'];

            include 'connectdb.php';
            include 'faculty_details.php';


            $firstname = trim($_POST['firstname']);
```

```
            $lastname = trim($_POST['lastname']);
            $email = trim($_POST['email']);
            $mobnumber = trim($_POST['mobnumber']);

            $sql = "";

            if ($_FILES["imageupload"]["name"]) {
                  checkFile($imagelocation);
                  if ($newimagelocation != '') {
                        $sql = "UPDATE faculty SET FIRSTNAME =
'$firstname', LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER =
'$mobnumber' , IMAGELOCATION = '$newimagelocation' WHERE FID=$fid";
                  }else{
                        $sql = "UPDATE faculty SET FIRSTNAME =
'$firstname', LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER =
'$mobnumber' WHERE FID=$fid";
                  }
            }else{
                  $sql = "UPDATE faculty SET FIRSTNAME = '$firstname',
LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER = '$mobnumber'
WHERE FID=$fid";
            }

            if ($conn->query($sql) === TRUE) {
                header('location: fdprofileview.php?success=1');
                exit();
            } else {
                  header('location: fdprofileview.php?error=1');
                  exit();
            }
      }


            function checkFile($imagelocation){
                  global $newimagelocation;
                  $newimagelocation = '';

                  echo $imagelocation;

                  $target_dir = "imageuploads/faculty/faculty";
                  $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
                  echo $target_file;
                  $uploadOk = 1;
                  $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

                  if (isset($_POST["submit"])) {
                        $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                        if ($check !== false) {
                              echo "File is an image - " .
$check["mime"].".";
```

```
                    }else{
                          echo "File is not an image.";
                          $uploadOk = 0;
                    }
              }

                    // Check if file already exists
              if (file_exists($target_file)) {
                    header('location: fdprofileview.php?error=1');
                    exit();
                  $uploadOk = 0;
              }

              // Check if $uploadOk is set to 0 by an error
              if ($uploadOk == 0) {
                  header('location: fdprofileview.php?error=1');
                  exit();
              // if everything is ok, try to upload file
              } else {

                  if (@unlink($imagelocation)) {
                    $target_file = str_replace(' ', '',
$target_file);
                    if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                          $newimagelocation = $target_file;
                       }else{
                          header('location:
fdprofileview.php?error=1');
                          exit();
                       }
                  }else{
                    header('location: fdprofileview.php?error=1');
                    exit();
                  }

                  }


            }

ob_end_flush();

?>
```

- **faculty_details.php:**

```
<?php

      include 'connectdb.php';

      $fid = $_SESSION['fid'];

      $firstname = "";
      $lastname = "";
      $imagelocation ="";
      $mobnumber = "";
      $email = "";

      $sql = "SELECT * FROM faculty WHERE FID=".$fid;
      $result = $conn->query($sql);
      if ($result->num_rows > 0) {
            while ($row = $result->fetch_assoc()) {
                  $firstname = $row['FIRSTNAME'];
                  $lastname = $row['LASTNAME'];
                  $imagelocation = $row['IMAGELOCATION'];
                  $mobnumber = $row['MOBNUMBER'];
                  $email = $row['EMAIL'];
            }
      }

?>
```

- **edit.php:**

```
<?php

include 'connectdb.php';

 $id = $_POST["id"];
 $text = $_POST["text"];
 $column_name = $_POST["column_name"];
 $sql = "UPDATE pdffile SET ".$column_name."='".$text."' WHERE
FLID='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo $column_name." changed to ".$text." successfully!";
 }  else{
      echo "NOt updated";
 }
 ?>
```

➢ denyeduser.php:

```
<!DOCTYPE html>
<html>
<head>
        <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<style type="text/css">
        .modal-login i {
           position: relative;
           left: 0px;
           right: 0px;
           top:0px;
           bottom:0px;
```

```
        }

        .modal-login .fa-hand-peace-o{
           color: yellow;
           font-size: 30px;
        }

        .modal-login .fa-ban{
           color: red;
           font-size: 30px;
        }

        .modal-login .fa-heart{
           color: red;
           font-size: 20px;
        }

</style>


<body>
                      <div class="container-fluid inner">

                      <div class="row justify-content-center">
                            <h2 class="modal-title webtitle">SCA
RESOURCE</h2>
                      </div>

                <div class="row">
                      <div class="col-sm-12 col2">
                            <div class="modal-dialog modal-login">
           <div class="modal-content">
                <div class="modal-header">
                      <h4 class="modal-title">Sorry Denied <i
class="fa fa-ban" aria-hidden="true"></i></h4>

                </div>
                <div class="modal-body ">
                      <p>Sorry your profile is Denied by the
Admin.</p>
                      <p>Please Re-register yourself for login.</p>
                      <p>Thank <i class="fa fa-hand-peace-o" aria-
hidden="true"></i> You </p>
                      <p>Admin <i class="fa fa-heart" aria-
hidden="true"></i></p>
                </div>
                <div class="row footer">
                      <div class="col-sm-4 modal-footer">
                            <a
href="studentregistrationpage.php">Register?</a>
                      </div>
                </div>
           </div>
```

```
                </div>
            </div>
        </div>

        </div>

</body>
</html>
```

➢ deny.php:

```
<?php
 include 'connectdb.php';
 $id = $_POST["id"];
 $sql = "UPDATE students SET PERMISSION=0 WHERE ROLLNO='".$id."'";
 if(mysqli_query($conn, $sql))
 {

      echo "User Denied!! ";
      mailUser($id);

 }  else{
     echo "Not Denied . Some error occured!! ";
 }

 function mailUser($id){

     include 'connectdb.php';

     $sql = "SELECT * FROM students WHERE ROLLNO=".$id;
     $result = $conn->query($sql);

     if ($result->num_rows > 0) {
          while ($row = $result->fetch_assoc()) {
                    $to = $row['EMAIL'];
                    $subject = "Profile Rejected!!";
$txt = 'Hi '.$row['FIRSTNAME'].',

Your profile hasbeen Rejected!

Thank You
Admin
SCA Study Resource
                    ';
                    $headers = "From: admin@scaresource.com";

                    if(mail($to,$subject,$txt,$headers)){

                              echo " Mail sent to the User !!";
```

```
                        }else{
                              echo "Error Sending Mail to the User !! ";;
                        }
                }
        }
}
 ?>
```

- **delete.php:**

```
<?php

      include 'connectdb.php';
       $sql = "SELECT * FROM pdffile WHERE FLID = '".$_POST["id"]."'";
       $result = mysqli_query($conn, $sql);
          if(mysqli_num_rows($result) > 0)
       {
            while($row = mysqli_fetch_array($result))
            {
                 if(@unlink($row['FILELOCATION'])){
                       $sql = "DELETE FROM pdffile WHERE FLID =
'".$_POST["id"]."'";
                       if(mysqli_query($connect, $sql)){
                             echo "Delete Successfully!!";
                       }else{
                             echo "Can't remove record from Database!";
                       }
                 }else{
                       echo "Can't Delete File!";
                 }
                 }
       }

 ?>
```

- **connectdb.php:**

```
<?php
      // connecting to the database
      $servername = "localhost";
      $username = "root";
      $password = "";
      $dbname = "scaresource";

      $conn = new mysqli($servername,$username,$password,$dbname);

      if($conn->connect_error){
            die("Connection failed : ".$conn->connect_error);
      }

?>
```

- **allow.php:**

```
<?php

 include 'connectdb.php';

 $id = $_POST["id"];
 $sql = "UPDATE students SET PERMISSION=1 WHERE ROLLNO='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo "User allowed successfully!! ";
      mailUser($id);

 }  else{
      echo "Not Allowed . Some error occured!!";
 }

function mailUser($id){

      include 'connectdb.php';

      $sql = "SELECT * FROM students WHERE ROLLNO=".$id;
      $result = $conn->query($sql);

      if ($result->num_rows > 0) {
            while ($row = $result->fetch_assoc()) {
                        $to = $row['EMAIL'];
                        $subject = "Profile Verified Successfully";
                        $txt = 'Hi '.$row['FIRSTNAME'].',

Your profile hasbeen verified!
```

```
Now you can Log in!

Thank You
Admin
SCA Study Resource
                        ';
                        $headers = "From: admin@scaresource.com";

                        if(mail($to,$subject,$txt,$headers)){

                                   echo "Mail sent to the User!!";
                        }else{
                              echo "Error Sending Mail to the User!! ";;
                        }
            }
      }

}


 ?>
```

➢ adminview.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
```

```
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->


</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
```

```
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4 active"><i class="fas fa-
user-cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center">
      <h3 >Admin</h3>
```

```
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add Admin</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">

        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add Admin</h4>
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>

        <!-- Modal body -->
      <div class="modal-body">
        <form action="admin_add_profile.php" method="post"
id="regform" enctype="multipart/form-data">
          <div class="form-group justify-content-center text-center">
                  <img src="images/avatar.png" name="imagepreview"
id="imagepreview" class="rounded-circle" style="height: 100px;">
           </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="First
Name" name="firstname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="Last
Name" name="lastname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control"
placeholder="Email" name="email">
          </div>
          <div class="form-group">
            <input type="number" class="form-control"
placeholder="Mobile Number" name="phonenumber">
          </div>
          <div class="form-group">
            <div class="custom-file">
                <input type="file" class="custom-file-input"
id="customFile" name="imageupload" id="imageupload">
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
             </div>
          </div>
          <div class="form-group">
```

```
            <input type="password" class="form-control"
placeholder="Password" name="password" id="password">
          </div>
          <div class="form-group">
            <input type="password" class="form-control"
placeholder="Confirm Password" name="password_again">
          </div>
          <div class="form-group">
            <input type="submit" class="btn btn-primary btn-block btn-
lg" value="Submit" name="submit">
          </div>
        </form>
      </div>
            <!-- Modal Body End -->
      </div>
    </div>
  </div>

</div>
    </div>
  </div>
</div>
<!---->

<div class="container-fluid">
  <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add Faculty</div>';
              }elseif(strpos($uri, 'success=1')){
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Faculty Added Successfully!</div>';
              }else{
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
              }
          echo $data;
  ?>

</div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
    <div class="row head line text-center">
      <div class="col-sm-1">AID</div>
      <div class="col-sm-2">First Name</div>
      <div class="col-sm-2">Last Name</div>
      <div class="col-sm-2">Email</div>
      <div class="col-sm-1">Mob Number</div>
```

```
      <div class="col-sm-1">Password</div>
      <div class="col-sm-2">Image Location</div>
      <div class="col-sm-1">Action</div>
    </div>


     <div class="row details text-center line show">

    </div>

    </div>

</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>


<script type="text/javascript">
     $(document).ready(function() {

  function fetch_data()
      {
           $.ajax({
                url:"admin_profile_fetch.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

      function edit_data(id, text, column_name)
      {
          $(".cc").click(function()
          {
            $.ajax({
                url:"admin_profile_edit.php",
                method:"POST",
                data:{id:id, text:text, column_name:column_name},
                dataType:"text",
                success:function(data){
                     document.getElementById("msg").innerHTML = data;
                     fetch_data();
                }
           });
```

```
            });
        }

        $(document).on('blur', '.firstname', function(){
             var id = $(this).data("id1");
             var firstname = $(this).text();
             edit_data(id,firstname, "FIRSTNAME");
        });

        $(document).on('blur', '.lastname', function(){
             var id = $(this).data("id2");
             var lastname = $(this).text();
             edit_data(id,lastname, "LASTNAME");
        });


        $(document).on('blur', '.email', function(){
             var id = $(this).data("id3");
             var email = $(this).text();
             edit_data(id,email, "EMAIL");
        });

        $(document).on('blur', '.mobnumber', function(){
             var id = $(this).data("id4");
             var mobnumber = $(this).text();
             edit_data(id,mobnumber, "MOBNUMBER");
        });

        $(document).on('blur', '.password', function(){
             var id = $(this).data("id5");
             var password = $(this).text();
             edit_data(id,password, "PASSWORD");
        });


        $(document).on('click', '.fbn', function(){
             var id=$(this).data("id8");
             if(confirm("Are you sure you want to remove this Admin ?"))
             {
                  $.ajax({
                       url:"admin_delete_profile.php",
                       method:"POST",
                       data:{id:id},
                       dataType:"text",
                       success:function(data){

document.getElementById('msg').innerHTML=data;
                            fetch_data();
                       }
                  });
             }
        });
    });
```

```
</script>


<?php
    ob_end_flush();
?>
```

- **adminsubview.php:**

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'

?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>
```

```
<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->


</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3 active"><i class="fa
fa-book" aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
```

```
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center">
      <h3>Subjects</h3>
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add Subject</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">

        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add Subject</h4>
```

```
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>

        <!-- Modal body -->
        <div class="modal-body">
          <form action="admin_add_subject.php" method="post"
id="regform">
              <div class="form-group">
                <input type="text" class="form-control"
placeholder="Subject Code" name="subcode">
              </div>
              <div class="form-group">
                <input type="text" class="form-control"
placeholder="Subject Name" name="subname">
              </div>
               <div class="form-group">
                 <?php
                   getFaculty();
                   echo $faculty;
                 ?>
              </div>
              <div class="form-group">
                <select name="branch" class="custom-select" >
                  <option value="" selected>Branch</option>
                          <option value="BCA">BCA</option>
                          <option value="MCA">MCA</option>
                          <option value="BSC">BSC</option>
                          <option value="MSC">MSC</option>
                </select>
              </div>
              <div class="form-group">
                <select name="semester" class="custom-select" >
                  <option value="" selected>Semester</option>
                          <option value="1">1</option>
                          <option value="2">2</option>
                          <option value="3">3</option>
                          <option value="4">4</option>
                          <option value="5">5</option>
                          <option value="6">6</option>
                      </select>
              </div>
              <div class="form-group">
                <input type="submit" class="btn btn-primary btn-block
btn-lg" value="Add Faculty" name="submit">
              </div>
          </form>
        </div>
      </div>
    </div>
  </div>

</div>
```

```
    </div>
  </div>
</div>
<!---->


<div class="container-fluid">
  <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add Subject</div>';
              }elseif(strpos($uri, 'success=1')){
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Subject Added Successfully!</div>';
              }else{
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
              }
          echo $data;
  ?>

</div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
       <div class="row head line text-center">
      <div class="col-sm-1">SID</div>
      <div class="col-sm-2">Subject Code</div>
      <div class="col-sm-2">FID</div>
      <div class="col-sm-2">Branch</div>
      <div class="col-sm-1">Semester</div>
      <div class="col-sm-2">Subject Name</div>
      <div class="col-sm-2">Action</div>
    </div>

    <div class="row details text-center line show">

    </div>

    </div>
</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
```

```
</html>

<script type="text/javascript">

$(document).ready(function() {
  function fetch_data()
      {
           $.ajax({
                url:"admin_subject_fetch.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

      function edit_data(id, text, column_name)
      {
          $(".cc").click(function()
          {
            $.ajax({
                url:"admin_subject_edit.php",
                method:"POST",
                data:{id:id, text:text, column_name:column_name},
                dataType:"text",
                success:function(data){
                     document.getElementById("msg").innerHTML = data;
                     fetch_data();
                }
           });
          });
      }

      $(document).on('blur', '.subjcode', function(){
           var id = $(this).data("id1");
           var subjcode = $(this).text();
           edit_data(id,subjcode, "SUBJCODE");
      });

      $(document).on('blur', '.subjname', function(){
           var id = $(this).data("id5");
           var subjname = $(this).text();
           edit_data(id,subjname, "SUBJNAME");
      });

      $(document).on('change', '.branch', function(){
           var id = $(this).data("id3");
           var branch = $(this).val();
           edit_data(id,branch,"BRANCH");
      });

      $(document).on('change', '.semester', function(){
```

```
            var id = $(this).data("id4");
            var semester = $(this).val();
            edit_data(id,semester,"SEMESTER");
      });

      $(document).on('change', '.faculty', function(){
            var id = $(this).data("id2");
            var fid = $(this).val();
            edit_data(id,fid,"FID");
      });




      $(document).on('click', '.fbn', function(){
            var id=$(this).data("id7");
            if(confirm("Are you sure you want to remove this Subject
?"))
            {
                  $.ajax({
                        url:"admin_delete_subject.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                  });
            }
      });
    });
</script>
<?php

    function getFaculty(){
                        include 'connectdb.php';
                          global $faculty ;
                          $faculty='<select class="custom-select "
name="faculty"> <option value="" selected>Faculty</option>';
                          $sql = "SELECT * FROM faculty ";
                          $result = mysqli_query($conn, $sql);
                          if(mysqli_num_rows($result) > 0) {
                          while($row = mysqli_fetch_array($result))
                            {
                              $name = $row["FIRSTNAME"]."
".$row["LASTNAME"];
                                $faculty .= '
                                    <option value="'.$row["FID"].'"
>'.$row["FID"]." ".$name.'</option>
                                ';
                              }
```

```
                                $faculty .= '</select>';
                              }
    }

  ob_end_flush();
?>
```

➢ adminstudview.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
```

```
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<script type="text/javascript" src="script/sdscript.js"></script>

</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1 active"><i class="fas
fa-user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
```

```
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->

<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center">
      <h3 >Students</h3>
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add Student</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">
        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add Student</h4>
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>
```

```
        <!-- Modal body -->
        <div class="modal-body">
        <form action="admin_add_student.php" method="post"
id="regform" enctype="multipart/form-data">
          <div class="form-group justify-content-center text-center">
                  <img src="images/avatar.png" name="imagepreview"
id="imagepreview" class="rounded-circle" style="height: 100px;">
           </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="First
Name" name="firstname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="Last
Name" name="lastname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control"
placeholder="Email" name="email">
          </div>
          <div class="form-group">
            <input type="number" class="form-control"
placeholder="Mobile Number" name="phonenumber">
          </div>
          <div class="form-group">
            <div class="custom-file">
                <input type="file" class="custom-file-input"
id="customFile" name="imageupload" id="imageupload">
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
             </div>
          </div>
          <div class="form-group">
            <input type="number" name="rollno" placeholder="Roll No"
class="form-control">
          </div>
          <div class="form-group">
             <select name="branch" class="custom-select" >
                    <option value="" selected>Branch</option>
                    <option value="MCA">MCA</option>
                    <option value="BCA">BCA</option>
                    <option value="MSC CS">MSC CS</option>
                    <option value="BSC CS">BSC CS</option>
                  </select>
          </div>
          <div class="form-group">
            <select name="semester" class="custom-select" >
              <option value="" selected>Semester</option>
                      <option value="1">1</option>
                      <option value="2">2</option>
```

```
                        <option value="3">3</option>
                        <option value="4">4</option>
                        <option value="5">5</option>
                        <option value="6">6</option>
                    </select>
            </div>
            <div class="form-group">
              <input type="password" class="form-control"
placeholder="Password" name="password" id="password">
            </div>
            <div class="form-group">
              <input type="password" class="form-control"
placeholder="Confirm Password" name="password_again">
            </div>

            <div class="form-group">
              <input type="submit" class="btn btn-primary btn-block btn-
lg" value="Submit" name="submit">
            </div>
          </form>

        </div>



        </div>
      </div>
    </div>

</div>
      </div>
    </div>
</div>
<!---->



<div class="container-fluid">
  <?php
                $uri = $_SERVER['REQUEST_URI'];
                if (strpos($uri, 'error=1')) {
                  $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add Student</div>';
                }elseif(strpos($uri, 'success=1')){
                  $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Student Added Successfully!</div>';
                }else{
                  $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
                }
```

```
            echo $data;
  ?>

</div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
        <div class="row head line text-center">
      <div class="col-sm-1">RollNo</div>
      <div class="col-sm-1">First Name</div>
      <div class="col-sm-1">Last Name</div>
      <div class="col-sm-2">Image Location</div>
      <div class="col-sm-1">Branch</div>
      <div class="col-sm-1">Semester</div>
      <div class="col-sm-2">Email</div>
      <div class="col-sm-1">Mob Number</div>
      <div class="col-sm-1">Password</div>
      <div class="col-sm-1">Action</div>
    </div>

    <div class="row details text-center line show">

    </div>

</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>
<script type="text/javascript" src="script/admin_student.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>


<?php
  ob_end_flush();
?>
```

➢ adminstuddenied.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
```

```
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
```

```
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
           <div class="col-sm-6">
                <h3><a href="admindashboard.php" style="color:
black;">ADMIN DASHBOARD</a></h3>
           </div>
           <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
           </div>
     </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center" style="padding-top: 10px;">
      <h3 >Students Denied</h3>
```

```
    </div>
  </div>
</div>
<!---->


<div class="row justify-content-end text-center" id="msg"></div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
       <div class="row head line text-center">
      <div class="col-sm-1">RollNo</div>
      <div class="col-sm-1">First Name</div>
      <div class="col-sm-1">Last Name</div>
      <div class="col-sm-2">Image Location</div>
      <div class="col-sm-1">Branch</div>
      <div class="col-sm-1">Semester</div>
      <div class="col-sm-2">Email</div>
      <div class="col-sm-1">Mob Number</div>
      <div class="col-sm-1">Password</div>
      <div class="col-sm-1">Permission</div>
    </div>

    <div class="row details text-center line show">

    </div>
    </div>
</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>

</body>
</html>


<script type="text/javascript">
  $(document).ready(function(){

      function fetch_data()
      {
            $.ajax({
                  url:"admin_stud_denied_fetch.php",
                  method:"POST",
                  success:function(data){
                        $('.show').html(data);
                  }
            });
      }
      fetch_data();

    $(document).on('click', '.cc', function(){
            var id=$(this).data("id1");
```

```
            if(confirm("Are you sure you want to allow this user?"))
            {
                  $.ajax({
                        url:"allow.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                  });
            }
      });

      $(document).on('click', '.fbn', function(){
            var id=$(this).data("id2");
            if(confirm("Are you sure you want to deny this user?"))
            {
                  $.ajax({
                        url:"admin_stud_delete.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                  });
            }
      });
  });
</script>
<?php
  ob_end_flush();
?>
```

➢ faculty_details.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
```

```
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
           <div class="col-sm-6">
                 <h3><a href="admindashboard.php" style="color:
black;">ADMIN DASHBOARD</a></h3>
           </div>
           <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
           </div>
      </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center" style="padding-top: 10px;">
      <h3 >Students Approval</h3>
    </div>
  </div>
```

```
</div>
<!---->


<div class="row justify-content-end text-center" id="msg"></div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
       <div class="row head line text-center">
      <div class="col-sm-1">RollNo</div>
      <div class="col-sm-1">First Name</div>
      <div class="col-sm-1">Last Name</div>
      <div class="col-sm-2">Image Location</div>
      <div class="col-sm-1">Branch</div>
      <div class="col-sm-1">Semester</div>
      <div class="col-sm-2">Email</div>
      <div class="col-sm-1">Mob Number</div>
      <div class="col-sm-1">Password</div>
      <div class="col-sm-1">Permission</div>
    </div>

    <div class="row details text-center line show">

    </div>
    </div>
</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>

</body>
</html>


<script type="text/javascript">
  $(document).ready(function(){

      function fetch_data()
      {
            $.ajax({
                  url:"admin_stud_fetch.php",
                  method:"POST",
                  success:function(data){
                        $('.show').html(data);
                  }
            });
      }
      fetch_data();

    $(document).on('click', '.cc', function(){
            var id=$(this).data("id1");
            if(confirm("Are you sure you want to allow this user?"))
            {
```

```
                $.ajax({
                     url:"allow.php",
                     method:"POST",
                     data:{id:id},
                     dataType:"text",
                     success:function(data){

document.getElementById('msg').innerHTML=data;
                          fetch_data();
                     }
                });
           }
      });

      $(document).on('click', '.fbn', function(){
           var id=$(this).data("id2");
           if(confirm("Are you sure you want to deny this user?"))
           {
                $.ajax({
                     url:"deny.php",
                     method:"POST",
                     data:{id:id},
                     dataType:"text",
                     success:function(data){

document.getElementById('msg').innerHTML=data;
                          fetch_data();
                     }
                });
           }
      });
  });
</script>

<?php
  ob_end_flush();
?>
```

- **adminsignout.php:**

```
<?php
     session_start();

     unset($_SESSION['adminemail']);
     unset($_SESSION['adminpassword']);
     unset($_SESSION['aid']);

     header("location: adminlogin.php")

?>
```

➢ adminlogincheck.php:

```
<?php
      session_start();

      ob_start();
      include 'connectdb.php';

      if (isset($_POST['submit'])) {

            $adminemail = trim($_POST['adminemail']);
            $adminpassword = trim($_POST['adminpassword']);

            $adminemail =
mysqli_real_escape_string($conn,stripslashes($adminemail));
            $adminpassword =
mysqli_real_escape_string($conn,stripcslashes($adminpassword));

            if($_POST['arem']){
                        setcookie('adminemail',$adminemail,time() +
(86400 * 30),"/");
                        setcookie('adminpassword',$adminpassword,time()
+ (86400*30),"/");
            }

            $sql = "SELECT * FROM admin WHERE EMAIL = '$adminemail' AND
BINARY PASSWORD='$adminpassword'";
            $result = $conn->query($sql);

            if ($result->num_rows > 0) {
                  while ($row = $result->fetch_assoc()) {
                              $fcheck_email = $row['EMAIL'];
                              $fcheck_password = $row['PASSWORD'];
                              $aid = $row['AID'];
                              if ($adminemail == $fcheck_email &&
$adminpassword == $fcheck_password) {
                                    $_SESSION['adminemail'] =
$adminemail;
                                    $_SESSION['adminpassword'] =
$adminpassword;
                                    $_SESSION['aid'] = $aid;
                                    header("location:
admindashboard.php");
                                    exit();
                              }else{
                                    header("location:
adminlogin.php?failed=1");
                                    exit();
                              }
```

```
                        }
                    }else{
                        header("location: adminlogin.php?failed=1");
                        exit();
                    }
        }

        ob_end_flush();

?>
```

- **adminprofileview.php:**

```
<?php
  session_start();

  ob_start();

  if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
    exit();
  }

$aid = $_SESSION["aid"];

include 'get_admin_details.php';

?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
```

```
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>

</head>
<body>

<!--Sidebar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
```

```
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6 active"><i
class="fa fa-user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->


<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center" style="margin-top: 2rem;">
      <h3 >Profile</h3>
    </div>
  </div>
</div>
<!---->

<form action="admin_edit_profile.php" method="post" id="regform"
enctype="multipart/form-data" >
 <div class="container-fluid profiling">
```

```
  <div class="row">
    <div class="col-sm-3 imagecol">
      <img src="<?php echo $imagelocation;?>" class="img-thumbnail"
alt="Image Loading Failed" id="imagepreview" >
    </div>
    <div class="col-sm-9">
      <div class="row ">
        <div class="col-sm-6"><h5>Profile Name : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $firstname."
".$lastname;?></h5>
          <input type="text" name="firstname" value="<?php echo
$firstname;?>" class="form-control pshow">
          <input type="text" name="lastname" value="<?php echo
$lastname;?>" class="form-control pshow">
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Email : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $_SESSION['adminemail'];?></h5>
          <input type="email" name="email" value="<?php echo
$email;?>" class="form-control pshow" >
        </div>
      </div>
      <div class="row">
        <div class="col-sm-6"><h5>Mobile Number : </h5></div>
        <div class="col-sm-6">
          <h5 class="phide"><?php echo $mobnumber;?></h5>
          <input type="text" name="mobnumber" value="<?php echo
$mobnumber;?>" class="form-control pshow">
        </div>
      </div>

      <div class="row pshow">
        <div class="col-sm-6"><h5>Profile Image : </h5></div>
        <div class="col-sm-6">
          <div class="form-group">
            <div class="custom-file ">
                <input type="file" class="custom-file-input"
id="customFile" name="imageupload" id="imageupload">
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
            </div>
          </div>
        </div>
      </div>

      <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                echo "<div class='row justify-content-end'>";
```

```
                echo "<h4 style='color: red; padding: 10px;'>Error
updating.Try Again!</h4>";
                echo "</div>";
              }elseif (strpos($uri, 'success=1')) {
                echo "<div class='row justify-content-end'>";
                echo "<h5 style='color: green; padding: 10px;'>Profile
Updated Successfully!! </h5>";
                echo "</div>";
              }
        ?>


  <div class="row justify-content-end">
        <div class="col-sm-2 text-center">
          <a href="#" class="btn btn-primary" id="pedit">Edit</a>
          <input type="submit" class="btn btn-primary" id="pdone"
value="Done" name="submit"></a>
        </div>
        <div class="col-sm-2 text-center" id="cancol"><a href="#"
class="btn btn-primary" id="cancel">Cancel</a></div>
        <div class="col-sm-2 text-center" id="signoutcol"><a
href="adminsignout.php" class="btn btn-primary">Signout</a></div>
        <div class="col-sm-2 text-center" id="resetcol"><a
href="admin_forgot_password.php" class="btn btn-primary">Reset
Password</a></div>
      </div>
      </form>
    </div>
  </div>
</div>


<script type="text/javascript" src="script/uploadscript.js"></script>
<script type="text/javascript"
src="script/profile_form_validate.js"></script>

</body>
</html>

<?php
  ob_end_flush();
?>
```

- **adminlogin.php:**

```
<!DOCTYPE html>
<html>
<head>
     <title>SCA RESOURCE</title>
</head>
```

```
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<body>
                      <div class="container-fluid inner">

                      <div class="row justify-content-center">
                            <h2 class="modal-title webtitle">SCA
RESOURCE</h2>
                      </div>

                 <div class="row">
                      <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
                            <img src="images/admin.png" class="rounded-
circle logimage">
                      </div>
                      <div class="col-sm-6 col2">
                            <div class="modal-dialog modal-login">
            <div class="modal-content">
```

```
                <div class="modal-header">
                     <h4 class="modal-title">Admin Login</h4>
                </div>
                <div class="modal-body">
                     <form action="adminlogincheck.php"
method="post">
                          <div class="form-group">
                               <i class="fa fa-user"></i>
                               <input type="email" class="form-
control" placeholder="Email" name="adminemail"
                               <?php
                               if(isset($_COOKIE['adminemail']))
                                    echo
"value='".$_COOKIE['adminemail']."'";
                               ?>
                                required>
                          </div>
                          <div class="form-group">
                               <i class="fa fa-lock"></i>
                               <input type="password" class="form-
control" placeholder="Password" name="adminpassword"
                               <?php
                               if(isset($_COOKIE['adminpassword']))
                                    echo
"value='".$_COOKIE['adminpassword']."'";
                               ?>
                               required>
                          </div>
                          <div class="custom-control form-group
custom-checkbox">
                          <input type="checkbox" class="custom-
control-input" id="customCheck" name="arem" value="1">
                          <label class="custom-control-label"
for="customCheck">Remember Me</label>
                          </div>


                          <?php
                               $uri = $_SERVER['REQUEST_URI'];
                               if (strpos($uri, 'failed=1')) {
                                    echo "<div class='form-group'>";
                                    echo "<h5 style='color:
red;'>Invalid Email and Password !! </h5>";
                                    echo "</div>";
                               }
                          ?>

                          <div class="form-group">
                               <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Login" name="submit">
                          </div>
                     </form>
```

```
                </div>
                <div class="row footer">
                      <div class="col-sm-6">
                            <a href="admin_forgot_password.php">Forgot
Password?</a>
                      </div>
                </div>
                <div class="row footer">
                      <div class="col-sm-4 modal-footer">
                            <a href="index.php">Student Login?</a>
                      </div>
                      <div class="col-sm-4 modal-footer">
                            <a href="facultylogin.php">Faculty
Login?</a>
                      </div><div class="col-sm-4 modal-footer">
                            <a href="adminlogin.php">Admin Login?</a>
                      </div>
                </div>

           </div>
                </div>
           </div>
      </div>
      </div>

</body>
</html>
```

➢ adminfileview.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->
```

```
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->


</head>
<body>
```

```
<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5 active"><i class="fa
fa-file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
```

```
    <div class="col-sm-4 text-center">
      <h3 >Files</h3>
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add File</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">
        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add File</h4>
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>

        <!-- Modal body -->
        <div class="modal-body">
          <form action="admin_add_files.php" method="post"
id="regform" enctype="multipart/form-data">
        <div class="form-group"><?php getSubject(); echo
$subject;?></div>
          <div class="form-group"><?php getFaculty(); echo
$faculty;?></div>
          <div class="form-group"><input type="text" name="filetitle"
placeholder="File Title" class="form-control" ></div>

          <div class="form-group">
            <div class="custom-file">
                <input type="file" class="custom-file-input"
id="customFile" name="pdfupload" id="pdfupload">
                <label class="custom-file-label text-left"
for="customFile">Choose File</label>
             </div>
          </div>
          <div class="form-group">
                <input type="submit" class="btn btn-primary btn-block
btn-lg" value="Add File" name="submit">
          </div>
        </form>
      </div>


    </div>
  </div>

</div>
    </div>
  </div>
```

```
</div>
<!---->



<div class="container-fluid">
  <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add File</div>';
              }elseif(strpos($uri, 'success=1')){
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  File Added Successfully!</div>';
              }else{
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
              }
          echo $data;
  ?>

</div>


<!--The files upload view-->
 <div class="container-fluid studentspage">

    <div class="row head line text-center">
      <div class="col-sm-2">FLID</div>
      <div class="col-sm-2">SID Subject</div>
      <div class="col-sm-2">FID Faculty</div>
      <div class="col-sm-2">File Title</div>
      <div class="col-sm-2">File Location</div>
      <div class="col-sm-2">Action</div>
    </div>

   <div class="row details text-center line show">

    </div>


    </div>
</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>
```

```
</body>
</html>

<script type="text/javascript">

$(document).ready(function() {
  function fetch_data()
      {
           $.ajax({
                url:"admin_files_fetch.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

      function edit_data(id, text, column_name)
      {
          $(".cc").click(function()
          {
            $.ajax({
                url:"admin_files_edit.php",
                method:"POST",
                data:{id:id, text:text, column_name:column_name},
                dataType:"text",
                success:function(data){
                     document.getElementById("msg").innerHTML = data;
                     fetch_data();
                }
           });
          });
      }


      $(document).on('blur', '.filetitle', function(){
           var id = $(this).data("id3");
           var filetitle = $(this).text();
            edit_data(id,filetitle, "FILETITLE");
      });


      $(document).on('change', '.subject', function(){
           var id = $(this).data("id1");
           var sid = $(this).val();
           edit_data(id,sid,"SID");
      });

      $(document).on('change', '.faculty', function(){
           var id = $(this).data("id2");
           var fid = $(this).val();
```

```
            edit_data(id,fid,"FID");
      });




      $(document).on('click', '.fbn', function(){
            var id=$(this).data("id5");
            if(confirm("Are you sure you want to remove this Subject
?"))
            {
                  $.ajax({
                        url:"admin_delete_files.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                  });
            }
      });
    });
</script>


<?php

        function getSubject(){
              include 'connectdb.php';
                global $subject ;
                $subject='<select class="custom-select subject"
name="subject"> <option value="" selected>Subject</option>';
                $sql = "SELECT * FROM subject ";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                      $subject .= '
                          <option value="'.$row["SID"].'"
>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }
                    $subject .= '</select>';
                  }
                }


           function getFaculty(){
                include 'connectdb.php';
                global $faculty ;
```

```
                $faculty='<select class="custom-select faculty"
name="faculty"> <option value="" selected>Faculty</option>';
                $sql = "SELECT * FROM faculty ";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                      $name = $row["FIRSTNAME"]." ".$row["LASTNAME"];
                      $faculty .= '
                          <option value="'.$row["FID"].'"
>'.$row["FID"]." ".$name.'</option>
                      ';
                    }
                    $faculty .= '</select>';
                  }
             }

            ob_end_flush();

?>
```

➢ adminfcview.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
```

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->


</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation?>" class="rounded-circle">
```

```
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2 active"><i class="fas
fa-user-tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center">
      <h3 >Faculty</h3>
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
```

```
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add Faculty</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">

        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add Faculty</h4>
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>

        <!-- Modal body -->
      <div class="modal-body">
        <form action="admin_add_faculty.php" method="post"
id="regform" enctype="multipart/form-data">
          <div class="form-group justify-content-center text-center">
                  <img src="images/avatar.png" name="imagepreview"
id="imagepreview" class="rounded-circle" style="height: 100px;">
           </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="First
Name" name="firstname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control" placeholder="Last
Name" name="lastname">
          </div>
          <div class="form-group">
            <input type="text" class="form-control"
placeholder="Email" name="email">
          </div>
          <div class="form-group">
            <input type="number" class="form-control"
placeholder="Mobile Number" name="phonenumber">
          </div>
          <div class="form-group">
            <div class="custom-file">
                <input type="file" class="custom-file-input"
id="customFile" name="imageupload" id="imageupload">
                <label class="custom-file-label text-left"
for="customFile">Choose Image</label>
             </div>
          </div>
          <div class="form-group">
            <input type="password" class="form-control"
placeholder="Password" name="password" id="password">
          </div>
          <div class="form-group">
```

```
            <input type="password" class="form-control"
placeholder="Confirm Password" name="password_again">
          </div>
          <div class="form-group">
            <input type="submit" class="btn btn-primary btn-block btn-
lg" value="Submit" name="submit">
          </div>
        </form>
      </div>


      <!-- Modal Body End -->



      </div>
    </div>
  </div>

</div>
    </div>
  </div>
</div>
<!---->

<div class="container-fluid">
  <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add Faculty</div>';
              }elseif(strpos($uri, 'success=1')){
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Faculty Added Successfully!</div>';
              }else{
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
              }
          echo $data;
  ?>

</div>

<!--Exam Resources-->
 <div class="container-fluid studentspage">
       <div class="row head line text-center">
      <div class="col-sm-1">FID</div>
      <div class="col-sm-2">First Name</div>
      <div class="col-sm-2">Last Name</div>
      <div class="col-sm-2">Email</div>
```

```
        <div class="col-sm-1">Mob Number</div>
        <div class="col-sm-1">Password</div>
        <div class="col-sm-2">Image Location</div>
        <div class="col-sm-1">Action</div>
      </div>


       <div class="row details text-center line show">

      </div>

      </div>

  </div>
  <!--Exam Resource Code Ending-->

  <script type="text/javascript" src="script/adminscript.js"></script>
  <script type="text/javascript"
  src="script/formvalidation.js"></script>
  <script type="text/javascript" src="script/uploadscript.js"></script>

  </body>
  </html>


  <script type="text/javascript">
       $(document).ready(function() {

    function fetch_data()
        {
             $.ajax({
                  url:"admin_faculty_fetch.php",
                  method:"POST",
                  success:function(data){
                       $('.show').html(data);
                  }
             });
        }
        fetch_data();

        function edit_data(id, text, column_name)
        {
            $(".cc").click(function()
            {
              $.ajax({
                  url:"admin_edit_faculty.php",
                  method:"POST",
                  data:{id:id, text:text, column_name:column_name},
                  dataType:"text",
                  success:function(data){
                       document.getElementById("msg").innerHTML = data;
                       fetch_data();
                  }
```

```
            });
           });
      }

      $(document).on('blur', '.firstname', function(){
            var id = $(this).data("id1");
            var firstname = $(this).text();
            edit_data(id,firstname, "FIRSTNAME");
      });

      $(document).on('blur', '.lastname', function(){
            var id = $(this).data("id2");
            var lastname = $(this).text();
            edit_data(id,lastname, "LASTNAME");
      });


      $(document).on('blur', '.email', function(){
            var id = $(this).data("id3");
            var email = $(this).text();
            edit_data(id,email, "EMAIL");
      });

      $(document).on('blur', '.mobnumber', function(){
            var id = $(this).data("id4");
            var mobnumber = $(this).text();
            edit_data(id,mobnumber, "MOBNUMBER");
      });

      $(document).on('blur', '.password', function(){
            var id = $(this).data("id5");
            var password = $(h).text();
            edit_data(id,password, "PASSWORD");
      });


      $(document).on('click', '.fbn', function(){
            var id=$(this).data("id8");
            if(confirm("Are you sure you want to remove this Faculty
Member ?"))
            {
                  $.ajax({
                        url:"admin_delete_faculty.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                  });
            }
```

```
      });
    });
</script>
<?php
  ob_end_flush();
?>
```

➢ adminexamfile.php:

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php'
?>


<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
```

```
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->


</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4 active"><i class="fa
fa-file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
```

```
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
      <div class="col-sm-6">
        <h3><a href="admindashboard.php" style="color: black;">ADMIN
DASHBOARD</a></h3>
      </div>
      <div class="col-sm-6">
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
      </div>
  </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center">
      <h3 >Files</h3>
    </div>
    <div class="col-sm-4 text-right">
<div class="container">
  <button type="button" class="btn btn-primary" data-toggle="modal"
data-target="#myModal"><i class="fa fa-plus" aria-hidden="true"></i>
    Add File</button>

  <!-- The Modal -->
  <div class="modal fade" id="myModal">
    <div class="modal-dialog modal-dialog-centered">
      <div class="modal-content">
        <!-- Modal Header -->
        <div class="modal-header">
          <h4 class="modal-title">Add File</h4>
          <button type="button" class="close" data-
dismiss="modal">&times;</button>
        </div>

        <!-- Modal body -->
```

```
        <div class="modal-body">
          <form action="admin_add_examfiles.php" method="post"
id="regform" enctype="multipart/form-data">
        <div class="form-group"><?php getSubject(); echo
$subject;?></div>
          <div class="form-group"><?php getYear(); echo
$years;?></div>
          <div class="form-group"><?php getExam(); echo $exam;?></div>

          <div class="form-group">
            <div class="custom-file">
                <input type="file" class="custom-file-input"
id="customFile" name="pdfupload" id="pdfupload">
                <label class="custom-file-label text-left"
for="customFile">Choose File</label>
             </div>
          </div>
          <div class="form-group">
                <input type="submit" class="btn btn-primary btn-block
btn-lg" value="Add File" name="submit">
          </div>
        </form>
      </div>


    </div>
  </div>

</div>
    </div>
  </div>
</div>
<!---->



<div class="container-fluid">
  <?php
              $uri = $_SERVER['REQUEST_URI'];
              if (strpos($uri, 'error=1')) {
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  Failed to Add File</div>';
              }elseif(strpos($uri, 'success=1')){
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  File Added Successfully!</div>';
              }else{
                $data = '<div class="row" id="msg" style="justify-
content: flex-end;">
  </div>';
              }
          echo $data;
```

```
  ?>

</div>


<!--The files upload view-->
 <div class="container-fluid studentspage">

    <div class="row head line text-center">
      <div class="col-sm-2">EID</div>
      <div class="col-sm-2">SID Subject</div>
      <div class="col-sm-2">Year</div>
      <div class="col-sm-2">Exam Title</div>
      <div class="col-sm-2">File Location</div>
      <div class="col-sm-2">Action</div>
    </div>

   <div class="row details text-center line show">

    </div>


    </div>
</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>
<script type="text/javascript"
src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>


</body>
</html>

<script type="text/javascript">

$(document).ready(function() {
  function fetch_data()
      {
           $.ajax({
                url:"admin_exam_file_fetch.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

      function edit_data(id, text, column_name)
      {
          $(".cc").click(function()
```

```
            {
              $.ajax({
                   url:"admin_examfiles_edit.php",
                   method:"POST",
                   data:{id:id, text:text, column_name:column_name},
                   dataType:"text",
                   success:function(data){
                        document.getElementById("msg").innerHTML = data;
                        fetch_data();
                   }
             });
            });
        }


        $(document).on('blur', '.examtitle', function(){
             var id = $(this).data("id3");
             var examtitle = $(this).val();
              edit_data(id,examtitle, "EXAMTITLE");
        });


        $(document).on('change', '.subject', function(){
             var id = $(this).data("id1");
             var sid = $(this).val();
             edit_data(id,sid,"SID");
        });

        $(document).on('change', '.year', function(){
             var id = $(this).data("id2");
             var year = $(this).val();
             edit_data(id,year,"YEAR");
        });




        $(document).on('click', '.fbn', function(){
             var id=$(this).data("id5");
             if(confirm("Are you sure you want to remove this File ?"))
             {
                   $.ajax({
                        url:"admin_delete_examfiles.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                             fetch_data();
                        }
                   });
             }
```

```
      });
    });
</script>


<?php

        function getSubject(){
              include 'connectdb.php';
                global $subject ;
                $subject='<select class="custom-select subject"
name="subject"> <option value="" selected>Subject</option>';
                $sql = "SELECT * FROM SUBJECT ";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                      $subject .= '
                          <option value="'.$row["SID"].'"
>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }
                    $subject .= '</select>';
                  }
                }


          function getYear(){
                global $years ;
                $years='<select class="custom-select" name="year">
<option value="" selected>Year</option>';

                  for ($i=2013; $i<=2020 ; $i++) {
                        $years .= '<option
value='.$i.'>'.$i.'</option>';
                      }
                 $years .= '</select>';
            }


          function getExam(){
              global $exam;
              $exam = '<select class="custom-select" name="examtitle">
              <option value="" selected>Exam</option>
              <option value="Mid Sem">Mid Sem</option>
              <option value="End Sem">End Sem</option>
              </select>
              ';
          }



ob_end_flush();
```

```
?>
```

- **admindashboard.php:**

```
<?php
  session_start();
  ob_start();
if (!isset($_SESSION['adminemail']) ||
!isset($_SESSION['adminpassword'])) {
    header("location: adminlogin.php");
  }
    $aid = $_SESSION['aid'];
    include 'get_admin_details.php';
    getStudentDetails();
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">

<!--Bootstrap 4 CDN-->

<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">
<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>
<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>
<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>


<!--Bootstrap 4 Ends-->

<!--Google Fonts-->
<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<!--Font Awesome-->
```

```
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.6.3/css/all.css"
integrity="sha384-
UHRtZLI+pbxtHCWp1t77Bi1L4ZtiqrqD80Kn4Z8NTSRyMA2Fd33n5dQ8lWUE00s/"
crossorigin="anonymous">
<!--Css Link-->
<link rel="stylesheet" type="text/css" href="css/adminstyle.css">
<!--Javascript Link-->
<script type="text/javascript" src="script/sdscript.js"></script>
</head>
<body>

<!--Siderbar-->
<div id="mySidebar" class="sidebar">
  <a href="javascript:void(0)" class="closebtn"
onclick="closeNav()">x</a>
  <div class="container-fluid profileimg">
    <img src="<?php echo $imagelocation;?>" class="rounded-circle">
    <h5><?php echo $firstname." ".$lastname;?></h5>
  </div>
<ul style="list-style-type: none;">
  <li><a href="adminstudview.php" class="link l1"><i class="fas fa-
user-graduate"></i> Student</a></li>
  <li><a href="adminfcview.php" class="link l2"><i class="fas fa-user-
tie"></i> Faculty</a></li>
  <li><a href="adminsubview.php" class="link l3"><i class="fa fa-book"
aria-hidden="true"></i>  Subjects</a></li>
  <li><a href="adminview.php" class="link l4"><i class="fas fa-user-
cog"></i>  Admin</a></li>
  <li><a href="adminfileview.php" class="link l5"><i class="fa fa-
file" aria-hidden="true"></i> Files</a></li>
  <li><a href="adminexamfile.php" class="link l4"><i class="fa fa-
file-pdf-o" aria-hidden="true"></i> Exam Files</a></li>
  <li><a href="adminprofileview.php" class="link l6"><i class="fa fa-
user" aria-hidden="true"></i> Profile</a></i>
  <li><a href="adminsignout.php" class="link l7"><i class="fas fa-
sign-out-alt"></i> Sign Out</a></li>
</ul>
</div>
<!---->

<div id="main" >
<!--Header Row-->
   <div class="row rcol">
           <div class="col-sm-6">
                 <h3><a href="admindashboard.php" style="color:
black;">ADMIN DASHBOARD</a></h3>
           </div>
           <div class="col-sm-6">
```

```
        <h3 class="pfname"><a href="adminprofileview.php"
style="color: black;"><?php echo $firstname." ".$lastname;?><img
src="<?php echo $imagelocation;?>" class="rounded-circle
imgheading"></a></h3>
           </div>
     </div>
<!---->
<!--The open close button-->

<div class="container-fluid opnbtn">
  <div class="row">
    <div class="col-sm-4 text-left">
      <span class="openbtn" id="openbtn"onclick="openNav()"><i
class="fa fa-bars" aria-hidden="true"></i>
 Open Menu</span>
    </div>
    <div class="col-sm-4 text-center" style="padding-top: 10px;">
      <h3 >Welcome to Admin Dashboard</h3>
    </div>
  </div>
</div>
<!---->


<!-- Admindashboard column -->

<div class="container-fluid">

    <div class="card-columns text-center">

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fas fa-user-clock cardlogo"></i>
          <p class="card-text">Student Approval Pending : <?php echo
$pending;?> </p>
          <a href="adminstudapproval.php" class="btn btn-
primary">Pending Approval</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fas fa-user-check cardlogo"></i>
          <p class="card-text">Student Profile Approved : <?php echo
$permited;?> </p>
          <a href="adminstudview.php" class="btn btn-primary">Student
Approved</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fas fa-user-times cardlogo"></i>
```

```
          <p class="card-text">Student Profile Denied : <?php echo
$denied;?> </p>
          <a href="adminstuddenied.php" class="btn btn-
primary">Student Denied</a>
        </div>
      </div>

    </div>

    <div class="card-columns text-center">

      <div class="card bg-light">
        <div class="card-body text-center">
        <i class="fas fa-user-tie cardlogo"></i>
        <p class="card-text">Faculty Assigned </p>
          <a href="adminfcview.php" class="btn btn-
primary">Faculty</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fa fa-book cardlogo" aria-hidden="true"></i>
          <p class="card-text">Assigned Subjects</p>
          <a href="adminsubview.php" class="btn btn-
primary">Subjects</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fas fa-user-cog cardlogo"></i>
          <p class="card-text">Admin Assigned</p>
          <a href="adminview.php" class="btn btn-primary">Admin</a>
        </div>
      </div>

    </div>

    <div class="card-columns text-center">

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fa fa-file cardlogo" aria-hidden="true"></i>
          <p class="card-text">PDF Files Resources </p>
          <a href="adminfileview.php" class="btn btn-primary">PDF
Files</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fa fa-file-pdf-o cardlogo" aria-hidden="true"></i>
```

```
          <p class="card-text">Exam Question Paper </p>
          <a href="adminexamfile.php" class="btn btn-primary">Exam
Files</a>
        </div>
      </div>

      <div class="card bg-light">
        <div class="card-body text-center">
          <i class="fas fa-user cardlogo"></i>
          <p class="card-text">My Profile </p>
          <a href="adminprofileview.php" class="btn btn-
primary">Profile</a>
        </div>
      </div>

    </div>

</div>


<!--  -->

</div>
<!--Exam Resource Code Ending-->

<script type="text/javascript" src="script/adminscript.js"></script>

</body>
</html>


<script type="text/javascript">
  $(document).ready(function(){

      function fetch_data()
      {
           $.ajax({
                url:"admin_stud_fetch.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

    $(document).on('click', '.cc', function(){
           var id=$(this).data("id1");
           if(confirm("Are you sure you want to allow this user?"))
           {
                $.ajax({
                     url:"allow.php",
                     method:"POST",
```

```
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                   });
              }
        });

        $(document).on('click', '.fbn', function(){
              var id=$(this).data("id2");
              if(confirm("Are you sure you want to deny this user?"))
              {
                   $.ajax({
                        url:"deny.php",
                        method:"POST",
                        data:{id:id},
                        dataType:"text",
                        success:function(data){

document.getElementById('msg').innerHTML=data;
                              fetch_data();
                        }
                   });
              }
        });
  });
</script>

<?php
  ob_end_flush();

  function getStudentDetails(){
      include 'connectdb.php';

      global $permited,$denied,$pending;

      $sql = "SELECT * FROM students WHERE PERMISSION = 1";
      $results = $conn->query($sql);
      $permited = $results->num_rows;

      $sql = "SELECT * FROM students WHERE PERMISSION = 0";
      $results = $conn->query($sql);
      $denied = $results->num_rows;

      $sql = "SELECT * FROM students WHERE PERMISSION = 2";
      $results = $conn->query($sql);
      $pending = $results->num_rows;

  }
```

```
?>
```

➢ admin_success_email_reset.php:

```
<?php
      $aid = $_GET['aid'];
?>

<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
```

```
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>

<body>
                        <div class="container-fluid inner">

                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
                              <img src="images/lock.png"
class="logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
                        <form action="admin_reset_pass.php"
method="post" id="regform" enctype="multipart/form-data">
                                    <input type="hidden" name="aid"
value="<?php echo $aid;?>">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    if (strpos($uri,'change=1')) {
                                              $input = '<h2
style="color:green;">Thank You!!</h4>';
                                    }else{
                                          $input = '<div class="form-
group">
                                    <i class="fa fa-lock"></i>
                                    <input type="password" class="form-
control" placeholder="Enter a new password" name="password"
id="password">
                              </div>
                              <div class="form-group">
                                    <i class="fa fa-lock"></i>
```

```
                                    <input type="password" class="form-
control" placeholder="Reenter new password" name="password_again" >
                              </div>';
                                    }
                                    echo $input;

                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password change Failed !! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: green;'>Password changed successfully !!
</h5></div>";
                                    }else{
                                          $output = "";
                                    }
                                    echo $output;

                                    if (strpos($uri, 'change=1')){
                                          echo '';
                                    }else{
                                          echo '<div class="form-group">
                                                                  <input
type="submit" class="btn btn-primary btn-block btn-lg" value="Reset
Password" name="submit">
                                                                  </div>';
                                    }
                              ?>


                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="adminlogin.php">Back to Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
      </div>

<script type="text/javascript"
src="script/formvalidation.js"></script>
</body>
</html>
```

- **admin_subject_fetch.php:**

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM subject ORDER BY SID DESC";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
           getBranch($row['BRANCH'],$row['SID']);
           getSemester($row['SEMESTER'],$row['SID']);
          getFaculty($row['FID'],$row['SID']);
            echo '
            <div class="col-sm-1">'.$row['SID'].'</div>
            <div class="col-sm-2 subjcode" data-
id1="'.$row['SID'].'"contenteditable>'.$row['SUBJCODE'].'</div>
            <div class="col-sm-2 ">'.$faculty.'</div>
            <div class="col-sm-2 " >'.$branch.'</div>
            <div class="col-sm-1 " >'.$semester.'</div>
            <div class="col-sm-2 subjname" data-
id5="'.$row['SID'].'"contenteditable>'.$row['SUBJNAME'].'</div>
            <div class="col-sm-2">
              <div class="row action text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id6='.$row['SID'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id7='.$row['SID'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }


          function getBranch($bran,$id){
            global $branch;
            $branch = '<select class="custom-select branch" data-
id3="'.$id.'">';
            if($bran == "BCA"){
                $branch .= '<option value="BCA"
selected>BCA</option>';
            }else{
                $branch .= '<option value="BCA" >BCA</option>';
```

```
            }
            if($bran == "MCA"){
                $branch .= '<option value="MCA"
selected>MCA</option>';
            }else{
                $branch .= '<option value="MCA" >MCA</option>';
            }
            if($bran == "BSC"){
                $branch .= '<option value="BSC"
selected>BSC</option>';
            }else{
                $branch .= '<option value="BSC" >BSC</option>';
            }
            if($bran == "MSC"){
                $branch .= '<option value="MSC"
selected>MSC</option>';
            }else{
                $branch .= '<option value="MSC" >MSC</option>';
            }
            $branch .= '</select>';
          }


          function getSemester($sem,$id){
            global $semester;
            $semester = '<select class="custom-select semester" data-
id4="'.$id.'">';
            if($sem == "1"){
                $semester .= '<option value="1" selected>1</option>';
            }else{
                $semester .= '<option value="1" >1</option>';
            }
            if($sem == "2"){
                $semester .= '<option value="2" selected>2</option>';
            }else{
                $semester .= '<option value="2" >2</option>';
            }
            if($sem == "3"){
                $semester .= '<option value="3" selected>3</option>';
            }else{
                $semester .= '<option value="3" >3</option>';
            }
            if($sem == "4"){
                $semester .= '<option value="4" selected>4</option>';
            }else{
                $semester .= '<option value="4" >4</option>';
            }
            if($sem == "5"){
                $semester .= '<option value="5" selected>5</option>';
            }else{
                $semester .= '<option value="5" >5</option>';
            }
            if($sem == "6"){
```

```
                $semester .= '<option value="6" selected>6</option>';
            }else{
                $semester .= '<option value="6" >6</option>';
            }
            $semester .= '</select>';
        }


        function getFaculty($fid,$sid){
                include 'connectdb.php';
                global $faculty ;
                $faculty='<select class="custom-select faculty" data-
id2="'.$sid.'">';
                $sql = "SELECT * FROM faculty ";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                    $name = $row["FIRSTNAME"]." ".$row["LASTNAME"];
                    if($fid == $row["FID"]){
                        $faculty .= '
                          <option value="'.$row["FID"].'"
selected>'.$row["FID"]." ".$name.'</option>
                      ';
                    }else{
                      $faculty .= '
                          <option value="'.$row["FID"].'"
>'.$row["FID"]." ".$name.'</option>
                      ';
                    }
                    }
                    $faculty .= '</select>';
                  }
            }


    ?>
```

➢ admin_subject_edit.php:

```
<?php

include 'connectdb.php';

 $id = $_POST["id"];
 $text = $_POST["text"];
 $column_name = $_POST["column_name"];
```

```
 $sql = "UPDATE subject SET ".$column_name."='".$text."' WHERE
SID='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo $column_name." changed to ".$text." successfully!";
 }  else{
     echo "Not updated.Some Error Found!!";
 }
 ?>
```

➢ admin_stud_fetched.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM students WHERE PERMISSION = 1";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
            getSemester($row['ROLLNO']);
            getBranch($row['ROLLNO']);
            echo '<div class="col-sm-1">'.$row['ROLLNO'].'</div>
            <div class="col-sm-1 firstname" data-
id1="'.$row['ROLLNO'].'"contenteditable>'.$row['FIRSTNAME'].'</div>
            <div class="col-sm-1 lastname" data-
id2="'.$row['ROLLNO'].'"contenteditable>'.$row['LASTNAME'].'</div>
            <div class="col-sm-2 imagelocation" data-
id3="'.$row['ROLLNO'].'"><a
href='.$row['IMAGELOCATION'].'>'.$row['IMAGELOCATION'].'</a></div>
            <div class="col-sm-1 " data-
id4="'.$row['ROLLNO'].'">'.$branch.'</div>
            <div class="col-sm-1 " data-
id5="'.$row['ROLLNO'].'">'.$semester.'</div>
            <div class="col-sm-2 email" data-
id6="'.$row['ROLLNO'].'"contenteditable>'.$row['EMAIL'].'</div>
            <div class="col-sm-1 mobnumber" data-
id7="'.$row['ROLLNO'].'"contenteditable>'.$row['MOBNUMBER'].'</div>
            <div class="col-sm-1 password" data-
id8="'.$row['ROLLNO'].'"contenteditable>'.$row['PASSWORD'].'</div>
            <div class="col-sm-1">
              <div class="row action text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id9='.$row['ROLLNO'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id10='.$row['ROLLNO'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
```

```
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }

          function getSemester($rollno){
            global $semester;
            $semester = "<select name='semester' class='custom-select
semester' data-id5='$rollno'>";

            include 'connectdb.php';

            $sql = "SELECT * FROM students WHERE ROLLNO=$rollno";
            $result = mysqli_query($conn, $sql);
            if(mysqli_num_rows($result) > 0)
            {
              while($row = mysqli_fetch_array($result))
              {
                for ($i=1; $i<=6 ; $i=$i+1) {
                  if($i == $row["SEMESTER"]){
                    $semester .= '
                      <option value="'.$i.'" selected>'.$i.'</option>
                  ';
                }else{
                  $semester .= '
                      <option value="'.$i.'" >'.$i.'</option>
                  ';
                }
                }

              }
              $semester .= '</select>';
            }
          }

          function getBranch($rollno){
            global $branch;
            $branch = "<select name='branch' class='custom-select
branch' data-id4='$rollno'>";

            include 'connectdb.php';

            $sql = "SELECT * FROM students WHERE ROLLNO=$rollno";
            $result = mysqli_query($conn, $sql);
            if(mysqli_num_rows($result) > 0)
            {
              while($row = mysqli_fetch_array($result))
```

```
                {
                  if($row['BRANCH'] == "BCA"){
                      $branch .= '<option value="BCA"
selected>BCA</option>';
                  }else{
                      $branch .='<option value="BCA">BCA</option>';
                  }
                   if($row['BRANCH'] == "MCA"){
                      $branch .= '<option value="MCA"
selected>MCA</option>';
                  }else{
                      $branch .='<option value="MCA">MCA</option>';
                  }
                  if($row['BRANCH'] == "BSC"){
                      $branch .= '<option value="BSC"
selected>BSC</option>';
                  }else{
                      $branch .='<option value="BSC">BSC</option>';
                  }
                  if($row['BRANCH'] == "MSC"){
                      $branch .= '<option value="MSC"
selected>MSC</option>';
                  }else{
                      $branch .='<option value="MSC" >MSC</option>';
                  }
                }
                $branch .= '</select>';
              }
            }
    ?>
```

➢ admin_stud_fetch.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM students WHERE PERMISSION = 2";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
            echo '<div class="col-sm-1">'.$row['ROLLNO'].'</div>
            <div class="col-sm-1">'.$row['FIRSTNAME'].'</div>
            <div class="col-sm-1">'.$row['LASTNAME'].'</div>
            <div class="col-sm-2"><a
href='.$row['IMAGELOCATION'].'>'.$row['IMAGELOCATION'].'</a></div>
            <div class="col-sm-1">'.$row['BRANCH'].'</div>
            <div class="col-sm-1">'.$row['SEMESTER'].'</div>
            <div class="col-sm-2">'.$row['EMAIL'].'</div>
            <div class="col-sm-1">'.$row['MOBNUMBER'].'</div>
```

```
            <div class="col-sm-1">'.$row['PASSWORD'].'</div>
            <div class="col-sm-1">
              <div class="row text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id1='.$row['ROLLNO'].'>
                  <i class="fa fa-check-circle" aria-
hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id2='.$row['ROLLNO'].'>
                  <i class="fa fa-ban" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }
    ?>
```

➢ admin_stud_delete.php:

```
<?php

include 'connectdb.php';

 $sql = "SELECT * FROM students WHERE ROLLNO = '".$_POST["id"]."'";
 $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
      {
           if(@unlink($row['IMAGELOCATION'])){
                $sql = "DELETE FROM students WHERE ROLLNO =
'".$_POST["id"]."'";
                if(mysqli_query($conn, $sql)){
                     echo "ROLLNO ".$_POST["id"]." delete
Successfully!!";
                }else{
                     echo "Can't remove record from Database!";
                }
           }else{
                echo "Can't Delete File!";
           }
           }
 }
```

```
?>
```

➢ admin_stud_denied_fetch.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM students WHERE PERMISSION = 0";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
            echo '<div class="col-sm-1">'.$row['ROLLNO'].'</div>
            <div class="col-sm-1">'.$row['FIRSTNAME'].'</div>
            <div class="col-sm-1">'.$row['LASTNAME'].'</div>
            <div class="col-sm-2"><a
href='.$row['IMAGELOCATION'].'>'.$row['IMAGELOCATION'].'</a></div>
            <div class="col-sm-1">'.$row['BRANCH'].'</div>
            <div class="col-sm-1">'.$row['SEMESTER'].'</div>
            <div class="col-sm-2">'.$row['EMAIL'].'</div>
            <div class="col-sm-1">'.$row['MOBNUMBER'].'</div>
            <div class="col-sm-1">'.$row['PASSWORD'].'</div>
            <div class="col-sm-1">
              <div class="row text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id1='.$row['ROLLNO'].'>
                  <i class="fa fa-check-circle" aria-
hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id2='.$row['ROLLNO'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }
    ?>
```

➢ admin_reset_pass.php:

```
<?php
      ob_start();
      include 'connectdb.php';
      if (isset($_POST['submit'])) {
                  $password = $_POST['password_again'];
                  $password = trim($password);
                  $aid = $_POST['aid'];
                  $column_name = "PASSWORD";
                  $sql = 'UPDATE admin SET PASSWORD= "'.$password.'"
WHERE AID='.$aid;
                   if(mysqli_query($conn, $sql))
                   {
                        header("location:
admin_success_email_reset.php?aid=".$aid."&success=1&change=1");
                        exit();
                   }  else{
                              header("location:
admin_success_email_reset.php?aid=".$aid."&error=1");
                              exit();
                   }
      }

?>
```

➢ admin_profile_fetch.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM admin ORDER BY AID DESC";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {

            echo '<div class="col-sm-1">'.$row['AID'].'</div>
            <div class="col-sm-2 firstname" data-
id1="'.$row['AID'].'"contenteditable>'.$row['FIRSTNAME'].'</div>
            <div class="col-sm-2 lastname" data-
id2="'.$row['AID'].'"contenteditable>'.$row['LASTNAME'].'</div>
            <div class="col-sm-2 email" data-
id3="'.$row['AID'].'"contenteditable>'.$row['EMAIL'].'</div>
            <div class="col-sm-1 mobnumber" data-
id4="'.$row['AID'].'"contenteditable>'.$row['MOBNUMBER'].'</div>
            <div class="col-sm-1 password" data-
id5="'.$row['AID'].'"contenteditable>'.$row['PASSWORD'].'</div>
            <div class="col-sm-2 imagelocation" data-
id6="'.$row['AID'].'"><a
href='.$row['IMAGELOCATION'].'>'.$row['IMAGELOCATION'].'</a></div>
```

```
            <div class="col-sm-1">
              <div class="row text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id7='.$row['AID'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id8='.$row['AID'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }

    ?>
```

- **admin_forgot_password.php:**

```
<!DOCTYPE html>
<html>
<head>
      <title>SCA RESOURCE</title>
</head>
<meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.mi
n.css">

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

<!-- Popper JS -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

<!-- Latest compiled JavaScript -->
```

```
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>

<link
href="https://fonts.googleapis.com/css?family=Montserrat&display=swap"
rel="stylesheet">

<link
href="https://fonts.googleapis.com/css?family=Poppins:700&display=swap
" rel="stylesheet">
<link
href="https://fonts.googleapis.com/css?family=Poppins:500&display=swap
" rel="stylesheet">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" type="text/css" href="css/style.css">

<!--Jquery Form validation CDN-->
<script src="https://code.jquery.com/jquery-1.11.1.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>
<script
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>
<!---->

<style type="text/css">
      label{
            padding-top: 5px;
            margin-bottom: 0px;
            color: red !important;
      }
</style>

<body>
                        <div class="container-fluid inner">

                  <div class="row">
                        <div class="col-sm-6 d-none d-md-block d-lg-
block col1">
                              <img src="images/lock.png" class="
logimage">
                        </div>
                        <div class="col-sm-6 col2">
                              <div class="modal-dialog modal-login">
            <div class="modal-content">
                  <div class="modal-header">
                        <h4 class="modal-title">Forgot Password</h4>
                  </div>
                  <div class="modal-body">
```

```
                        <form action="reset_admin_password.php"
method="post" id="regform" enctype="multipart/form-data">

                              <div class="form-group">
                                    <i class="fa fa-user"></i>
                                    <input type="text" class="form-
control" placeholder="Please enter your Email" name="email" >
                              </div>

                              <div class="form-group">
                              <?php
                                    $uri = $_SERVER['REQUEST_URI'];
                                    $output = "";
                                    if (strpos($uri, 'error=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: red;'>Password Reset Failed!! </h5></div>";
                                    }elseif (strpos($uri, 'success=1')) {
                                          $output = "<div class='form-
group'><h5 style='color: green;'>Confirmation Link has been sent to
your Email!! </h5></div>";
                                    }else{
                                          $output = "";
                                    }
                                    echo $output;
                              ?>
                              </div>


                              <div class="form-group">
                                    <input type="submit" class="btn btn-
primary btn-block btn-lg" value="Reset Password" name="submit">
                              </div>
                        </form>

                  </div>
                  <div class="row footer">
                        <div class="col-sm-4 modal-footer">
                              <a href="index.php">Back to Login?</a>
                        </div>
                  </div>
            </div>
                  </div>
            </div>
      </div>
      </div>

<script type="text/javascript"
src="script/formvalidation.js"></script>
</body>
</html>
```

➢ admin_forgot_mail.php:

```
<?php

      ob_start();

      $to = $email;
      $subject = "Reset Password";

      $message = "
      <html>
      <head>
      <title>Password Reset Email</title>
      </head>
      <body>
      <p>Hi , <b>".$name."</b></p>
      <p>Your request for password reset in under procees click the
link to proceed :</p>
      <a href=".$actual_link.">".$actual_link."</a>
      <p>Thank You </p>
      <p>Admin</p>
      <p>SCA Study Resource</p>
      </body>
      </html>
      ";

      // Always set content-type when sending HTML email
      $headers = "MIME-Version: 1.0" . "\r\n";
      $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";

      // More headers
      $headers .= 'From: <admin@scaresource.com>' . "\r\n";
      $headers .= 'Cc: admin@scaresource.com' . "\r\n";

      $uri = $_SERVER['REQUEST_URI'];

    if(mail($to,$subject,$message,$headers)){

            header("location: admin_forgot_password.php?success=1");
            exit();
    }else{
      header("location: admin_forgot_password.php?error=1");
      exit();
    }

?>
```

➢ admin_files_fetch.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM pdffile ORDER BY FLID DESC";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
          getSubject($row['SID'],$row['FLID']);
          getFaculty($row['FID'],$row['FLID']);
            echo '<div class="col-sm-2">'.$row["FLID"].'</div>
            <div class="col-sm-2">'.$subject.'</div>
            <div class="col-sm-2">'.$faculty.'</div>
            <div class="col-sm-2 filetitle" data-
id3="'.$row["FLID"].'" contenteditable>'.$row["FILETITLE"].'</div>
            <div class="col-sm-2 filelocation"><a
href="'.$row["FILELOCATION"].'">'.$row["FILELOCATION"].'</a></div>
            <div class="col-sm-2">
              <div class="row action text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id4='.$row['FLID'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id5='.$row['FLID'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }


          function getSubject($sid,$id){
              include 'connectdb.php';
                global $subject ;
```

```
                $subject='<select class="custom-select subject" data-
id1="'.$id.'">';
                $sql = "SELECT * FROM subject";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                    if($sid == $row["SID"]){
                        $subject .= '
                          <option value="'.$row["SID"].'"
selected>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }else{
                      $subject .= '
                          <option value="'.$row["SID"].'"
>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }
                    }
                    $subject .= '</select>';
                  }
                }


          function getFaculty($fid,$flid){
                include 'connectdb.php';
                global $faculty ;
                $faculty='<select class="custom-select faculty" data-
id2="'.$flid.'">';
                $sql = "SELECT * FROM faculty ";
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                    $name = $row["FIRSTNAME"]." ".$row["LASTNAME"];
                    if($fid == $row["FID"]){
                        $faculty .= '
                          <option value="'.$row["FID"].'"
selected>'.$row["FID"]." ".$name.'</option>
                      ';
                    }else{
                      $faculty .= '
                          <option value="'.$row["FID"].'"
>'.$row["FID"]." ".$name.'</option>
                      ';
                    }
                    }
                    $faculty .= '</select>';
                  }
              }


    ?>
```

➢ admin_files_edit.php:

```
<?php

 include 'connectdb.php';

 $id = $_POST["id"];
 $text = $_POST["text"];
 $column_name = $_POST["column_name"];
 $sql = "UPDATE pdffile SET ".$column_name."='".$text."' WHERE
FLID='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo $column_name." changed to ".$text." successfully!";
 }  else{
     echo "Not updated.Some Error Found!!";
 }
 ?>
```

➢ admin_faculty_fetch.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM faculty ORDER BY FID DESC";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {

            echo '<div class="col-sm-1">'.$row['FID'].'</div>
            <div class="col-sm-2 firstname" data-
id1="'.$row['FID'].'"contenteditable>'.$row['FIRSTNAME'].'</div>
            <div class="col-sm-2 lastname" data-
id2="'.$row['FID'].'"contenteditable>'.$row['LASTNAME'].'</div>
```

```
            <div class="col-sm-2 email" data-
id3="'.$row['FID'].'"contenteditable>'.$row['EMAIL'].'</div>
            <div class="col-sm-1 mobnumber" data-
id4="'.$row['FID'].'"contenteditable>'.$row['MOBNUMBER'].'</div>
            <div class="col-sm-1 password" data-
id5="'.$row['FID'].'"contenteditable>'.$row['PASSWORD'].'</div>
            <div class="col-sm-2 imagelocation" data-
id6="'.$row['FID'].'"><a
href='.$row['IMAGELOCATION'].'>'.$row['IMAGELOCATION'].'</a></div>
            <div class="col-sm-1">
              <div class="row text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id7='.$row['FID'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id8='.$row['FID'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }

    ?>
```

➢ admin_examfiles_edit.php:

```
<?php

      include 'connectdb.php';

      $id = $_POST["id"];
       $text = $_POST["text"];
       $column_name = $_POST["column_name"];
       $sql = "UPDATE examfile SET ".$column_name."='".$text."' WHERE
EID='".$id."'";
       if(mysqli_query($conn, $sql))
       {
            echo $column_name." changed to ".$text." successfully!";
       }  else{
           echo "Not updated.Some Error Found!!";
       }
```

```
?>
```

➢ faculty_details.php:

```
<?php
        include 'connectdb.php';

        $sql = "SELECT * FROM examfile ORDER BY EID DESC";
        $result = mysqli_query($conn, $sql);
        if(mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_array($result))
          {
          getSubject($row['SID'],$row['EID']);
          getYear($row['YEAR'],$row['EID']);
          getExam($row['EXAMTITLE'],$row['EID']);

            echo '<div class="col-sm-2">'.$row["EID"].'</div>
            <div class="col-sm-2">'.$subject.'</div>
            <div class="col-sm-2">'.$years.'</div>
            <div class="col-sm-2">'.$examtitle.'</div>
            <div class="col-sm-2 filelocation"><a
href="'.$row["FILELOCATION"].'">'.$row["FILELOCATION"].'</a></div>
            <div class="col-sm-2">
              <div class="row action text-center">
                <div class="col-sm-6">
                <a href="#" class="cc" data-id4='.$row['EID'].'>
                  <i class="fa fa-refresh" aria-hidden="true"></i>
                </a>
              </div>
              <div class="col-sm-6">
                <a href="#" class="fbn" data-id5='.$row['EID'].'>
                  <i class="fa fa-trash" aria-hidden="true"></i>
                </a>
              </div>
              </div>
            </div>';
            }
          }else{
            echo '
              <div class="col-sm-12">NO RECORDS FOUND</div>
            ';
          }


          function getSubject($sid,$id){
              include 'connectdb.php';
                global $subject ;
                $subject='<select class="custom-select subject" data-
id1="'.$id.'">';
                $sql = "SELECT * FROM subject ";
```

```
                $result = mysqli_query($conn, $sql);
                if(mysqli_num_rows($result) > 0) {
                while($row = mysqli_fetch_array($result))
                  {
                    if($sid == $row["SID"]){
                        $subject .= '
                          <option value="'.$row["SID"].'"
selected>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }else{
                      $subject .= '
                          <option value="'.$row["SID"].'"
>'.$row["SID"]." ".$row["SUBJNAME"].'</option>
                      ';
                    }
                    }
                    $subject .= '</select>';
                  }
                }


          function getYear($year,$EID){
                global $years ;
                $years='<select class="custom-select year" data-
id2="'.$EID.'">';

                  for ($i=2013; $i<=2020 ; $i++) {
                      if ($year == $i) {
                        $years .= '<option value='.$i.'
selected>'.$i.'</option>';
                      }else{
                        $years .= '<option
value='.$i.'>'.$i.'</option>';
                      }
                  }
                $years .= '</select>';
             }


             function getExam($exam,$EID){
                global $examtitle;
                $examtitle='<select class="custom-select examtitle"
data-id3="'.$EID.'">';

                  if ($exam == "Mid Sem") {
                    $examtitle .= '<option value = "Mid Sem"
selected>Mid Sem</option>';
                  }else{
                    $examtitle .= '<option value = "Mid Sem">Mid
Sem</option>';
                  }

                  if ($exam == "End Sem") {
```

```
                    $examtitle .= '<option value = "End Sem"
selected>End Sem</option>';
                  }else{
                    $examtitle .= '<option value = "End Sem">End
Sem</option>';
                  }

                $examtitle .= '</select>';
              }
    ?>
```

➢ admin_edit_stud.php:

```
<?php

 include 'connectdb.php';

 $id = $_POST["id"];
 $text = $_POST["text"];
 $column_name = $_POST["column_name"];
 $sql = "UPDATE students SET ".$column_name."='".$text."' WHERE
ROLLNO='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo $column_name." changed to ".$text." successfully!";
 }  else{
     echo "NOt updated";
 }
 ?>
```

➢ admin_edit_profile.php:

```
<?php
     session_start();

     ob_start();
```

```
      if(isset($_POST['submit'])){

            $aid = $_SESSION['aid'];

            include 'connectdb.php';
            include 'get_admin_details.php';

            $firstname = trim($_POST['firstname']);
            $lastname = trim($_POST['lastname']);
            $email = trim($_POST['email']);
            $mobnumber = trim($_POST['mobnumber']);

            $sql = "";

            if ($_FILES["imageupload"]["name"]) {
                  checkFile($imagelocation);
                  if ($newimagelocation != '') {
                        $sql = "UPDATE admin SET FIRSTNAME =
'$firstname', LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER =
'$mobnumber' , IMAGELOCATION = '$newimagelocation' WHERE AID=$aid";
                  }else{
                        $sql = "UPDATE admin SET FIRSTNAME =
'$firstname', LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER =
'$mobnumber' WHERE AID=$aid";
                  }
            }else{
                  $sql = "UPDATE admin SET FIRSTNAME = '$firstname',
LASTNAME = '$lastname', EMAIL = '$email', MOBNUMBER = '$mobnumber'
WHERE AID=$aid";
            }

            if ($conn->query($sql) === TRUE) {
                header('location: adminprofileview.php?success=1');
                exit();
            } else {
                  header('location: adminprofileview.php?error=1');
                  exit();
            }
      }


            function checkFile($imagelocation){
                  global $newimagelocation;
                  $newimagelocation = '';

                  echo $imagelocation;

                  $target_dir = "imageuploads/admin/admin";
                  $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
                  echo $target_file;
                  $uploadOk = 1;
```

```
                $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

                if (isset($_POST["submit"])) {
                      $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                      if ($check !== false) {
                            echo "File is an image - " .
$check["mime"].".";
                      }else{
                            echo "File is not an image.";
                            $uploadOk = 0;
                      }
                }

                      // Check if file already exists
                if (file_exists($target_file)) {
                      header('location:
adminprofileview.php?error=1');
                      exit();
                    $uploadOk = 0;
                }

                // Check if $uploadOk is set to 0 by an error
                if ($uploadOk == 0) {
                    header('location: adminprofileview.php?error=1');
                    exit();
                // if everything is ok, try to upload file
                } else {

                    if (@unlink($imagelocation)) {
                      $target_file = str_replace(' ', '',
$target_file);
                      if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                            $newimagelocation = $target_file;
                         }else{
                            header('location:
adminprofileview.php?error=1');
                            exit();
                         }
                    }else{
                      header('location:
adminprofileview.php?error=1');
                      exit();
                    }

                    }
            }


ob_end_flush();
```

```
?>
```

➢ admin_edit_faculty.php:

```
<?php

 include 'connectdb.php';

 $id = $_POST["id"];
 $text = $_POST["text"];
 $column_name = $_POST["column_name"];
 $sql = "UPDATE faculty SET ".$column_name."='".$text."' WHERE
FID='".$id."'";
 if(mysqli_query($conn, $sql))
 {
      echo $column_name." changed to ".$text." successfully!";
 }  else{
     echo "NOt updated";
 }
 ?>
```

➢ admin_delete_subject.php:

```
<?php

include 'connectdb.php';

 $sql = "DELETE FROM subject WHERE SID = '".$_POST["id"]."'";
    if(mysqli_query($conn, $sql))
       {
            echo $_POST["id"]." deleted successfully.";
       }else{
            echo "Error deleting file!!";
       }
 ?>
```

➢ admin_delete_profile.php:

```
<?php
 include 'connectdb.php';
```

```
 $sql = "SELECT * FROM admin WHERE AID = '".$_POST["id"]."'";
 $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
      {
           if(@unlink($row['IMAGELOCATION'])){
                $sql = "DELETE FROM admin WHERE AID =
'".$_POST["id"]."'";
                if(mysqli_query($conn, $sql)){
                     echo "AID ".$_POST["id"]." delete
Successfully!!";
                }else{
                     echo "Can't remove record from Database!";
                }
           }else{
                echo "Can't Delete File!";
           }
           }
 }
 ?>
```

➢ admin_delete_files.php:

```
<?php

 include 'connectdb.php';

 $sql = "SELECT * FROM pdffile WHERE FLID = '".$_POST["id"]."'";
 $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
      {
           if(@unlink($row['FILELOCATION'])){
                $sql = "DELETE FROM pdffile WHERE FLID =
'".$_POST["id"]."'";
                if(mysqli_query($conn, $sql)){
                     echo "FLID ".$_POST["id"]." delete
Successfully!!";
                }else{
                     echo "Can't remove record from Database!";
                }
           }else{
                echo "Can't Delete File!";
           }
           }
 }
 ?>
```

➢ admin_delete_faculty.php:

```
<?php

 include 'connectdb.php';

 $sql = "SELECT * FROM faculty WHERE FID = '".$_POST["id"]."'";
 $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
      {
           if(@unlink($row['IMAGELOCATION'])){
                $sql = "DELETE FROM faculty WHERE FID =
'".$_POST["id"]."'";
                if(mysqli_query($conn, $sql)){
                     echo "FID ".$_POST["id"]." delete
Successfully!!";
                }else{
                     echo "Can't remove record from Database!";
                }
           }else{
                echo "Can't Delete File!";
           }
           }
 }
 ?>
```

➢ admin_delete_examfiles.php:

```
<?php

      include 'connectdb.php';

 $sql = "SELECT * FROM examfile WHERE EID = '".$_POST["id"]."'";
 $result = mysqli_query($conn, $sql);
    if(mysqli_num_rows($result) > 0)
 {
      while($row = mysqli_fetch_array($result))
      {
           if(@unlink($row['FILELOCATION'])){
                $sql = "DELETE FROM examfile WHERE EID =
'".$_POST["id"]."'";
                if(mysqli_query($conn, $sql)){
```

```
                        echo "EID ".$_POST["id"]." delete
Successfully!!";
                  }else{
                        echo "Can't remove record from Database!";
                  }
            }else{
                  echo "Can't Delete File!";
            }
            }
 }
 ?>
```

➢ admin_add_subject.php:

```
<?php
      ob_start();
      if (isset($_POST['submit'])) {
            $subjcode = $_POST['subcode'];
            $subjname = $_POST['subname'];
            $faculty = $_POST['faculty'];
            $branch = $_POST['branch'];
            $semester = $_POST['semester'];

            include 'connectdb.php';

            $sql = "INSERT INTO subject (SUBJCODE, FID, BRANCH,
SEMESTER , SUBJNAME)
            VALUES ('$subjcode', '$faculty', '$branch', '$semester',
'$subjname')";

            if ($conn->query($sql) === TRUE) {
                header("location: adminsubview.php?success=1");
                exit();
            } else {
                header("location: adminsubview.php?error=1");
                exit();
            }
      }

      ob_end_flush();
?>
```

➢ admin_add_student.php:

```
<?php
```

```
ob_start();

if (isset($_POST['submit'])) {
      include 'connectdb.php';

      $firstname = $_POST['firstname'];
      $lastname = $_POST['lastname'];
      $email = $_POST['email'];
      $mobnumber = $_POST['phonenumber'];
      $rollno = $_POST['rollno'];
      $branch = $_POST['branch'];
      $semester = $_POST['semester'];
      $password = $_POST['password_again'];
      $target_dir = "imageuploads/student/student";
      $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
      echo $target_file;
      $uploadOk = 1;
      $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

      if (isset($_POST["submit"])) {
            $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
            if ($check !== false) {
                  echo "File is an image - " . $check["mime"].".";
            }else{
                  echo "File is not an image.";
                  $uploadOk = 0;
            }
      }

            // Check if file already exists
      if (file_exists($target_file)) {
          $uploadOk = 0;
      }

      // Check if $uploadOk is set to 0 by an error
      if ($uploadOk == 0) {
                  echo "Error";
            //header("location: adminstudview.php?error=1");
      // if everything is ok, try to upload file
      } else {
            $target_file = str_replace(' ', '', $target_file);
          if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                $sql = "INSERT INTO students
VALUES('$rollno','$firstname','$lastname','$target_file','$branch','$s
emester','$email','$mobnumber','$password',1)";
                if ($conn->query($sql) === TRUE) {
                  header("location: adminstudview.php?success=1");
                  exit();
```

```
                    }else{
                       echo $conn->error;
                       @unlink($target_file);
                       //header("location: adminstudview.php?error=1");

                    }
                } else {
                    header("location: adminstudview.php?error=1");
                    exit();
                }
            }

        }

        ob_end_flush();

?>
```

➢ admin_add_files.php:

```
<?php

            session_start();
            ob_start();

        if (isset($_POST['submit'])) {
            include 'connectdb.php';

            $fid = $_POST['faculty'];
            $filetitle = $_POST['filetitle'];
            $sid = $_POST['subject'];

            $target_dir = "files/studyfiles/";
            $target_file =
$target_dir.basename($_FILES["pdfupload"]["name"]);
            $uploadOk = 1;
            $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));


                  // Check if file already exists
            if (file_exists($target_file)) {
                header("location: adminfileview.php?error=1");
                exit();
                $uploadOk = 0;
            }

            // Check if $uploadOk is set to 0 by an error
            if ($uploadOk == 0) {
                echo "Sorry, your file was not uploaded.";
```

```
            // if everything is ok, try to upload file
            } else {
                $target_file = str_replace(' ', '', $target_file);
                if (move_uploaded_file(str_replace(' ', '',
$_FILES["pdfupload"]["tmp_name"]), $target_file)) {

                    $sql = "INSERT INTO pdffile
(SID,FID,FILETITLE,FILELOCATION)
VALUES($sid,$fid,'$filetitle','$target_file')";

                    if ($conn->query($sql) === TRUE) {
                       header('location: adminfileview.php?success=1');
                       exit();
                    }else{
                       header("location: adminfileview.php?error=1");
                       exit();
                    }
                } else {
                    header("location: adminfileview.php?error=1");
                    exit();
                }
            }

      }

      ob_end_flush();

?>
```

➢ admin_add_profile.php:

```
<?php

      ob_start();

      if (isset($_POST['submit'])) {
            include 'connectdb.php';

            $firstname = $_POST['firstname'];
            $lastname = $_POST['lastname'];
            $email = $_POST['email'];
            $mobnumber = $_POST['phonenumber'];
            $password = $_POST['password_again'];
            $target_dir = "imageuploads/admin/admin";
            $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
            echo $target_file;
            $uploadOk = 1;
            $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));
```

```
            if (isset($_POST["submit"])) {
                  $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                  if ($check !== false) {
                        echo "File is an image - " . $check["mime"].".";
                  }else{
                        echo "File is not an image.";
                        $uploadOk = 0;
                  }
            }

                  // Check if file already exists
            if (file_exists($target_file)) {
                $uploadOk = 0;
            }

            // Check if $uploadOk is set to 0 by an error
            if ($uploadOk == 0) {
                  header("location: adminview.php?error=1");
                  exit();
            // if everything is ok, try to upload file
            } else {
                $target_file = str_replace(' ', '', $target_file);
                if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {

                     $sql = "INSERT INTO ADMIN
(FIRSTNAME,LASTNAME,EMAIL,MOBNUMBER,IMAGELOCATION,PASSWORD)
VALUES('$firstname','$lastname','$email','$mobnumber','$target_file','
$password')";
                     if ($conn->query($sql) === TRUE) {
                        header("location: adminview.php?success=1");
                        exit();
                     }else{
                        @unlink($target_file);
                        header("location: adminview.php?error=1");
                        exit();
                     }
                } else {
                     header("location: adminview.php?error=1");
                     exit();
                }
            }

      }

      ob_end_flush();

?>
```

- **admin_add_faculty.php:**

```
<?php

      ob_start();

      if (isset($_POST['submit'])) {
            include 'connectdb.php';

            $firstname = $_POST['firstname'];
            $lastname = $_POST['lastname'];
            $email = $_POST['email'];
            $mobnumber = $_POST['phonenumber'];
            $password = $_POST['password_again'];
            $target_dir = "imageuploads/faculty/faculty";
            $target_file =
$target_dir.basename($_FILES["imageupload"]["name"]);
            echo $target_file;
            $uploadOk = 1;
            $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));

            if (isset($_POST["submit"])) {
                  $check =
getimagesize($_FILES["imageupload"]["tmp_name"]);
                  if ($check !== false) {
                        echo "File is an image - " . $check["mime"].".";
                  }else{
                        echo "File is not an image.";
                        $uploadOk = 0;
                  }
            }

                  // Check if file already exists
            if (file_exists($target_file)) {
                $uploadOk = 0;
            }

            // Check if $uploadOk is set to 0 by an error
            if ($uploadOk == 0) {
                  header("location: adminfcview.php?error=1");
                  exit();
            // if everything is ok, try to upload file
            } else {
                $target_file = str_replace(' ', '', $target_file);
                if (move_uploaded_file(str_replace(' ', '',
$_FILES["imageupload"]["tmp_name"]), $target_file)) {
                      $sql = "INSERT INTO faculty
(FIRSTNAME,LASTNAME,EMAIL,MOBNUMBER,PASSWORD,IMAGELOCATION)
VALUES('$firstname','$lastname','$email','$mobnumber','$password','$ta
rget_file')";
                      if ($conn->query($sql) === TRUE) {
                         header("location: adminfcview.php?success=1");
```

```
                        exit();
                    }else{
                        @unlink($target_file);
                        header("location: adminfcview.php?error=1");
                        exit();
                    }
                } else {
                    header("location: adminfcview.php?error=1");
                    exit();
                }
            }
        }

        ob_end_flush();

?>
```

➢ admin_add_examfiles.php:

```
<?php
        session_start();

        ob_start();

        $aid = $_SESSION['aid'];

        if (isset($_POST['submit'])) {
                include 'connectdb.php';

                $examtitle = $_POST['examtitle'];
                $sid = $_POST['subject'];
                $year = $_POST['year'];


                $target_dir = "files/examfiles/";
                $target_file =
$target_dir.basename($_FILES["pdfupload"]["name"]);
                $uploadOk = 1;
                $imageFileType =
strtolower(pathinfo($target_file,PATHINFO_EXTENSION));


                    // Check if file already exists
                if (file_exists($target_file)) {
                    header("location: adminexamfile.php?error=1");
                    exit();
                    $uploadOk = 0;
                }

                // Check if $uploadOk is set to 0 by an error
```

```
            if ($uploadOk == 0) {
                echo "Sorry, your file was not uploaded.";
            // if everything is ok, try to upload file
            } else {
                $target_file = str_replace(' ', '', $target_file);
                if (move_uploaded_file(str_replace(' ', '',
$_FILES["pdfupload"]["tmp_name"]), $target_file)) {

                    $sql = "INSERT INTO examfile
(SID,YEAR,EXAMTITLE,FILELOCATION,AID)
VALUES($sid,$year,'$examtitle','$target_file',$aid)";

                    if ($conn->query($sql) === TRUE) {
                       header('location: adminexamfile.php?success=1');
                       exit();
                    }else{
                       header("location: adminexamfile.php?error=1");
                       exit();
                    }
                } else {
                    header("location: adminexamfile.php?error=1");
                    exit();
                }
            }

      }

      ob_end_flush();

?>
```

➢ uploadscript.js:

```
$(".custom-file-input").on("change", function() {

  var fileName = $(this).val().split("\\").pop();
  $(this).siblings(".custom-file-
label").addClass("selected").html(fileName);
  readURL(this);

});

function readURL(input){
      if (input.files && input.files[0]) {
            var reader = new FileReader();
            reader.onload = function(e){
                  $('#imagepreview').attr('src',e.target.result);
            }
            reader.readAsDataURL(input.files[0]);
      }
```

```
}
```

- **sdscript.js:**

```
function openNav() {
  document.getElementById("mySidebar").style.width = "250px";
  document.getElementById("main").style.marginLeft = "250px";
  document.getElementById("openbtn").style.visibility = "hidden";
}

function closeNav() {
  document.getElementById("mySidebar").style.width = "0";
  document.getElementById("main").style.marginLeft= "0";
  document.getElementById("openbtn").style.visibility = "visible";
}

$(document).ready(function(){
  closeNav();
        $('ul li a').click(function(){
    $('li a').removeClass("active");
    $(this).addClass("active");
  });
});

$(document).ready(function(){
      $(".pshow").hide();
      $("#pdone").hide();
      $("#cancol").hide();

  var imagelocation = $('#imagepreview').attr('src');

  $('#pedit').click(function(){
    $('.phide').hide();
    $('.pshow').show();
    $(this).hide();
    $('#pdone').show();
    $('#cancol').show();
    $('#signoutcol').hide();
    $('#resetcol').hide();

  });


$('#cancel').click(function(){
    $('.phide').show();
    $('.pshow').hide();
    $('#cancol').hide();
    $('#pdone').hide();
    $('#pedit').show();
```

```
    $('#signoutcol').show();
    $('#resetcol').show();
    $('.error').hide();
    $('#imagepreview').attr('src',imagelocation);
  });

})
```

➢ profile_form_validate.js:

```
  $.validator.addMethod('filesize', function (value, element, param) {
    return this.optional(element) || (element.files[0].size <= param)
}, 'File size must be less than 1MB');


   $(document).ready(function() {
      $("#regform").validate({

           rules: {
                 firstname: "required",
                 lastname: "required",
          filetile: "required",
                 email: {
                       required: true,
                       email: true
                 },
           mobnumber: {
                 required: true,
                 minlength: 10,
                 maxlength: 10
           },
           imageupload: {
                 extension: "png|jpg|jpeg",
          filesize: 1048576,
           }
    },
               // Specify validation error messages
    messages: {
      firstname: "Please enter your firstname",
      lastname: "Please enter your lastname",
      imageupload: {
           extension: "Invalid image file supported (png | jpg |
jpeg)",
      },
      email: "Please enter a valid email address",
      mobnumber: "Please enter a valid Phone Number"
```

```
    },
    // Make sure the form is submitted to the destination defined
    // in the "action" attribute of the form when valid
    submitHandler: function(form) {
      form.submit();

      $('#pdone').click(function(){
        $('.phide').show();
        $('.pshow').hide();
        $(this).hide();
        $('#pedit').show();
      });
    }

   });
});
```

- **fdscript.js:**

```
function openNav() {
  document.getElementById("mySidebar").style.width = "250px";
  document.getElementById("main").style.marginLeft = "250px";
  document.getElementById("openbtn").style.visibility = "hidden";
}

function closeNav() {
  document.getElementById("mySidebar").style.width = "0";
  document.getElementById("main").style.marginLeft= "0";
  document.getElementById("openbtn").style.visibility = "visible";
}


$(document).ready(function(){
  closeNav();
  $('ul li a').click(function(){
    $('li a').removeClass("active");
    $(this).addClass("active");
  });
});

//Query for the filename preview while uploading
$(".custom-file-input").on("change", function() {
  var fileName = $(this).val().split("\\").pop();
  $(this).siblings(".custom-file-
label").addClass("selected").html(fileName);
});


$(document).ready(function(){
      $('.fa-check').hide();
```

```
      $(".edit").hide();
  $("#pencil").click(function(){
    $(".notedit").hide();
    $(".edit").show();
    $('.fa-check').show();
  });

  $(".fa-check").click(function(){
      $(".notedit").show();
      $(".edit").hide();;
  });

});
```

- **formvalidation.js:**

```
  $.validator.addMethod('filesize', function (value, element, param) {
    return this.optional(element) || (element.files[0].size <= param)
}, 'File size must be less than 1MB');


   $(document).ready(function() {
      $("#regform").validate({

           rules: {
                 firstname: "required",
                 lastname: "required",
          filetile: "required",
          year: "required",
          examtitle: "required",
                 email: {
                       required: true,
                       email: true
                 },
                 password: {
                       required: true,
                       minlength: 5
                 },
                 password_again: {
                   required: true,
                    equalTo: "#password"
           },
           phonenumber: {
                 required: true,
                 minlength: 10,
                 maxlength: 10
           },
```

```
            imageupload: {
                  required: true,
                  extension: "png|jpg|jpeg",
          filesize: 1048576,
            },
        pdfupload:{
          required: true,
          extension: "pdf|txt|zip|docx|doc|ppt|pptx"
        },
        fid: "required",
        sid: "required",
           branch: "required",
           semester: "required",
        subcode: "required",
        filetitle: "required",
        rollno: {
          required: true,
          maxlength: 7,
          minlength: 7,
        },
        subject: "required",
        subname: "required",
        faculty: "required"
           },

                // Specify validation error messages
    messages: {
      firstname: "Please enter your firstname",
      lastname: "Please enter your lastname",
      subject: "Please select a Subject",
      examtitle: "Please select an Exam",
      year: "Please select an Year",
      password: {
        required: "Please provide a password",
        minlength: "Your password must be at least 5 characters long"
      },
      imageupload: {
           required: "Please upload an image",
           extension: "Invalid image file supported (png | jpg |
jpeg)",
      },
      pdfupload: {
        required: "Please upload a File",
        extension: "Invalid PDF type supported only
(.pdf|txt|zip|docx|doc|ppt|pptx)"
      },
      email: "Please enter a valid email address",
      password_again: "Please Re-Enter valid password",
      phonenumber: "Please enter a valid Phone Number",
      branch: "Please select a branch",
      semester: "Please select a semester",
      fid: "Please select an Faculty ID",
      subcode: "Please enter a Subject Code",
```

```
      sid: "Please select a valid Subject ID",
      filetitle: "Please Enter a File Title",
      rollno: "Please Enter a Valid RollNo",
      subname: "Please Enter a Subject Name",
      faculty: "Please select a Faculty"
    },
    // Make sure the form is submitted to the destination defined
    // in the "action" attribute of the form when valid
    submitHandler: function(form) {
      form.submit();
    }

      });
  });
```

- **admin_student.js:**

```
  $.validator.addMethod('filesize', function (value, element, param) {
    return this.optional(element) || (element.files[0].size <= param)
}, 'File size must be less than 1MB');


   $(document).ready(function() {

  function fetch_data()
      {
           $.ajax({
                url:"admin_stud_fetched.php",
                method:"POST",
                success:function(data){
                     $('.show').html(data);
                }
           });
      }
      fetch_data();

      function edit_data(id, text, column_name)
      {
          $(".cc").click(function()
          {
            $.ajax({
                url:"admin_edit_stud.php",
                method:"POST",
                data:{id:id, text:text, column_name:column_name},
                dataType:"text",
                success:function(data){
                     document.getElementById("msg").innerHTML = data;
                     fetch_data();
                }
           });
```

```
    });
}

$(document).on('blur', '.firstname', function(){
     var id = $(this).data("id1");
     var firstname = $(this).text();
     edit_data(id,firstname, "FIRSTNAME");
});

$(document).on('blur', '.lastname', function(){
     var id = $(this).data("id2");
     var lastname = $(this).text();
     edit_data(id,lastname, "LASTNAME");
});

$(document).on('blur', '.branch', function(){
     var id = $(this).data("id4");
     var branch = $(this).val();
     edit_data(id,branch, "BRANCH");
});

$(document).on('blur', '.semester', function(){
     var id = $(this).data("id5");
     var semester = $(this).val();
     edit_data(id,semester, "SEMESTER");
});

$(document).on('blur', '.email', function(){
     var id = $(this).data("id6");
     var email = $(this).text();
     edit_data(id,email, "EMAIL");
});

$(document).on('blur', '.mobnumber', function(){
     var id = $(this).data("id7");
     var mobnumber = $(this).text();
     edit_data(id,mobnumber, "MOBNUMBER");
});

$(document).on('blur', '.password', function(){
     var id = $(this).data("id8");
     var password = $(this).text();
     edit_data(id,password, "PASSWORD");
});


$(document).on('click', '.fbn', function(){
     var id=$(this).data("id10");
     if(confirm("Are you sure you want to remove this user?"))
     {
          $.ajax({
               url:"admin_stud_delete.php",
               method:"POST",
```

```
                    data:{id:id},
                    dataType:"text",
                    success:function(data){

document.getElementById('msg').innerHTML=data;
                         fetch_data();
                    }
               });
          }
     });




$("#regform").validate({
          rules: {
               firstname: "required",
               lastname: "required",
         filetile: "required",
               email: {
                    required: true,
                    email: true
               },
               password: {
                    required: true,
                    minlength: 5
               },
               password_again: {
                 required: true,
                  equalTo: "#password"
          },
          phonenumber: {
               required: true,
               minlength: 10,
               maxlength: 10
          },
          imageupload: {
               required: true,
               extension: "png|jpg|jpeg",
         filesize: 1048576,
          },
        pdfupload:{
          required: true,
          extension: "pdf|txt|zip|docx|doc|ppt|pptx"
        },
        fid: "required",
        sid: "required",
           branch: "required",
           semester: "required",
        subcode: "required",
        filetitle: "required",
        rollno: {
```

```
          required: true,
          maxlength: 7,
          minlength: 7,
        },
        subject: "required",
           },

               // Specify validation error messages
    messages: {
      firstname: "Please enter your firstname",
      lastname: "Please enter your lastname",
      subject: "Please select a Subject",
      password: {
        required: "Please provide a password",
        minlength: "Your password must be at least 5 characters long"
      },
      imageupload: {
           required: "Please upload an image",
           extension: "Invalid image file supported (png | jpg |
jpeg)",
      },
      pdfupload: {
        required: "Please upload a File",
        extension: "Invalid PDF type supported only
(.pdf|txt|zip|docx|doc|ppt|pptx)"
      },
      email: "Please enter a valid email address",
      password_again: "Please Re-Enter valid password",
      phonenumber: "Please enter a valid Phone Number",
      branch: "Please select a branch",
      semester: "Please select a semester",
      fid: "Please select an Faculty ID",
      subcode: "Please enter a Subject Code",
      sid: "Please select a valid Subject ID",
      filetitle: "Please Enter a File Title",
      rollno: "Please Enter a Valid RollNo"
    },
    // Make sure the form is submitted to the destination defined
    // in the "action" attribute of the form when valid
    submitHandler: function(form) {
          form.submit();
          fetch_data();
        }
      });
   });
```

- **adminscript.js:**

```
$(".custom-file-input").on("change", function() {
```

```
  var fileName = $(this).val().split("\\").pop();
  $(this).siblings(".custom-file-
label").addClass("selected").html(fileName);
});

$(document).ready(function(){
    $(".hidden").hide();
  $('#pencil').click(function(){
    $('.show').hide();
    $('.hidden').show();
  });

$('.pdone').click(function(){
    $('.show').show();
    $('.hidden').hide();
      });
});
```

- **style.css:**

```
html, body{
      height: 100%;
      width: auto;
      overflow: auto;
      background: #9053c7 ;
    background: -webkit-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -o-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -moz-linear-gradient(-135deg,#c850c0,#4158d0);
    background: linear-gradient(-135deg,#c850c0,#4158d0);
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    line-height: 1.5;
    padding: 20px;
}


.inner{
      padding: 20px;
      overflow: auto;
      position:relative !important;
      border-radius: 20px;
      background-color: #fff;
      top: 50%;
      transform: translateY(-50%)
}

.row{
      padding: 10px;
```

```
}

.col1 , .col2{
      width: 100%;
      text-align: center;
      padding: 5px;

}

.modal-login .modal-content {
            border-radius: 5px;
            border: none;
      }
.modal-login .modal-header {
            border-bottom: none;
            position: relative;
            justify-content: center;
      }
.modal-login h4 {
            font-family: 'Poppins', sans-serif;
            text-align: center;
            font-size: 26px;
            font-weight: bold;
      }
.modal-login  .form-group {
            position: relative;
      }
.modal-login i {
            color: #666;
            position: absolute;
            left: 13px;
            top: 11px;
            font-size: 18px;
            font-weight: 900;
      }
.modal-login .form-control {
            padding-left: 40px;
      }
.modal-login .form-control:focus {
            border-color: #00ce81;
      }
.modal-login .form-control, .modal-login .btn {
            min-height: 40px;
            border-radius: 50px;
      }

.modal-login .hint-text {
            text-align: center;
            padding-top: 10px;
      }
.modal-login .close {
        position: absolute;
            top: -5px;
```

```
            right: -5px;
      }
.modal-login .btn {
            background: #57b846;
            border: none;
            line-height: normal;
            font-family: 'Poppins', sans-serif;
            font-size: 15px;
      line-height: 1.5;
      color: #fff;
      text-transform: uppercase;
      width: auto;
      height: 51px;
      font-weight: 900;

      }
.modal-login .btn:hover, .modal-login .btn:focus {
            background: #00bf78;
      }
.modal-login .modal-footer {
            border-color: #dee4e7;
            text-align: center;
            font-size: 13px;
            font-weight: 900;
            justify-content: center;
      }
.modal-login .modal-footer a {
            color: #999;
            background: #ecf0f1;
            padding: 10px;
            border-radius: 5px;
      }

.logimage:hover{
      transform: scale(1.2);
}

.logimage{
      margin-top: 50px;
      height: 300px;
}

.footer{
      justify-content: center;
      padding: 0px;
}

.footer .col-sm-6{
      padding: 10px;
}

.webtitle{
            font-family: 'Poppins', sans-serif;
```

```
    text-align: center;
    font-size: 40px;
    font-weight: bold;
      }

      .custom-file-label{
  overflow: hidden;
}

.col-sm-1 , .col-sm-2 , .col-sm-3{
    overflow: hidden;
}
```

- **studentstyle.css:**

```
html,body {
    height: 100% !important;
    width: auto;
    overflow: auto;
    background-color: #f1f1f1;
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    line-height: 1.5;
    padding: 10px;
}

.sidebar {
  height: 100%;
  width: 0;
  position: fixed;
  z-index: 1;
  top: 0;
  left: 0;
  background-color: #fff;
  overflow-x: hidden;
  transition: 0.5s;
  padding-top: 20px;
}

.sidebar a {
  padding: 8px 8px 8px 32px;
  text-decoration: none;
  font-size: 20px;
  color: #333;
  display: block;
  transition: 0.3s;
}

.sidebar a:hover {
  color: #5e1cb4;
```

```
}

.sidebar .closebtn {
  position: absolute;
  top: 0;
  right: 25px;
  font-size: 36px;
  margin-left: 50px;
}

.openbtn {
  font-size: 20px;
  cursor: pointer;
  background-color: #fff;
  color: #333;
  padding: 10px 15px;
  border: none;
  visibility: hidden;
}

.openbtn:hover {
  background-color: #00bf78;
}

#main {
  transition: margin-left .5s;
  padding: 5px;
}

.profileimg img{
  height: 120px;
  width: 120px;
  border: 5px solid black;
}

.profileimg{
  text-align: center;
  padding-top: 50px;
  padding-bottom: 20px;
}

.active{
  background: rgb(197,172,217);
  background: linear-gradient(90deg, rgba(197,172,217,1) 12%,
rgba(250,250,250,1) 89%);
  color: #632ea7 !important;
}


.sbmt{
  padding: 20px;
  width: auto;
```

```
  text-align: right;
}

.sbmt button{
  font-size: 25px;
  border-radius: 50px;
  background-color:black;
  color: white;
}

.sbmt button:hover{
  background-color: #00bf78;
}

.profiling img{
  height: 200px;
}

.profiling .col-sm-9{
  border: 5px solid white;
  padding: 40px;
  border-radius: 10px;
  overflow: auto;
}

.profiling .col-sm-6{
  padding: 10px;
}

.imgheading{
  height: 40px;
  width: 40px;
  border: 2px solid white;
}

.pfname{
  text-align: right;
}

.rcol{
  padding-top: 10px;
  background-color: #fff;
  overflow: auto;
}

.fa-trash{
  color: red;
  font-size: 20px;
}

#mySidebar{
  width: 250px;
}
```

```
/* On smaller screens, where height is less than 450px, change the
style of the sidenav (less padding and a smaller font size) */
@media screen and (max-height: 450px) {
  .sidebar {padding-top: 15px;}
  .sidebar a {font-size: 18px;}
}

.opnbtn{
  padding-top: 20px;
}

.sidebar ul{
  padding: 0;
  margin: 0;
}

.card-title {
  font-size:  50px;
}

.btncard{
  background-color: #f0e8fc;
  border-radius: 50px;
}

.card{
  border-radius: 10px;
}

.examres , .pdfres , .profiling{
  padding-top: 20px;
}

.col-sm-3{
  text-align: center;
  padding: 40px;
}

.rounded-circle{
  border: 3px solid black;
}

.custom-file-label{
  overflow: hidden;
}

.col-sm-1 , .col-sm-2 , .col-sm-3{
    overflow: hidden;
}
```

- **sidebarstyle.css:**

```
html,body {
    height: 100% !important;
    width: auto;
    overflow: auto;
    background: #9053c7 ;
    background: -webkit-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -o-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -moz-linear-gradient(-135deg,#c850c0,#4158d0);
    background: linear-gradient(-135deg,#c850c0,#4158d0);
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    line-height: 1.5;
    padding: 10px !important;
    background-repeat: no-repeat;
    border: 0;
}

.sidebar {
  height: 100%;
  width: 0;
  position: fixed;
  z-index: 1;
  top: 0;
  left: 0;
  background-color: #111;
  overflow-x: hidden;
  transition: 0.5s;
  padding-top: 20px;
}

.sidebar a {
  padding: 8px 8px 8px 32px;
  text-decoration: none;
  font-size: 20px;
  color: #818181;
  display: block;
  transition: 0.3s;
}

.sidebar a:hover {
  color: #f1f1f1;
}

.sidebar .closebtn {
  position: absolute;
  top: 0;
  right: 25px;
  font-size: 36px;
  margin-left: 50px;
```

```
}

.openbtn {
  font-size: 20px;
  cursor: pointer;
  background-color: #111;
  color: white;
  padding: 10px 15px;
  border: none;
  border-radius: 50px;
}

.openbtn:hover {
  background-color: #00bf78;
}

#main {
  transition: margin-left .5s;
  padding: 10px;
}


.profileimg img{
  height: 120px;
  border: 3px solid white;
  width: 120px;
}

.profileimg{
  text-align: center;
  padding: 50px;
}

.active{
  background-color: #00bf78;
  color: white !important;
  border-radius: 50px;
}


.sbmt{
  padding: 20px;
  width: auto;
  text-align: right;
}

.sbmt button{
  font-size: 25px;
  border-radius: 50px;
  background-color:black;
  color: white;
}
```

```
.sbmt button:hover{
  background-color: #00bf78;
}

.profiling img{
  height: 200px;
}

.profiling .col-sm-9{
  border: 5px solid white;
  padding: 40px;
  border-radius: 10px;
  overflow: auto;
}

.profiling .col-sm-6{
  padding: 10px;
}

.imgheading{
  height: 40px;
  border: 2px solid white;
  width: 40px;
}

#main h3{
  text-align: right;
  text-decoration: underline;
  color: #212529;
}

.rcol{
  padding: 5px 5px 10px 5px;
}


.stdrimg{
  padding-top: 50px !important;
}

/* On smaller screens, where height is less than 450px, change the
style of the sidenav (less padding and a smaller font size) */
@media screen and (max-height: 450px) {
  .sidebar {padding-top: 15px;}
  .sidebar a {font-size: 18px;}
}

.col-sm-3{
  text-align: center;
  padding: 40px;
}

.custom-file-label{
```

```
  overflow: hidden;
}

.col-sm-1 , .col-sm-2 , .col-sm-3{
    overflow: hidden;
}
```

- **regstyle.css:**

```
html, body{
      height: 100% !important;
      width: auto;
      overflow: auto;
      background: #9053c7 ;
    background: -webkit-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -o-linear-gradient(-135deg,#c850c0,#4158d0);
    background: -moz-linear-gradient(-135deg,#c850c0,#4158d0);
    background: linear-gradient(-135deg,#c850c0,#4158d0);
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    line-height: 1.5;
      padding-top: 20px;
      padding-left: 10px;
      padding-right: 10px;
}


.inner{
      overflow: hidden;
      position:relative !important;
      border-radius: 20px;
      background-color: #fff;
      transform: translateY(-50%)
      height:inherit;
}


.col1 , .col2{
      width: 100%;
      text-align: center;
      padding: 0px;

}
```

```
.modal-login .modal-content {
            border-radius: 5px;
            border: none;
      }
.modal-login .modal-header {
            border-bottom: none;
            position: relative;
            justify-content: center;
      }
.modal-login h4 {
            font-family: 'Poppins', sans-serif;
            text-align: center;
            font-size: 26px;
            font-weight: bold;
      }
.modal-login  .form-group {
            position: relative;
      }
.modal-login i {
            color: #666;
            position: absolute;
            left: 13px;
            top: 11px;
            font-size: 18px;
            font-weight: 900;
      }
.modal-login .form-control {
            padding-left: 40px;
      }
.modal-login .form-control:focus {
            border-color: #00ce81;
      }
.modal-login .form-control, .modal-login .btn {
            min-height: 40px;
            border-radius: 50px;
      }

.modal-login .hint-text {
            text-align: center;
            padding-top: 10px;
      }
.modal-login .close {
        position: absolute;
            top: -5px;
            right: -5px;
      }
.modal-login .btn {
            background: #57b846;
            border: none;
            line-height: normal;
            font-family: 'Poppins', sans-serif;
            font-size: 15px;
      line-height: 1.5;
```

```
        color: #fff;
        text-transform: uppercase;
        width: auto;
        height: 51px;
        font-weight: 900;

        }
.modal-login .btn:hover, .modal-login .btn:focus {
            background: #00bf78;
        }
.modal-login .modal-footer {
            border-color: #dee4e7;
            text-align: center;
            font-size: 13px;
            font-weight: 900;
            justify-content: center;
        }
.modal-login .modal-footer a {
            color: #999;
            background: #ecf0f1;
            padding: 10px;
            border-radius: 5px;
        }

.logimage:hover{
        transform: scale(1.2);
}

.logimage{
        margin-top: 150px;
        height: 400px;
        width: 400px;
}

.footer{
        justify-content: center;
}

.footer .col-sm-6{
        padding: 10px;
}

input[type=number]::-webkit-outer-spin-button,
input[type=number]::-webkit-inner-spin-button {
    -webkit-appearance: none;
    margin: 0;
}

input[type=number] {
    -moz-appearance:textfield;
}
```

```
.custom-select , .custom-file , .custom-file-label , .custom-file-
input{
      border-radius: 50px;
}

label {
    display: inline-block;
    padding-top: 10px;
    color: red;
}

.custom-file-label::after {

    position: absolute;
    top: 0;
    right: 0;
    bottom: 0;
    z-index: 3;
    display: block;
    height: calc(1.5em + .75rem);
    padding: .375rem .75rem;
    line-height: 1.5;
    color: #495057;
    content: "Browse";
    background-color: #e9ecef;
    border-left: inherit;
    border-radius: inherit;

}

.custom-file-label{
  overflow: hidden;
}

.col-sm-1 , .col-sm-2 , .col-sm-3{
    overflow: hidden;
}
```

- **adminstyle.css:**

```
html,body {
    height: 100% !important;
    width: auto;
    overflow: auto;
    background-color: #f1f1f1;
    font-family: 'Poppins', sans-serif;
    font-size: 15px;
    line-height: 1.5;
    padding: 10px;
}
```

```
.sidebar {
  height: 100%;
  width: 0;
  position: fixed;
  z-index: 1;
  top: 0;
  left: 0;
  background-color: #fff;
  overflow-x: hidden;
  transition: 0.5s;
  padding-top: 20px;
}

.sidebar a {
  padding: 8px 8px 8px 32px;
  text-decoration: none;
  font-size: 20px;
  color: #333;
  display: block;
  transition: 0.3s;
}

.sidebar a:hover {
  color: #5e1cb4;

}

.sidebar .closebtn {
  position: absolute;
  top: 0;
  right: 25px;
  font-size: 36px;
  margin-left: 50px;
}

.openbtn {
  font-size: 20px;
  cursor: pointer;
  background-color: #fff;
  color: #333;
  padding: 10px 15px;
  border: none;
  visibility: hidden;
}

.openbtn:hover {
  background-color: #00bf78;
}

#main {
  transition: margin-left .5s;
  padding: 5px;
```

```
}

.profileimg img{
  height: 120px;
  width: 120px;
  border: 3px solid white;
}

.profileimg{
  text-align: center;
  padding-top: 50px;
  padding-bottom: 20px;
}

.active{
  background: rgb(197,172,217);
  background: linear-gradient(90deg, rgba(197,172,217,1) 12%,
rgba(250,250,250,1) 89%);
  color: #632ea7 !important;
}


.sbmt{
  padding: 20px;
  width: auto;
  text-align: right;
}

.sbmt button{
  font-size: 25px;
  border-radius: 50px;
  background-color:black;
  color: white;
}

.sbmt button:hover{
  background-color: #00bf78;
}

.profiling img{
  height: 200px;
}

.profiling .col-sm-9{
  border: 5px solid white;
  padding: 40px;
  border-radius: 10px;
  overflow: auto;
}

.profiling .col-sm-6{
  padding: 10px;
}
```

```
.imgheading{
  height: 40px;
  border: 2px solid white;
  width: 40px;
}

.pfname{
  text-align: right;
}

.rcol{
  padding-top: 10px;
  background-color: #fff;
  overflow: auto;
}

.fa-trash{
  color: red;
  font-size: 20px;
}

#mySidebar{
  width: 250px;
}

/* On smaller screens, where height is less than 450px, change the
style of the sidenav (less padding and a smaller font size) */
@media screen and (max-height: 450px) {
  .sidebar {padding-top: 15px;}
  .sidebar a {font-size: 18px;}
}

.opnbtn{
  padding-top: 20px;
}

.sidebar ul{
  padding: 0;
  margin: 0;
}

.card-title {
  font-size:  50px;
}

.btncard{
  background-color: #f0e8fc;
  border-radius: 50px;
}

.card{
  border-radius: 10px;
```

```
}


.row {
  padding: 5px !important;
}

.studentspage{
  padding-top: 50px;
}


.fa-check{
  color: green;
}

.show , .hidden{
  padding-top: 10px !important;
}

.line{
  border-bottom: 2px solid white;
}

.adddiv{
  padding: 10px !important;
}


.custom-file-label {
    position: absolute;
    top: 0;
    right: 0;
    left: 0;
    z-index: 1;
    height: calc(1.5em + .75rem + 2px);
    padding: .375rem .75rem;
    font-weight: 400;
    line-height: 1.5;
    color: #495057;
    background-color: #fff;
    border: 1px solid #ced4da;
    border-radius: .25rem;
    text-align: left;
}

.cc{
  color: green !important;
}

.fbn{
  color: red !important;
}
```

```
input[type=number]::-webkit-outer-spin-button,
input[type=number]::-webkit-inner-spin-button {
    -webkit-appearance: none;
    margin: 0;
}

input[type=number] {
    -moz-appearance:textfield;
}

label {
    display: inline-block;
    margin-bottom: 0px;
    color: red;
}

.form-group{
  text-align: center;
}

.col-sm-2{
  padding: 2px !important;
    overflow: hidden;
}


.col-sm-3{
  text-align: center;
  padding: 40px;
  overflow: hidden;
}

.custom-file-label{
  overflow: hidden;
}

.uclock , .ucheck , .utime{
    font-size: 100px;
}

.cardlogo{
  margin-top: 1rem;
  margin-bottom: 1rem;
  font-size: 100px;
}
```

Code Efficiency :

Code efficiency mean how code is work properly. To establish this some examples are described.

- In case of login process only valid user can access to their own working Domain. No user can access to other user's domain. Invalid user can't access to the working domain of the site. If both userid and password is match with the user's user id and password then user can only access at the time of log in process.



Code for efficiency:

```
<?php
session_start();
ob_start();
include 'connectdb.php';

if (isset($_POST['submit'])) {

      $email = trim($_POST['email']);
      $password = trim($_POST['password']);

      $email = mysqli_real_escape_string($conn,stripslashes($email));
      $password = mysqli_real_escape_string($conn,stripcslashes($password));


      if(isset($_POST['rem'])){
            setcookie('email',$email,time() + (86400 * 30),"/");
            setcookie('password',$password,time() + (86400*30),"/");
      }

      $sql = "SELECT * FROM students WHERE EMAIL = '$email' AND BINARY
PASSWORD='$password'";
      $result = $conn->query($sql);

      if ($result->num_rows > 0) {
            while ($row = $result->fetch_assoc()) {
```

```
                        $check_email = $row['EMAIL'];
                        $check_password = $row['PASSWORD'];
                        $check_permission = $row['PERMISSION'];
                        $rollno = $row['ROLLNO'];
                        if ($email == $check_email && $password ==
$check_password) {
                              if ($check_permission == 1) {
                                    $_SESSION['email'] = $email;
                                    $_SESSION['password'] = $password;
                                    $_SESSION['rollno'] = $rollno;
                                    header("location: studentdashboard.php");
                                    exit();
                              }elseif ($check_permission == 2) {
                                    header("location: pendinguser.php");
                                    exit();
                              }elseif($check_permission == 0){
                                    header("location: denyeduser.php");
                                    exit();
                              }
                        }else{
                              header("location: index.php?failed=1");
                              exit();
                        }
                  }
            }else{
                  header("location: index.php?failed=1");
                  exit();
            }
}
?>
```

Validation Checking:

- Fast and secure validation using the jQuery form validation. Ex. **"Please enter your firstname".**



Code for efficiency:
studentregistrationpage.php

```
<div class="form-group">
        <i class="fa fa-user"></i>
        <input type="text" class="form-control" placeholder="First Name" name="firstname">
</div>
```

formvalidation.js

```
  $(document).ready(function() {
    $("#regform").validate({

        rules: {
                firstname: "required",
                ....
                },

            // Specify validation error messages
   messages: {
    firstname: "Please enter your firstname",
        ......
   },
   submitHandler: function(form) {
    form.submit();
   }
        ....
    });
  });
```

- Here it shows comparisons between two values such as equality. Here in “Password” and “Confirm Password’ that is not same as the actual one so prompt a message **“Please Re-Enter valid password”.**



Code for efficiency:

studentregistrationpage.php

```
<div class="form-group">
        <i class="fa fa-lock"></i>
                <input type="password" class="form-control" placeholder="Password" name="password" id="password">
</div>
<div class="form-group">
        <i class="fa fa-lock"></i>
                <input type="password" class="form-control" placeholder="Confirm Password" name="password_again">
                </div>
```

formvalidation.js

```
….
  $(document).ready(function() {
    $("#regform").validate({
        rules: {
                ….
                password: {
                        required: true,
                        minlength: 5
                },
                password_again: {
                  required: true,
                        equalTo: "#password"
                },
….
```

```
},

            // Specify validation error messages
   messages: {
         ……
   password_again: "Please Re-Enter valid password",
         ……
   },
   submitHandler: function(form) {
     form.submit();
   }
         ….
     });
  });
```

Error Handling:

The Student Registration Form not validating due to the error JavaScript file link name.



Modified Code view:

```
                    <div class="form-group">
                        <input type="submit" class="btn btn-primary btn-block btn-lg" value="Register" name="submit">
                    </div>
                </form>

            </div>
            <div class="row footer">
                <div class="col-sm-6 modal-footer">
                    <a href="index.php">Have an Account?</a>
                </div>
            </div>
        </div>
            </div>
        </div>
    </div>
    </div>

<script type="text/javascript" src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>
```

TESTING

Testing is the process of running the software on manually created inputs with the intention to detect errors. In the process of testing, an attempt is made to detect errors, to correct the errors in order to develop error free software. Testing is performed keeping the user's requirements in mind and before the software is actually launched on a real system, it is tested.

Normally, while developing the code, a software developer also carries out some testing. This is known as debugging. This unearths the defects that must be removed from the program. Testing and debugging are different processes. Testing is meant for finding the existence of defects while debugging stands for locating the place of errors and correcting the errors during the process of testing.

Guideline of Testing:

The following are some guidelines for testing:

- Test the modules thoroughly, cover all the access paths, and generate enough data to cover all the access paths arising from conditions.
- Test the modules by deliberately processing / entering wrong data.
- Specifically create data for conditional statements. Enter data in test file, while will satisfy the conditions and test the script again.
- Test for locking by invoking multiple concurrent processes.

Objective and Principle of Testing:

The following objectives are to be kept in mind while performing testing:

- It should be done with the intention of finding errors.
- Good test cases should be designed with probability of detecting undiscovered errors.
- A successful test is one that uncovers yet undiscovered errors.

The following are some of the principles of testing:

- All tests should be performed according to user requirements.
- Planning of tests should be done long before testing.
- Starting with a small test, it should proceed towards large tests.

Levels and strategies of Testing:

Large systems are built out of subsystems; subsystems are made up of modules, of procedures and functions. Thus, in large systems, testing is performed at various levels, like unit level testing, module level testing, subsystem level and system level testing. In all levels, testing is performed to check interface integrity, information content, and performance.

The following are some of the strategies for testing: This involves design of test cases. Test case is a set of designed data for which the system is tested. Two testing strategies are present.

- **Code Testing:** The code testing strategy examines the logic of the system. In this, the analyst develops test cases for very instruction in the code. All the paths in the program are tested. This test does not guarantee against software failures. Also, it does not indicate whether the code is according to requirements or not.

- **Specification Testing:** In this, testing with specific cases is performed. The test cases are developed for each condition or combination of conditions and submitted for processing.

Method of Testing:

Some testing techniques are the black box and the white box methods.

- **White Box Testing:** This method, also known as glass box testing, is performed early in the testing process. Using this, the software engineer can derive a test that guarantees exercises of all independent paths within the module at least once. It has the following features:
    - Exercises all logia decisions on their true and false sides.
    - Executes all loops at their boundaries and within their operational bounds.
    - Exercises internal data structures to assure their validity.

- **Black Box Testing:** This is applied during the later stage of testing. It enables the software developer to derive a set of input conditions that will fully exercise the functional requirements of a program. It enables him/her to detect errors like incorrect or missing functions, interface errors, data structures or external data base access errors and performance errors etc.

- **Unit Testing:** For each unit/component, there must be a test, which will enable the tester to know the accurate functioning of that unit.
- **Integration Testing:** Integration test is done on modules or sub-systems.

- **System Testing:** This is top level integration testing. At this level, requirements are validated as described in the SRS.

- **Acceptance and Beta Testing:** List test plans for acceptance testing or beta testing. During this test, real data is used for testing by the development team (acceptance testing / alpha testing) or the customer (beta testing). It describes how the results of such testing will be reported and handled by the developers.

Test Plan:

A test plan is a document that describes the scope, approach, resources and schedule of intended testing activities. It identifies test items, the features to be tested, the testing tasks, and the person who will do each task, and any risk that require contingency planning.

- **Schedules and Resources:** An overview of the testing schedule in phases along with resources required for testing is specified.

- **Recording of Tests:** Specify the format to be used to record test results. It should very specifically name the item to be tested, the person who did the testing, reference of the test process / data and the results expected by that test, the data tested. If a test fails, the person responsible for correcting and re-testing is also documented. The filled out format would be kept with the specific testing schedule. A database could be used to keep track of testing.

- **Reporting Test Results:** The summary of what has been tested successfully and the errors that still exist which are to be rectified is specified.

Test case design:

The objective of testing is to design test case that systematically uncover different classes of errors and do so with the minimum amount of time and effort. Testing cannot show the absence of errors. It can only fine the presence f errors. The test case design is challenging as software development. Still, however effective the design is, it cannot remove 100% errors. Even, the best quality software is not 100% error free. The reliability of software is closely dependent on testing. The following test case is design for Project Allocation System.

- **Student Login Page :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT1-001	Try Login without Email and Password	Successful shows Popup to Enter Email and Password
02.	QT1-002	Try to Login with Invalid Email/ Password	Successful validate a show Invalid Email and Password
03.	QT1-003	Try to Login with proper Email and Password	Successful open Student Dashboard
04.	QT1-004	Click on Remember Me	Successful the cookies are set.
05.	QT1-005	Click on Forgot Password	Successful redirected to Forgot password page.
06.	QT1-006	Click on Do not have account	Successful redirected to the student registration page.
07.	QT1-007	Click on Admin Login Button	Successful redirected to Admin Login Page
08.	QT1-008	Click on Faculty Login Button	Successful redirected to Faculty Login Page

- **Faculty Login Page :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT2-001	Try Login without Email and Password	Successful shows Popup to Enter Email and Password
02.	QT2-002	Try to Login with Invalid Email/ Password	Successful validate a show Invalid Email and Password
03.	QT2-003	Try to Login with proper Email and Password	Successful open Student Dashboard
04.	QT2-004	Click on Remember Me	Successful the cookies are set.
05.	QT2-005	Click on Forgot Password	Successful redirected to Forgot password page.
06.	QT2-006	Click on Admin Login Button	Successful redirected to Admin Login Page
07.	QT2-007	Click on Faculty Login Button	Successful redirected to Faculty Login Page

- **Admin Login Page :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT3-001	Try Login without Email and Password	Successful shows Popup to Enter Email and Password
02.	QT3-002	Try to Login with Invalid Email/ Password	Successful validate a show Invalid Email and Password
03.	QT3-003	Try to Login with proper Email and Password	Successful open Student Dashboard
04.	QT3-004	Click on Remember Me	Successful the cookies are set.
05.	QT3-005	Click on Forgot Password	Successful redirected to Forgot password page.
06.	QT3-006	Click on Do not have account	Successful redirected to the student registration page.
07.	QT3-007	Click on Admin Login Button	Successful redirected to Admin Login Page
08.	QT3-008	Click on Faculty Login Button	Successful redirected to Faculty Login Page
09.	QT3-009	Click on Student Login Button	Successful redirected to Student Login Page

- **Student Dashboard :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT4-001	Click on open menu button	Successful open Side menu.
02.	QT4-002	Check links side menu	Successful redirected to the specified page
03.	QT4-003	Search for files	Successful searching files
04.	QT4-004	Click view files	Successful download/view the files.
05.	QT4-005	Click on Question Paper	Successful open of Question file page.
06.	QT4-006	Search of exam files	Successful search for exam files.
07.	QT4-007	Click on the Student Result Link	Successful open of Student Result Page.
08.	QT4-008	Click on Profile Link	Successful open of Profile Link.
10.	QT4-010	Click on Reset Password Link	Successful redirect to reset password link.
11.	QT4-011	Click On Logout Link	Successful Logout

- **Faculty Dashboard :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT5-001	Click on open menu button	Successful open Side menu.
02.	QT5-002	Check links side menu	Successful redirected to the specified page
03.	QT5-003	Check for File Upload	Successful file uploaded
04.	QT5-004	Check File Upload validation	Successful validation of the File upload
05.	QT5-005	Click on View File	Successful redirected to view file page.
06.	QT5-006	Try editing the Files	Successful editing files.
07.	QT5-007	Try deleting Files	Successful delete files.
08.	QT5-008	Click on Profile Link	Successful open of Profile Link.
09.	QT5-009	Try editing Profile	Successful edit Profile
10.	QT5-010	Click on Reset Password Link	Successful redirect to reset password link.
11.	QT5-011	Click On Logout Link	Successful Logout

- **Admin Dashboard :**

Sl.No.	Test Case ID	Do	Expected Result
01.	QT6-001	Click on open menu button	Successful open Side menu.
02.	QT6-002	Check links on Admin dashboard	Successful redirected to the specified page
03.	QT6-003	Click on Pending Approval Link	Successful redirected to Pending Approval Link
04.	QT6-004	Check Permission Accept/Deny button	Successful working permission buttons
05.	QT6-005	Click on View File	Successful redirected to view file page.
06.	QT6-006	Click on Approved Student Link	Successful redirected to approve student page.
07.	QT6-007	Try to edit student Profile	Successful edited profile.
09.	QT6-009	Try to delete Student Profile	Successful delete profile.
10.	QT6-010	Click on Denied Student Link	Successful redirected to Denied student link.
11.	QT6-011	Try to give permission/delete profile	Successful permission and delete profile
12.	QT6-012	Click on Faculty Link	Successful redirected to Faculty Page

13.	QT6-013	Try to edit Faculty Profile	Successful edit Faculty Profile
14.	QT6-014	Try to delete Faculty Profile	Successful delete Faculty Profile
15.	QT6-015	Try to add Faculty Profile	Successful add Faculty Profile
16.	QT6-016	Click on Subject Link	Successful redirected to Subject Page
17.	QT6-017	Try to edit Subject	Successful edit Subject
18.	QT6-018	Try to delete Subject	Successful delete Subject
19.	QT6-019	Try to add Subject	Successful add Subject
20.	QT6-020	Click on Admin Link	Successful redirected to Admin Page
21.	QT6-021	Try to edit Admin Profile	Successful edit Admin Profile
22.	QT6-022	Try to delete Admin Profile	Successful delete Admin Profile
23.	QT6-023	Try to add Admin Profile	Successful add Admin Profile
24.	QT6-024	Click on Files Link	Successful redirected to Files Page
25.	QT6-025	Try to edit Files	Successful edit Files
26.	QT6-026	Try to delete Files	Successful delete Files
27.	QT6-027	Try to add Files	Successful add Files
28.	QT6-028	Click on Exam Files Link	Successful redirected to Exam Files Page
29.	QT6-029	Try to edit Exam Files	Successful edit Exam Files
30.	QT6-030	Try to delete Exam Files	Successful delete Exam Files
31.	QT6-031	Try to add Exam Files	Successful add Exam Files
32.	QT5-032	Click on Profile Link	Successful open of Profile Link.
33.	QT6-033	Try editing Profile	Successful edit Profile
34.	QT6-034	Click on Reset Password Link	Successful redirect to reset password link.
35.	QT6-035	Click On Logout Link	Successful Logout

Student Reset password / Forgot Password:

Sl.No.	Test Case ID	Do	Expected Result
01.	QT7-001	Check foe the Email validation	Alert : Please enter a valid email address
02.	QT7-002	Click on back to Login Button	Successful redirected to student Login page
03.	QT7-003	Enter an invalid Email/ Invalid user.	Alert: Password reset Failed.
04.	QT7-004	Enter proper Email ID	Alert: Confirmation Link has been sent to your Email.
05.	QT7-005	Check for confirmation mail	Mail received successfully
06.	QT7-006	Click to password reset Link	Successful redirected to the password reset link
06.	QT7-006	Check for password reset validation	Successful validation of the password
06.	QT7-006	Enter new password	Successfully reset password. Redirected to the Password changed Successfully Link.

Faculty Reset password / Forgot Password:

Sl.No.	Test Case ID	Do	Expected Result
01.	QT8-001	Check foe the Email validation	Alert : Please enter a valid email address
02.	QT8-002	Click on back to Login Button	Successful redirected to Faculty Login page
03.	QT8-003	Enter an invalid Email/ Invalid user.	Alert: Password reset Failed.
04.	QT8-004	Enter proper Email ID	Alert: Confirmation Link has been sent to your Email.
05.	QT8-005	Check for confirmation mail	Mail received successfully
06.	QT8-006	Click to password reset Link	Successful redirected to the password reset link
06.	QT8-006	Check for password reset validation	Successful validation of the password
06.	QT8-006	Enter new password	Successfully reset password. Redirected to the Password changed Successfully Link.

Admin Reset password / Forgot Password:

Sl.No.	Test Case ID	Do	Expected Result
01.	QT7-001	Check foe the Email validation	Alert : Please enter a valid email address
02.	QT7-002	Click on back to Login Button	Successful redirected to Admin Login page
03.	QT7-003	Enter an invalid Email/ Invalid user.	Alert: Password reset Failed.
04.	QT7-004	Enter proper Email ID	Alert: Confirmation Link has been sent to your Email.
05.	QT7-005	Check for confirmation mail	Mail received successfully
06.	QT7-006	Click to password reset Link	Successful redirected to the password reset link
06.	QT7-006	Check for password reset validation	Successful validation of the password
06.	QT7-006	Enter new password	Successfully reset password. Redirected to the Password changed Successfully Link.

Debugging and Code Improvement:

Error code view



```
                    <div class="form-group">
                        <input type="submit" class="btn btn-primary btn-block btn-lg" value="Register" name="submit">
                    </div>
                </form>

            </div>
            <div class="row footer">
                <div class="col-sm-6 modal-footer">
                    <a href="index.php">Have an Account?</a>
                </div>
            </div>
        </div>
            </div>
        </div>
    </div>
    </div>

<script type="text/javascript" src="script/fomvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>
```

Modified Code view :



```
                    <div class="form-group">
                        <input type="submit" class="btn btn-primary btn-block btn-lg" value="Register" name="submit">
                    </div>
                </form>

            </div>
            <div class="row footer">
                <div class="col-sm-6 modal-footer">
                    <a href="index.php">Have an Account?</a>
                </div>
            </div>
        </div>
            </div>
        </div>
    </div>
    </div>

<script type="text/javascript" src="script/formvalidation.js"></script>
<script type="text/javascript" src="script/uploadscript.js"></script>

</body>
</html>
```

Incorrect JavaScript file name linking.

Machine Specification:

➢ **Assumption** :

It is assumed that the hardware designated for SCA Study Resource Management System needs to have a CD-ROM or a DVD-ROM drive or USB port for installing the software.

➢ **Constraints** :

Platform:

- Operating System (Server) :
    - Web Server: Wamp Server.
    - Database Server: My SQL
- Operating System (Client) :

  Any operating system with GUI based Web Browser installed. (Preferred-Google Chrome)

Hardware:

- Intel Pentium 4 or more
- 1 GB of RAM.
- Minimum 1024x768 screen resolution with Highest (32 bit) colors.

The client side any low end computer.

Client & Server should be connected via LAN on intranet.

The client can use any mobile phone (browser) to get access into system and use the resources.

SYSTEM SECURITY MEASURE

Security is critical in system development. The amount of protection depends on the sensitivity of the data, the reliability of the user, and the complexity of the system. The motives behind security are to keep the organization running, protect information as an asset, and seek management support for more installations.

In this project security is controlled in the following manner:

- **User creation and authentication Process :**

  Student can register them to the system to use the resources. After the Admin approval the student can view the study resources.



Each user can access by using their desired user id and password. So any unauthorized user can't access to any working domain. Also one user can't access to other user's domain.



- **<u>Computer is locked by user name and password :</u>**



- **Database is locked by password.**
- The software supports/enforces no invalid information gathering, as the user is not allowed to access anything without valid authentication.
- Reports and tables are allowed to see the collected information to specific user only.
- **Protect the software:** System will be protected from unauthorized modification.
- Protect system and application program libraries and maintain backup copies.
- Protection from fire, flood and other physical damage.

Reports of the Project

❖ User : Admin

Manage the Students Approval:



Manage the Students:



Manage the Students Denied:



Manage the Faculty:



Manage the Subjects:



Manage the Admin:



Manage the Files uploaded by the Faculty:



Manage the Exam Files:



Manage own Profile:



❖ User : Faculty

Upload the Files / Study resources:



Manage the Files:



Manage own Profile:



❖ User : Student

Use the Study Materials:



Use the Exam Files:



Manage own Profile:



FURTURE SCOPE

As website development doesn't have any end, hence this project has a very good scope for adding new features in the near future. This application can be easily implemented under various situations. We can **add new features** as and when we require. **Reusability** is possible as and when require in this application. There is **flexibility** in all the modules.

So we can enhance the following service:

- Add e-Library to the module.
- Add more security.
- Add Forum and Live Chat Features.
- SMS acknowledgement.
- Video study materials.
- Can be converted to Study resource Marketplace.
- Add Tutorials from different faculty members.

BIBLIOGRAPHY

Books:

- Software Engineering – A Practitioner's Approach, Roger S. Pressman; McGraw-Hill International Edition.
- Software Engineering, Sixth Edition, 2001, Ian Somerville; Pearson Education.
- The Complete Reference: PHP & My SQL.

URLs:

- https://www.w3schools.com/
- https://www.tutorialspoint.com/php/