Smart Property & Service Management Platform (SPSMP)

1. Project Overview

Smart Property & Service Management Platform (SPSMP) is a Salesforce administration and business analysis project designed to centralize customer information, service requests, and operational workflows. It replaces fragmented emails, spreadsheets, and legacy tools with a consistent customer service management process.

The Business Analyst identifies stakeholders, gathers requirements, assesses current processes, documents the Business Requirement Document (BRD), and translates needs into user stories and measurable acceptance criteria.

The Salesforce configuration uses standard Account, Contact, and Case objects and custom Service Request and Service Feedback objects. Data modeling, validation rules, formula fields, access controls, and record-triggered Salesforce Flows improve data quality and reduce manual work. Reports and dashboards provide visibility into case volumes, priorities, and SLA performance.

2. Key Challenges & Problem Statement

A mid-sized organization manages customer information and service requests through disconnected emails, spreadsheets, and a legacy CRM. This causes inconsistent data, duplicated records, manual case handling, delayed resolution, weak ownership, and limited SLA visibility. Reporting is largely manual, making it difficult for managers to monitor workload, performance, and customer satisfaction.

• Poor visibility of customer history and duplicated records

• Manual case creation, tracking, and follow-up

• No centralized ownership or consistent routing of cases

• Limited reporting on case volumes, resolution time, and SLA compliance

• Inconsistent data entry due to insufficient validation

• Growing operational overhead and delayed customer responses

Business Goal: Implement Salesforce as a unified customer and service management platform using standard and custom objects, declarative automation, security, and reporting to improve service consistency, efficiency, and management visibility.

3. Business Analysis Phase (BA Ownership)

The Business Analyst acts as liaison between business stakeholders and the Salesforce implementation team, aligning requirements, process design, configuration, and validation.

3.1 Stakeholders

• Business Sponsor – strategic direction and budget approval

• Operations Manager – service processes, SLAs, and performance metrics

• Customer Support Team – case handling and usability requirements

• Salesforce Administrator – data configuration, security, Flow automation, and reporting

3.2 Requirement Gathering Techniques

• Stakeholder interviews

• Current-state process walkthroughs

• Pain-point analysis

• Future-state brainstorming workshops focused on standardized, automated processes

3.3 As-Is Process (High Level)

• Customers contact support by email or phone

• Agents log and track issues manually

• Case ownership and priority are not standardized

• SLA tracking and escalation are inconsistent

• Reports are prepared manually

3.4 To-Be Process (Future State)

• Customer and contact information is centralized in Salesforce

• Cases are created, categorized, and assigned through standard configuration and Flow

• Validation rules improve data quality

• SLA fields, alerts, and escalation processes support timely resolution

• Reports and dashboards provide operational and management insights

4. Business Requirement Document (BRD)

This BRD defines the high-level requirements for the SPSMP Salesforce configuration and provides the basis for implementation and testing.

4.1 Business Requirements

• BR-01: Customer & Contact Management – centrally manage Account and Contact data

• BR-02: Case Management & Tracking – track case status, priority, ownership, and lifecycle

• BR-03: Process Automation – reduce manual work through Salesforce Flow and validation rules

• BR-04: Standardized Case Assignment – apply predefined case ownership and routing rules

• BR-05: SLA Monitoring & Compliance – identify breached and at-risk cases

• BR-06: Reporting & Visibility – provide operational reports and management dashboards

4.2 In-Scope

• Standard objects: Account, Contact, Case

• Custom objects supporting service operations

• Data model configuration and security setup

• Declarative automation using Salesforce Flow

• Formula fields and validation rules

• Reports and dashboards

4.3 Out-of-Scope

• External ERP or finance integrations

• Mobile application development

• Third-party CTI or telephony integrations

• Advanced legacy data migration beyond sample data

5. User Stories & Acceptance Criteria

User Story 1: Case Creation & Tracking

As a Support Agent, I want to create a service case linked to a customer so that issues are tracked centrally and consistently.

• Case creation requires an associated Account

• Status defaults to New

• Priority is required before saving

• Case ownership is assigned using predefined rules

• Missing mandatory information produces a validation error

• Cases are available for reporting after creation

User Story 2: Operational Monitoring & SLA Visibility

As a Support Manager, I want dashboards showing case volume, priority, and SLA performance so that I can monitor workload and identify risks.

• Dashboards display open cases by status and priority

• Breached and at-risk cases are highlighted

• Reports reflect current Salesforce records upon refresh

• Managers can drill down into underlying case reports

• Dashboard access follows configured permissions

MILESTONE 1 – SALESFORCE ADMIN (Foundation)

Milestone Objective:
Milestone 1 establishes the foundational Salesforce setup that supports all future automation, development, UI, and AI capabilities. This phase is fully **Admin-driven** and focuses on creating a clean, scalable, and secure data model aligned with business requirements defined during the Business Analysis phase. A strong foundation ensures data consistency, process efficiency, and long-term system stability

As part of this milestone, a **Salesforce Developer Edition (DE) organization** is set up to serve as the project's primary development and configuration environment. The Developer Edition provides a free, fully functional Salesforce org with access to core platform features, allowing administrators and developers to safely configure objects, fields, security settings, automation, and custom logic without impacting any production data. This org acts as a controlled sandbox for learning, experimentation, testing, and validation of all configurations created during the Admin phase.

Using a Developer Edition org ensures adherence to Salesforce best practices by enabling isolated development, repeatable testing, and readiness for future deployments, while supporting the complete end-to-end lifecycle of the Smart Property & Service Management Platform (SPSMP)..

Activity 1: Custom Application Creation (App Manager)

Why We Create a Custom Application

In Salesforce, a **Custom Application** is created to provide users with a **focused, role-based workspace** tailored specifically to a project's business processes. For the *Smart Property & Service Management Platform (SPSMP)*, creating a custom application ensures that all relevant objects, tabs, and tools required for service management are grouped together in one intuitive interface.

Instead of using generic Salesforce apps (such as Sales or Service Console), a custom app allows the organization to align the user experience directly with the project's objectives, terminology, and workflows.

Purpose of Creating the Custom Application

The primary purpose of creating a custom application for this project is to:

- Centralize all SPSMP-related objects (Account, Contact, Case, Service Request, Service Feedback) in a single application

- Provide a simplified and consistent navigation experience for support agents and managers
- Reduce dependency on multiple standard Salesforce apps
- Align the UI with business processes defined during the Business Analysis phase

  features

Benefits of Using a Custom Application

1. Improved User Productivity
Users can access all required objects and features from one place, reducing navigation time and confusion.

2. Role-Based Experience
Different profiles (Support Agent, Support Manager) can be assigned tailored access to the custom app, ensuring users see only what is relevant to their role.

3. Better Adoption & Usability
A project-specific app with meaningful labels and organized tabs improves user adoption and reduces training effort.


4. Enhanced Security Control
Access to the application can be restricted using profiles and permission sets, ensuring compliance and data protection.

5. Scalability & Future Readiness


Business Value

Creating a custom application ensures that Salesforce is not just configured, but **strategically designed** to support the organization's service management needs. It provides a clean, scalable, and user-centric entry point into the SPSMP solution, directly contributing to operational efficiency and long-term system success.

Step 1 : Go to gear Icon Click Setup




Step 2 : Search App Manager in Quick Find Box and Click New Lightning App





Step 3 : Label Name : SPSMP Application

Developer Name : SPSMP_Application


Click **Next > Click Next > Click Next**







Step 4 : Select the Account, Contact, and Case objects, add them, then select the System Administrator profile and click ***Save & Finish***.



Activity 2: Data Model Design

Data model design is the most critical step in any Salesforce implementation. In this milestone, the Admin translates business entities and relationships into Salesforce objects, ensuring that customer data, service requests, and feedback are logically structured and easily accessible.

Standard Objects

- **Account**
  Represents the customer or organization receiving services. It acts as the central parent record, enabling a unified view of all customer-related activities, service requests, and cases.
- **Contact**
  Stores individual customer or stakeholder details associated with an Account. Contacts enable communication tracking and ensure that service interactions are linked to the correct individuals.
- **Case**
  Used to track customer issues, service inquiries, and support requests. The Case object supports status tracking, priority management, SLA monitoring, and reporting.

These standard objects are leveraged to reduce customization overhead while aligning with Salesforce best practices.

Custom Objects

- **Service_Request__c (Master-Detail to Account)**
  This custom object captures structured service requests related to a specific customer.

The Master-Detail relationship ensures:

- Service Requests inherit security and ownership from the Account
- Roll-up summaries can be created on Account
- Data integrity is enforced (Service Requests cannot exist without an Account)

- **Service_Feedback__c (Lookup to Case)**
  This object stores feedback related to resolved or ongoing cases. The Lookup relationship provides flexibility by:

  - Allowing multiple feedback records per Case
  - Preserving feedback records even if the Case is closed
  - Supporting analytical insights into service quality and customer satisfaction

Data Model :

1. Standard Object: Account

Object Purpose

Represents the customer or organization receiving services. Acts as the **parent record** for contacts, cases, and service requests.

Fields

Field Label	Field API Name	Data Type	Description
Account Name	Name	Standard (Text)	Name of the customer organization
Customer Type	Customer_Type__c	Picklist	Classifies customer (e.g., Residential, Commercial, Enterprise)
SLA	SLAl__c	Picklist	Defines agreed SLA tier (e.g., Gold, Silver, Bronze)

2. Standard Object: Contact

Object Purpose

Represents individual people associated with an Account who interact with support or services.

Fields

Field Label	Field API Name	Data Type	Description
Contact Name	Name	Standard (Text)	Full name of the contact
Email	Email	Standard (Email)	Primary contact email
Phone	Phone	Standard (Phone)	Contact phone number
Account	AccountId	Lookup (Standard)	Links contact to an Account

3. Standard Object: Case

Object Purpose

Used to track customer issues, complaints, or service-related inquiries.

Fields

Field Label	Field API Name	Data Type	Description
Case Number	CaseNumber	Standard (Auto Number)	Unique system-generated case ID
Status	Status	Picklist (Standard)	Case lifecycle status (New, In Progress, Closed)
Priority	Priority	Picklist (Standard)	Urgency of the case
Resolution Time (Hours)	Resolution_Time__c	Number	Time taken to resolve the case
SLA Breached	SLA_Breached__c	Formula (Checkbox)	Indicates if SLA threshold is exceeded

Formula Logic:
IF(Resolution_Time__c > 48, TRUE, FALSE)

4. Custom Object: Service_Request__c

Object Purpose

Captures structured service requests linked directly to a customer Account.

Relationship

Master-Detail → Account

Fields

Field Label	Field API Name	Data Type	Description
Service Request Name	Name	Auto Number	Unique service request identifier
Account	Account__c	Master-Detail (Account)	Parent Account record
Request Type	Request_Type__c	Picklist	Type of service requested (Maintenance, Inspection, Repair)
Estimated Cost	Estimated_Cost__c	Currency	Estimated service cost
Status	Status__c	Text	Update Case Record

5. Custom Object: Service_Feedback__c

Object Purpose

Stores customer feedback related to service cases for quality tracking and analysis.

Relationship

Lookup → Case

Fields

Field Label	Field API Name	Data Type	Description
Feedback Name	Name	Auto Number	Unique feedback record
Case	Case__c	Lookup (Case)	Related service case
Feedback Comments	Feedback_Comments__c	Long Text Area	Customer feedback details
Rating	Rating__c	Picklist	Service rating (Excellent, Good, Poor)

6. Object Relationships Summary


Parent Object	Child Object	Relationship Type	Business Purpose
Account	Contact	Standard Lookup	Links people to customer
Account	Case	Standard Lookup	Tracks issues per customer
Account	Service_Request__c	Master-Detail	Enforces service ownership & rollups
Case	Service_Feedback__c	Lookup	Collects feedback without strict dependency

Business Value of Milestone 1

- Establishes a **single source of truth** for customer and service data
- Reduces data duplication and manual errors
- Enables secure access through role hierarchy and sharing rules

MILSTONE 1 – SALESFORCE ADMIN (Foundation)

Data Model Design




Business Value of Milestone 1

- Single source of truth
- Scalable architecture
- Reduces data errors
- Solid base for future milestomes

Step 1 : Creating a developer org in salesforce.


1. Go to https://developer.salesforce.com/signup
2. On the sign-up form, enter the following details:




1) First name & Last name
2) Email
3) Job Title: Developer
4) Company: College Name
5) Country: India

Click on **sign me up** after filling these.


Step 2 : Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 10-30mins and sometimes 2 hours.



1. Click on Verify Account
2. Give a password and answer a security question and click on change password.




3. Then you will redirect to your salesforce setup page.
4. Navigation and Explore





Step 3 : Creating a Service Request Object

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Service Request
5. Enter Plural label name as Service Requests
6. Enter Record Name as Service Request Id
7. Select Data Type as Auto Number: SR-{0000}, Starting with ‘1’.
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New



Search Setup
Setup
Home
Object Manager
2
1
Notifications
Quick Find
Setup Home
Service Setup Assistant
Commerce Setup Assistant
SETUP
Home
3
Create



Setup
Home
Object Manager
SETUP
New Custom Object
The singular and plural labels are used in tabs, page layouts, and reports.
Label
Service Request
Example: Account
Plural Label
Service Request
Example: Accounts
Starts with vowel sound
The Object Name is used when referencing the object via the API.
Object Name
Service_Request
Example: Account
Description
Context-Sensitive Help Setting
Open the standard Salesforce.com Help & Training window
Open a window using a Visualforce page
Content Name
--None--
Enter Record Name Label and Format
The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.
Record Name
Service Request Name
Example: Account Name
Data Type
Auto Number
Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.
Display Format
SR-{0000}
Example: A-{0000} What Is This?
Starting Number
001



SETUP
New Custom Object
Optional Features
Allow Reports
Allow Activities
Track Field History
Allow in Chatter Groups
Enable Licensing
Object Classification
When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. Learn more.
Allow Sharing
Allow Bulk API Access
Allow Streaming API Access
Deployment Status
What is this?
In Development
Deployed
Search Status
When this setting is enabled, your users can find records of this object type when they search. Learn more.
Allow Search
Object Creation Options (Available only when custom object is first created)
Add Notes and Attachments related list to default page layout
Launch New Custom Tab Wizard after saving this custom object
Save
Save & New
Cancel


Step 4: Creating a tab for Service Request Object


1. Go to the setup page → type Tabs in Quick Find bar
2. Click on tabs
3. Click on New (under custom object tab).
4. Select Object (Service Request) >> Select the tab style
5. Click on Next >> (Add to profiles page) keep it as default >> Click on Next Add to (**SPSMP Application**) uncheck the include tab.
6. Make sure that the Append tab to the user's existing personal customizations is checked.
7. Click **save**






Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Setup Assistant
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
Optimizer
Sales Cloud Everywhere
ADMINISTRATION
Users
Data
Email
PLATFORM TOOLS
SETUP
Tabs
Minimum Access - API Only Integrations
Minimum Access - Salesforce
Partner App Subscription User
Partner Community Login User
Partner Community User
Platform 1
Platform 2
Read Only
Salesforce API Only System Integrations
Silver Partner User
Solution Manager
Standard Platform User
Standard User
System Administrator
Default On
Previous
Next
Cancel


Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Setup Assistant
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
Optimizer
Sales Cloud Everywhere
ADMINISTRATION
Users
Data
Email
PLATFORM TOOLS
Subscription Management
Apps
SETUP
Tabs
Step 3. Add to Custom Apps
Step 3 of 3
Choose the custom apps for which the new custom tab will be available. You may also examine or alter the visibility of tabs from the detail and edit pages of each Custom App.
Custom App
Include Tab
Platform (standard__Platform)
Sales (standard__Sales)
Service (standard__Service)
Marketing CRM Classic (standard__Marketing)
Sample Console (standard__ServiceConsole)
High Volume Customer Portal User
Authenticated Website User
App Launcher (standard__AppLauncher)
Community (standard__Community)
Site.com (standard__Sites)
Salesforce Chatter (standard__Chatter)
Content (standard__Content)
Analytics Studio (standard__Insights)
Sales Console (standard__LightningSalesConsole)


Setup
Home
Object Manager
Quick Find
Setup Home
Salesforce Go
Service Setup Assistant
Commerce Setup Assistant
Hyperforce Assistant
Release Updates
Salesforce Mobile App
Lightning Usage
Optimizer
Sales Cloud Everywhere
ADMINISTRATION
Users
Data
Email
PLATFORM TOOLS
Subscription Management
Apps
SETUP
Tabs
Approvals (standard__Approvals)
My Service Journey (standard__MSJApp)
Salesforce Scheduler Setup (standard__LightningScheduler)
Automation (standard__FlowsApp)
Doctor Appointment Order (Doctor_Appointment_Order)
East Point (East_Point)
Malineni College (Guntur) (Malineni_College_Gunturs)
SmartBridge Training Managment (SmartBridge_Training_Managment)
Smart B (Smart_B)
Rollup Helper (rh2__PS_Rollup_Helper)
SEPL Float Application (SEPL_Float_Application)
SkyCart CRM (SkyCart_CRM)
Agentforce Studio (standard__AgentforceStudio)
Agentforce Grid (standard__AIWorkbench)
SPSMP Application (SPSMP_Application)
Append tab to users' existing personal customizations
Previous
Save
Cancel


Activity 3: Creation of Picklist field for the Service Request object:

Create Picklist Field in a Service object:


1. Go to setup >> click on Object Manager >> type object name (Service Request) in quick find box>> click on the Service Request Object.




2. Now click on “Fields & Relationships”.
3. Click on New.



4. Select Data type as “Picklist” and click Next.



5. Enter the Field Label as “Request Type”.
6. Click on Enter values and Enter Maintenance, Inspection, Repair)
7. Click on Next, Next and Save.




Activity 4: Creation of Master-Detailed Relationship field for the Service Request Object:

1.Creating Master-Detailed Relationship in Service Request Object


1. Go to the Setup page >> click on Object manager >> type object name (Service Request) in the quick find bar >> click on the Service Request object.




2. Click on Fields & Relationship
3. Click on New.



4. Select "**Master-Detailed Relationship**" as data type and click Next.



5. Select the related object “Account”.



6. Click on Next.
7. Give Field Label as “Account”.
8. Click on Next, Next, Next, Save.

Note 1: Create additional fields and another custom object, and design a table of custom objects and fields related to these objects, carefully choosing appropriate data types for each field.

Note 2: When reviewing API names, any object or field without the __c suffix is considered a standard Salesforce object or standard field and does not require creation. Only objects and fields with the __c suffix must be explicitly created, as they represent custom objects or custom fields introduced as part of the solution.

Activity 5: Creation of Formula Fields.

Formula Fields – SPSMP Project

Formula fields are used in SPSMP to **derive real-time values automatically**, eliminate manual calculations, and ensure **data consistency** across service operations. These fields update instantly whenever referenced data changes, making them ideal for **SLA tracking, visibility, and reporting**.

1. Formula Field – Detailed Example

Object: Case
Field Label: SLA Breached
API Name: SLA_Breached__c
Data Type: Formula (Checkbox)

Business Purpose

This field automatically identifies whether a case has exceeded the agreed SLA resolution time. It enables managers to **quickly spot breached cases**, trigger escalations, and report on SLA compliance.

Formula Logic

```
IF(
   Resolution_Time__c > 48,
   TRUE,
   FALSE
)
```

Explanation

- Resolution_Time__c → Number field storing hours taken to resolve the case
- If resolution time is **greater than 48 hours**, SLA is considered **breached**
- Result is automatically updated without manual intervention


Business Value

- Eliminates manual SLA checking


- Improves SLA compliance tracking
- Enables real-time dashboards and alerts
- Supports proactive management decisions

Implementation :


Step 1 : Go to Gear Icon Click Setup




Step 2 :Click Object Manager and search Case Object and Click Case Label



Step 3 : Field Fields and RelationShips and Click New Button




Step 4 : Select Formula DataType and Click Next.




Step 5 : Give Field Label SLA Breached Status

Field Name : **SLA_Breached_Status**
Formula Return Type : CheckBox
Click Next



Step 6 : Select Advanced Formula and Insert Logic and ClickCheck Syntax then Click Next > Next > Save



2. Case Age in Days

Object: Case
Field Type: Formula (Number)

Requirement:
Calculate how many days a case has been open.

Formula:

TODAY() - DATEVALUE(CreatedDate)

Business Value:
Helps agents and managers identify **aging cases** that need attention.

---

3. High Priority Open Case Indicator

Object: Case
Field Type: Formula (Checkbox)

Requirement:
Flag cases that are **High Priority and not Closed**.

Formula:

AND(

```
    ISPICKVAL(Priority, "High"),
    NOT(ISPICKVAL(Status, "Closed"))
)
```

Business Value:
Allows quick filtering of **critical open cases** for faster resolution.

4. Customer SLA Tier Display

Object: Case
Field Type: Formula (Text)

Requirement:
Display SLA Tier from related Account on the Case.

Formula:

```
Account.SLA__c
```

Business Value:
Provides agents immediate visibility into **customer SLA level** without navigating to Account.

---

5. Service Request Cost Category

Object: Service_Request__c
Field Type: Formula (Text)

Requirement:
Classify service requests based on estimated cost.

Formula:

```
IF(
    Estimated_Cost__c > 10000,
    "High Cost",
    "Standard Cost"
)
```

Business Value:
Helps managers identify **high-cost service requests** instantly.

---

6. Case Resolution Status Label

Object: Case
Field Type: Formula (Text)

Requirement:
Display a readable resolution status based on case status.

Formula:

```
IF(
   ISPICKVAL(Status, "Closed"),
   "Resolved",
   "Pending Resolution"
)
```

Business Value:
Improves UI clarity and simplifies reporting labels for business users.

Activity 6: Creation of Validation Rules

Validation Rules – SPSMP Project

Validation Rules in SPSMP are used to **enforce data quality, standardize processes, and prevent incorrect or incomplete records** from being saved. They act as real-time guardrails that ensure users follow business rules defined during the Business Analysis phase.

Validation rules support:

- Consistent data entry
- SLA compliance
- Reduced manual corrections
- Accurate reporting and analytics

1. Validation Rule – Detailed Practical Example

Validation Rule: Priority is Mandatory Before Case Progress

Object: Case
Rule Name: Priority_Required_Before_Progress

Business Requirement

A case **must not move forward** unless Priority is defined. This ensures proper triaging and SLA handling.

Formula

```
AND(
   ISBLANK(TEXT(Priority)),
   NOT(ISPICKVAL(Status, "New"))
)
```

Error Message

> **Priority must be selected before progressing the case.**

Error Location

Field: **Priority**

Explanation


- Checks if **Priority is blank**
- Triggers only when the case status is **not New**
- Prevents users from moving cases forward without urgency classification

Business Value

- Enforces standardized case handling
- Prevents SLA mismanagement
- Improves reporting accuracy

Implementation Steps

1. Go to **Setup → Object Manager → Case**
2. Scroll Down and Click **Validation Rules**
3. Click **New**
4. Enter Rule Name : **Priority_Required_Before_Progress**
5. Add Error Message : **Priority must be selected before progressing the case.**
6. Select Field Location : Priority Field and Save and Activate



2. Validation Rule Tasks (Hands-On Practice)

These are **real-world, interview-grade validation rule tasks** aligned with SPSMP requirements.

Task 1: Account Required for Case Creation

Object: Case
Rule Name: Account_Mandatory_On_Case

Requirement:
A case must always be linked to an Account.

Formula:

ISBLANK(AccountId)

Error Message:

Case must be associated with an Account.

Business Value:
Ensures a **single source of truth** for customer-related cases.

Task 2: Resolution Time Required When Closing Case

Object: Case
Rule Name: Resolution_Time_Required_On_Close

Requirement:
Resolution Time must be filled before closing a case.

Formula:

```
AND(
   ISPICKVAL(Status, "Closed"),
   ISBLANK(Resolution_Time__c)
)
```

Error Message:

Resolution Time must be entered before closing the case.

Business Value:
Ensures accurate SLA and performance reporting.

Task 3: High Priority Cases Require Description

Object: Case
Rule Name: High_Priority_Description_Required

Requirement:
High-priority cases must include a detailed description.

Formula:

```
AND(
   ISPICKVAL(Priority, "High"),
   ISBLANK(Description)
)
```

Error Message:

Description is mandatory for High Priority cases.

Business Value:
Improves issue clarity and faster resolution for critical cases.

Task 4: Estimated Cost Must Be Greater Than Zero

Object: Service_Request__c
Rule Name: Estimated_Cost_Greater_Than_Zero

Requirement:
Estimated cost cannot be zero or negative.

Formula:

```
Estimated_Cost__c <= 0
```

Error Message:

Estimated Cost must be greater than zero.

Business Value:
Prevents incorrect financial data and improves cost analysis.

Task 5: Feedback Rating Required When Feedback Is Provided

Object: Service_Feedback__c
Rule Name: Rating_Required_With_Feedback

Requirement:
If feedback comments are entered, rating must be selected.

Formula:

```
AND(
   NOT(ISBLANK(Feedback_Comments__c)),
   ISBLANK(TEXT(Rating__c))
)
```

Error Message:


Rating is required when feedback comments are provided.

Business Value:
Ensures meaningful customer feedback data for analytics.

Activity 7 : DATA SECURITY MODEL

The **Data Security Model in Salesforce** is a framework that controls **who can see, access, and modify data** in an organization. It ensures that the right users have the right level of access to records while protecting sensitive information.

Architecture : The client communicates this requirement to the Business Analyst as the proposed architecture for the scenario.



Users (3 Users)

User Name	Role	Profile	Purpose
Property Manager User	Property Manager	SEPL Standard User	Manages properties, leases, inspections
Maintenance Agent User	Maintenance Agent	SEPL Standard User	Handles maintenance requests & complaints
Finance Analyst User	Finance Analyst	SEPL Standard User	Manages payments and rent tracking

Step 1 : Role Hierarchy (3 Roles)


Top to bottom (higher role = more visibility)

SEPL CEO
|
—————————————————
| | |

Property Manager Maintenance Agent Finance Analyst


Step 2 : Creation Roles Click Gear Icon then Click Setup and Search Roles in Quick Find Box

Step 3 : Click Add Roles CEO Below Option.



Step 4 : Create Roles
Label : Property Manager


This Role Reports To : CEO
Click Save and New




Step 5 : Create the remaining two roles the same way I created the roles under the CEO.

Activity 8 : User Creation

Step 1 : Create New User



Step 2 : Create User





Fill Out User Information: You'll need to provide the following details for the new user:

- First Name: John Service Manager Request
- Last Name: Sandbox 1.
- Alias: Auto Populate
- Email: Personal Mail Id
- Username: This Should be Unique in Email Format Ex:JohnServiceManagerRequests@Sandbox1.com
- Role: Property Manager
- Profile: Salesforce
- License: System Administrator

Click Save


Step 3 : Check Gmail for Reset Password for New user






Click Verify Account

Step 4 : Click Reset Password



Step 5 : Set your Password



Click Change Password

Step 6 : Create Another user.

User 2 :

First name : Service Appointment Maintenance
LastName : Sandbox 2
Username : This Should be Unique in Email Format
Ex:ServiceAppointmentMaintenances@sandbox2.com
Role : Maintenance Agent
Use Licence : Salesforce Platform
Profile : Standard Platform User

Activity 9 : Creation Web-To-Case.

Web-to-Case allows customers to submit issues through a website form, which automatically creates a Case in Salesforce.




Create Web to Case

Step 1 : Search Web-To-Case In Quick Find Box.


Enabled Web-To-Case CheckBox
Default Case Origin is Web

Default Response Template
Save It.




Step 2 : Set Fields In Web To Case Generator


Fields you Need To Selec
URL : https://thesmartbridge.com/
Include reCAPTCHA : Disable
Generate It.




Step 3 : Copy HTML Code and Click Finish and Paste the code in Notepad.




Step 4 : Paste it in NotePad and Save it in Desktop and File Name Should be Web to Case.html and Save it.




Step 5 : Go to your Desktop and Open File.







Step 6 : Fill Details and Submit It.



Step 7: Go to your Salesforce page open Case Object and Check New Record is Created Successfully.





Activity 10 : Automation (Record-Triggered Flow – SPSMP)

Record-Triggered Flows are used to **automate business rules at the moment data changes**, without code. In SPSMP, they help:

- Enforce **standardized service processes**
- Reduce **manual effort**
- Improve **SLA compliance**
- Keep logic **scalable and maintainable**

Service Request Auto-Creation + Case Update

(Custom Object + Case – End-to-End Automation)

Business Scenario

When a **Service Request** is created:

- A **Case should be automatically created**
- Case should be:
    - Linked to the **same Account**
    - Assigned correct **Priority**
    - Auto-routed to the **Maintenance Agent**
- Status updates should stay **in sync**

This demonstrates **cross-object automation** – very important for interviews.

Objects Involved

Object	Type
Service_Request__c	Custom Object
Case	Standard Object
Account	Standard Object

Flow Type

Record-Triggered Flow

- Object: Service_Request__c


- Trigger: **When a record is created**
- Run: **After Save**
  👉 (Required because we are creating another record – Case)

Business Logic :


1. User creates a Service Request
2. System checks Request Type
3. System automatically:
    - Creates a Case
    - Sets Priority
    - Links Account
    - Assigns Owner
4. Updates Service Request status

Implementation : Record Trigger Flow

Step 1 : Go to Gear Icon > Click Setup > In Quick FInd Box Search FLows and Click then Click New Flow.




Step 2 : Select Record Trigger Flow





Step 3 : Search Service_Request__c Object

Configure Trigger : A Record is Created or Updated
Condition :Field: RequestType **IsChange** Value:True



Step 4 : Click (+) for add New Element and Search Decision ELement and Click







Step 5 : Label Name : Service Request Status

Api Name : Service_Request_Status
OutCome Details :
Outcome Label : RequestType
Outcome API Label : RequestType
Condition:Any Condition is Met (OR)

1) Resources :Triggering_Service_Request > Request Type
   Equals
   Value : Maintenance
2) Resources :Triggering_Service_Request > Request Type
   Equals
   Value : Inspection



Step 6 : Search Create Record Element under RequestType Condition




Label : Create Case Related Service Record
API Name : Create_Case_Related_Service_Record
How to Set Record Field Values : Manually
Object : Case


Set Field Values for the Case

Field :

1) AccountId **Equals** Triggring_Service_Request > Account | Salesforce Object > AccountId
2) Case Origin **Equals** Email
3) Status **Equals** New
4) Priority **Equals** High
5) Subject **Equals** “Auto-Created from Service Request”




Step 7 : Search Update Records Element After Create Record Element



Label : Service Request Updated Realrd Case
API Name : Service_Request_Updated_Realrd_Case

How to Find Records to Update and Set Their Values
Use the service request record that triggered the flow

Set Field Values for the Service Request Record
Field :
Status **Equals** Case From Create Case Related Service Request > Subject





Step 8 : Click Save

Flow Label Name : Service Request Related Case Updated

Flow API Name : Service_Request_Related_Case_Updated

Save It





Click Activate



Step 8 : Testing

Navigate to the **Service Request** object and create a new record.
In the **Account** lookup field, select an existing account. If no account is available, create a new **Account** record by entering only the **Account Name** (this is for testing purposes, so no other fields are required). Save the Account record.

In the **Service Request** record:


- Select **Maintenance** in the **Request Type** picklist.
- Enter any value in the **Estimated Code** field.
- Leave the **Status** field blank (null).


- Save the record.


Next, open the same **Service Request** record and change the **Request Type** to **Inspection**. Save the record again.


Now navigate to the **Case** object. You should see a newly created **Case** record.
Open the Case record and verify that the **Account Name** matches the account you just created.

Finally, return to the **Service Request** record you created earlier.
In the **Status** field, you should see the same value that appears in the **Subject** field of the related Case record.




Service Request
SR-0002
New Contact
Edit
New Opportunity
Related
Details
* = Required Information
Service Request Name
SR-0002
Inspection
--None--
Maintenance
Inspection
Repair
Created By
Mir Abdul NewLastName, 1/12/2026, 7:56 AM
Last Modified By
Mir Abdul NewLastName, 1/12/2026, 7:56 AM
Cancel
Save
Activity
Filters: All time • All activities • All types
Refresh • Expand All • View All
Upcoming & Overdue
No activities to show.
Get started by sending an email, scheduling a task, and more.
To change what's shown, try changing your filters.
Show All Activities


Service Request
SR-0002
Related
Details
Service Request Name
SR-0002
Request Type
Maintenance
Account
Abhishek Chitturi
Estimated Cost
$50,000
Status
Auto-Created from Service Request
Created By
Mir Abdul NewLastName, 1/12/2026, 7:56 AM
Last Modified By
Mir Abdul NewLastName, 1/12/2026, 8:02 AM
Activity


Cases
All Open Cases
3 items • Sorted by Case Number • Filtered by Date/Time Opened, Closed • Updated a few seconds ago
New
Change Owner
Printable View
Assign Label
Search this list...
Case Number
Contact Name
Subject
Status
Priority
Date/Time Opened
Case Own...
1 00001040 Shushan Kumar New Medium 1/12/2026, 5:41 AM mab
2 00001041 Auto-Created from Service Request New High 1/12/2026, 5:54 AM mab
3 00001042 Auto-Created from Service Request New High 1/12/2026, 8:02 AM mab