

# Hologram with Haptic Feedback

*A literature review report submitted in partial fulfilment of the requirements for  
the award of the degree of*

***Bachelor of Technology***

*in*

***Computer Science & Engineering***

Submitted by

Leo Varghese

Mohit Rajan E

Ria Alexander



**Federal Institute of Science And Technology (FISAT)®**  
Angamaly, Ernakulam

*Affiliated to*

**APJ Abdul Kalam Technological University**  
CET Campus, Thiruvananthapuram

FEDERAL INSTITUTE OF SCIENCE AND TECHNOLOGY  
(FISAT)

Mookkannoor(P.O), Angamaly-683577



**CERTIFICATE**

This is to certify that literature review report for the project entitled “**Hologram with Haptic Feedback**” is a bonafide report of the project presented during VII<sup>th</sup> semester (CS451 - Seminar and Project Preliminary) by **Mohit Rajan E**, in partial fulfilment of the requirements for the award of the degree of Bachelor of Technology (B.Tech) in Computer Science & Engineering.

Staff in Charge

Project Guide

**Dr. Prasad J C**  
Head of the Department

## ABSTRACT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi urna mauris, sagittis sit amet aliquet ut, facilisis et nibh. Praesent turpis tortor, dignissim ut interdum eu, porttitor ut orci. Curabitur laoreet malesuada fermentum. In posuere, purus eu pulvinar luctus, eros urna tempor magna, eu tincidunt erat eros nec turpis. Vestibulum at semper lacus. Nullam tristique lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

## Contribution by Author

Author Contribution Goes Here

Student Name

## ACKNOWLEDGMENT

Your Acknowledgement Goes Here

Student 1

# Contents

List of Figures	v
List of Tables	vi
<b>1 Introduction</b>	<b>1</b>
1.1 Overview . . . . .	1
1.2 Problem Statement . . . . .	2
1.3 Objective . . . . .	2
<b>2 Literature Review</b>	<b>3</b>
<b>3 Design</b>	<b>4</b>
3.0.1 Display . . . . .	4
3.0.2 Haptic feedback . . . . .	4
3.0.3 Hand Gesture . . . . .	4
3.1 Proposal . . . . .	4
<b>4 Work Plan</b>	<b>5</b>
4.1 Budget . . . . .	5
<b>5 Conclusion</b>	<b>6</b>

# List of Figures

1.1	Mandelbrot Fractal . . . . .	1
-----	------------------------------	---

## List of Tables

2.1	World Population Table . . . . .	3
-----	----------------------------------	---



# Chapter 1

## Introduction

### 1.1 Overview

The mathematical roots of the idea of fractals have been traced through a formal path of published works, starting in the 17th century with notions of recursion, then moving through increasingly rigorous mathematical treatment of the concept to the study of continuous but not differentiable functions in the 19th century, and on to the coining of the word fractal in the 20th century with a subsequent burgeoning of interest in fractals and computer-based modelling in the 21st century. The




Figure 1.1: Mandelbrot Fractal

word "fractal" often has different connotations for laypeople than mathematicians, where the layperson is more likely to be familiar with fractal art than a mathematical conception. The mathematical concept is difficult to formally define even for mathematicians, but key features can be understood with little mathematical background.

The feature of "self-similarity", for instance, is easily understood by analogy to zooming in with a lens or other device that zooms in on digital images to uncover finer, previously invisible, new structure. If this is done on fractals, however, no new detail appears; nothing changes and the same pattern repeats over and over, or for some fractals, nearly the same pattern reappears over and over. Self-similarity itself is not necessarily counter-intuitive (e.g., people have pondered self-similarity informally such as in the infinite regress in parallel mirrors or the homunculus, the little man inside the head of the little man inside the head...).

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi urna mauris, sagittis sit amet aliquet ut, facilisis et nibh. Praesent turpis tortor, dignissim ut interdum eu, porttitor ut orci. Curabitur laoreet malesuada fermentum. In posuere, purus eu pulvinar luctus, eros urna tempor magna, eu tincidunt erat eros

nec turpis. Vestibulum at semper lacus. Nullam tristique lacus vel nibh porta a vehicula tellus volutpat. Pellentesque cursus ullamcorper ante, ut eleifend nisl aliquam id. Nulla porta ornare fermentum. Aliquam id magna sed erat malesuada viverra. Donec non mauris eros, nec egestas ligula. Suspendisse eu tempor ligula. Aliquam egestas nulla vel augue iaculis iaculis nec in risus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Praesent malesuada fringilla sapien a faucibus.

## 1.2 Problem Statement

In the current education system students are taught to learn formulas and how to use them but not to reason or understand the logic behind them, causing them to forget it in a short period. It is a typical longitudinal learning approach. Our brain system is not just longitudinal in learning process, but much more complex. Current education system evolved on the basis of visual and auditory senses and their application leads to memorizing the content of learning rather than creating a holistic perception. It is observed that the current education system uses mainly audio methods to teach students. In India around 10% of students suffer from some form of learning disability[1]. Research also points to the fact that visual working memory is better in students with learning disability rather than auditory working memory[2]. It can be inferred that a modern method of learning should be developed in order to increase the efficiency of learning process.

To address this issue we propose a system which uses a holographic display with haptic feedback by the interaction of using hand gestures. This project will focus on developing a system as described above to introduce a new approach to learn basic geometry.

## 1.3 Objective

To create a system which also includes somesthetic senses to learning. To achieve this a holographic display with haptic feedback is proposed. The proposed system can be used to project objects in mid-air which can be interacted by using the hand gestures to view new objects, change or modify its properties like size, view etc.

## Chapter 2

### Literature Review

The world population is the sum of all humans on Earth. As of today, it is estimated to number 7.004 billion by the United States Census Bureau. The USCB estimates that the world population exceeded 7 billion on March 12, 2012. According to a separate estimate by the United Nations Population Fund, it reached this milestone on October 31, 2011. The world's population is unevenly distributed,

Rank	Country	Population	Percentage
1	China	1,347,350,000	19.24%
2	India	1,210,193,422	17.28%
3	United States	313,269,000	4.47%

Table 2.1: World Population Table

with six of Earth's seven continents being permanently inhabited on a large scale. As of 2012, Asia is the most populous continent, with its 4.1 billion inhabitants accounting for over 60% of the world population. The world's two most-populated countries alone, China and India, constitute about 37% of the world's population. Africa is the second-most-populated continent, with around 1 billion people, or 15% of the world's population. Europe's 733 million people make up 11% of the world's population, while the Latin American and Caribbean regions are home to 589 million (9%).

## Chapter 3

### Design

The proposed system consist of three sub-systems

- Display
- Haptic feedback
- Hand gesture regonazing system.
- Software compontent ? (is this required?)

#### 3.0.1 Display

Hologram was selected as the method of display. Since previous research has shown learning gemotry with hologram is better than tradional methods[3].

#### 3.0.2 Haptic feedback

Haptic feedback is added to add a somesthetic senses to learning. And also as a response to convay the previous commanf by the user has been registred.

#### 3.0.3 Hand Gesture

Hand Gestures are used as the input to the system and will be used by the user to intract with the system. Required bellow part? The hand geuster is proccess using Google MediaPipe libaray.

### 3.1 Proposal

In mathematics, Stirling's approximation (or Stirling's formula) is an approximation for large factorials. It is named after James Stirling.

The formula as typically used in applications is:

$$\ln(n!) = n \ln n - n + O(\ln(n))$$

## Chapter 4

### Work Plan

Compiled languages are languages typically processed by compilers, though theoretically any language can be compiled or interpreted. The important ones are:

- Ada
- C
- C++
- Fortran
- Java

#### 4.1 Budget

## Chapter 5

### Conclusion

An intrusion detection system (IDS) [1] is a device or software application that monitors network and/or system activities for malicious activities or policy violations and produces reports to a Management Station.

Donald Ervin Knuth [2] is a computer scientist and Professor Emeritus at Stanford University. He is the author of the seminal multi-volume work The Art of Computer Programming. Knuth has been called the "father" of the analysis of algorithms

## Bibliography

- [1] K. Scarfone and P. Mell, “Guide to intrusion detection and prevention systems (idps),” *NIST Special Publication*, vol. 800, no. 2007, p. 94, 2007.
- [2] Wikipedia, “Donald knuth.” [http://en.wikipedia.org/wiki/Donald\\_Knuth](http://en.wikipedia.org/wiki/Donald_Knuth).