Cucumber Report

| Start : Dec 17, 5:39:01.102 pm	End : Dec 17, 5:39:06.043 pm	Duration : 4.941 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Demo Feature	4.941 s	2	0	2	0	2	0	2	0

#	Feature Name	Scenario Name
1	*Demo Feature*	*To Test Android Simulator with Page Factory Approach*
2		*To Test Android Simulator with Page Factory Approach*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Demo Feature	2	0	2	0	4.941 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Demo Feature	To Test Android Simulator with Page Factory Approach	1	0	1	0	4.939 s
2		To Test Android Simulator with Page Factory Approach	1	0	1	0	4.938 s

Demo Feature

FAILED	DURATION - 4.941 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 2 Pass - 0 Fail - 2 Skip - 0	
/ 5:39:01.102 pm // 5:39:06.043 pm /					

To Test Android Simulator with Page Factory Approach

FAILED	DURATION - 4.939 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 5:39:01.104 pm // 5:39:06.043 pm /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator "Android Device 1"	FAILED	4.929 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MBP.dlinkrouter.local', ip: '2001:e68:82c9:ac00:f5ce:2e2a:ee9c:5a6b%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: false, appium:newCommandTimeout: 300, appium:noReset: true, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]}] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: false, appium:newCommandTimeout: 300, appium:noReset: true, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563)
	    at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)
	    at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
	    at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103)
	    at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109)
	    at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:47)		

#	Step / Hook Details	Status	Duration
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:30)		
	at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)		
	at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)		
	at ?.launch the Android Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:25)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:496)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:383)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455)		
	... 9 more Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)		
	at java.net.http/jdk.internal.net.http.Http1Exchange.sendHeadersAsync(Http1Exchange.java:312)		
	at java.net.http/jdk.internal.net.http.Exchange.lambda$responseAsyncImpl0$8(Exchange.java:567)		
	at java.net.http/jdk.internal.net.http.Exchange.checkFor407(Exchange.java:447)		
	at java.net.http/jdk.internal.net.http.Exchange.lambda$responseAsyncImpl0$9(Exchange.java:571)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandleStage(CompletableFuture.java:950)		
	at java.base/java.util.concurrent.CompletableFuture.handle(CompletableFuture.java:2372)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsyncImpl0(Exchange.java:571)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsyncImpl(Exchange.java:423)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsync(Exchange.java:415)		
	at java.net.http/jdk.internal.net.http.MultiExchange.responseAsyncImpl(MultiExchange.java:445)		
	at java.net.http/jdk.internal.net.http.MultiExchange.lambda$responseAsyncImpl$7(MultiExchange.java:487)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandleStage(CompletableFuture.java:950)		
	at java.base/java.util.concurrent.CompletableFuture.handle(CompletableFuture.java:2372)		
	at java.net.http/jdk.internal.net.http.MultiExchange.responseAsyncImpl(MultiExchange.java:477)		
	at java.net.http/jdk.internal.net.http.MultiExchange.lambda$responseAsync0$2(MultiExchange.java:365)		
	at java.base/java.util.concurrent.CompletableFuture$UniCompose.tryFire(CompletableFuture.java:1150)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1773) at java.net.http/jdk.internal.net.http.HttpClientImpl$DelegatingExecutor.execute(HttpClientImpl.java:178) at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719) at java.net.http/jdk.internal.net.http.MultiExchange.responseAsync(MultiExchange.java:318) at java.net.http/jdk.internal.net.http.HttpClientImpl.sendAsync(HttpClientImpl.java:1052) at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:934) ... 11 more Caused by: java.nio.channels.UnresolvedAddressException at java.base/sun.nio.ch.Net.checkAddress(Net.java:137) at java.base/sun.nio.ch.Net.checkAddress(Net.java:145) at java.base/sun.nio.ch.SocketChannelImpl.checkRemote(SocketChannelImpl.java:929) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:952) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:120) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		

To Test Android Simulator with Page Factory Approach

FAILED	DURATION - 4.938 s
/ 5:39:01.105 pm // 5:39:06.043 pm /	
Demo Feature	
@Regression @Test1	

Steps
Total - 1
Pass - 0
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator "Android Device 2"	FAILED	4.930 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MBP.dlinkrouter.local', ip: '2001:e68:82c9:ac00:f5ce:2e2a:ee9c:5a6b%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/		

#	Step / Hook Details	Status	Duration

	00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: false, appium:newCommandTimeout: 300, appium:noReset: true, appium:resetKeyboard: true, appium:udid: emulator-5556, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]}] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: false, appium:newCommandTimeout: 300, appium:noReset: true, appium:resetKeyboard: true, appium:udid: emulator-5556, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563)
	  at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)
	  at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
	  at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103)
	  at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109)
	  at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:47)
	  at builds.actions.MobileActions.mobileSetup(MobileActions.java:30)
	  at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)
	  at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)
	  at ?.launch the Android Simulator "Android Device 2"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:29)
	Caused by: java.io.UncheckedIOException: java.net.ConnectException
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:496)
	  at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda$apply$0(AppiumIdempotencyFilter.java:35)
	  at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda$apply$0(AppiumUserAgentFilter.java:87)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda$executeAsync$1(JdkHttpClient.java:383)
	  at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:572)
	  at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)
	  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)
	  at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)
	  at java.base/java.lang.Thread.run(Thread.java:1570)
	Caused by: java.net.ConnectException
	  at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956)
	  at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)
	  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455)
	  ... 9 more Caused by: java.net.ConnectException
	  at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)
	  at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)
	  at java.net.http/jdk.internal.net.http.Http1Exchange.sendHeadersAsync(Http1Exchange.java:312)
	  at java.net.http/jdk.internal.net.http.Exchange.lambda$responseAsyncImpl0$8(Exchange.java:567)
	  at java.net.http/jdk.internal.net.http.Exchange.checkFor407(Exchange.java:447)
	  at java.net.http/jdk.internal.net.http.Exchange.lambda$responseAsyncImpl0$9(Exchange.java:571)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandleStage(CompletableFuture.java:950)		
	at java.base/java.util.concurrent.CompletableFuture.handle(CompletableFuture.java:2372)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsyncImpl0(Exchange.java:571)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsyncImpl(Exchange.java:423)		
	at java.net.http/jdk.internal.net.http.Exchange.responseAsync(Exchange.java:415)		
	at java.net.http/jdk.internal.net.http.MultiExchange.responseAsyncImpl(MultiExchange.java:445)		
	at java.net.http/jdk.internal.net.http.MultiExchange.lambda$responseAsyncImpl$7(MultiExchange.java:487)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandleStage(CompletableFuture.java:950)		
	at java.base/java.util.concurrent.CompletableFuture.handle(CompletableFuture.java:2372)		
	at java.net.http/jdk.internal.net.http.MultiExchange.responseAsyncImpl(MultiExchange.java:477)		
	at java.net.http/jdk.internal.net.http.MultiExchange.lambda$responseAsync0$2(MultiExchange.java:365)		
	at java.base/java.util.concurrent.CompletableFuture$UniCompose.tryFire(CompletableFuture.java:1150)		
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1773)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl$DelegatingExecutor.execute(HttpClientImpl.java:178)		
	at java.base/java.util.concurrent.CompletableFuture.completeAsync(CompletableFuture.java:2719)		
	at java.net.http/jdk.internal.net.http.MultiExchange.responseAsync(MultiExchange.java:318)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.sendAsync(HttpClientImpl.java:1052)		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:934)		
	... 11 more Caused by: java.nio.channels.UnresolvedAddressException		
	at java.base/sun.nio.ch.Net.checkAddress(Net.java:137)		
	at java.base/sun.nio.ch.Net.checkAddress(Net.java:145)		
	at java.base/sun.nio.ch.SocketChannelImpl.checkRemote(SocketChannelImpl.java:929)		
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:952)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda$connectAsync$1(PlainHttpConnection.java:210)		
	at java.base/java.security.AccessController.doPrivileged(AccessController.java:571)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null
	  at builds.actions.MobileActions.screenshot(MobileActions.java:120)
	  at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		