
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Demo Feature	20.393 s	2	0	2	0	2	0	2	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Demo Feature	To Test Android Simulator with Page Factory Approach
2		To Test Android Simulator with Page Factory Approach

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Demo Feature	2	0	2	0	20.393 s

SCENARIOS SUMMARY -- 6 --



;	# Feature Name	Scenario Name	T	P	F	S	Duration
	Demo Feature	To Test Android Simulator with Page Factory Approach	1	0	1	0	20.392 s
	2	To Test Android Simulator with Page Factory Approach	1	0	1	0	20.370 s

DETAILED SECTION -- 7 --

Demo Feature

FAILED	DURATION - 20.393 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 6:18:28.800 pm // 6	:18:49.193 pm /	Pass - 0	2	Pass - 0	2
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

To Test Android Simulator with Page Factory Approach



#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator "Android Device 2"	FAILED	20.384 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:1213/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 1213,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 8c868ba70e526f1f00561470d58fcbaddb1b4e48) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[32m'127.0.0.1'?[39m, port: ?[33m1213?[39m] } ?[35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium ?[35m[Appium]?[39m Requiring to load driver valuetomator2 ?[35m[Appium]?[39m Attempting to load driver valuetomator2 ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-valuetomator2-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.674s [Appium] XCUITestDriver has been successfully loaded in 1.401s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:1213 [Appium] at IstenlnCluster (node:net:1969:12) [Appium] at sorver.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenlnCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:24)		

#	Step / Hook Details	Status	Duration
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:30)		
	at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)		
	at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)		
	at ?.launch the Android Simulator "Android Device 2"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/		
	Demo%20Features/Demo.feature:29)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		
	at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82)		
	at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24)		
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:30)		
	at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)		
	at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)		

DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)		
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)		
	at java.base/java.net.Socket.connect(Socket.java:752)		
	at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)		
	at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		
	because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:120)		
	at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		

To Test Android Simulator with Page Factory Approach



DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator "Android Device 1"	FAILED	20.362 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:1212/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 1212,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 8c868ba70e526ftf00561470d58fcbaddb1b4e48) ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 8c868ba70e526ftf00561470d58fcbaddb1b4e48) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m, port: ?[33m1212?[39m] ? [35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium/node_modules/appium-iautomator2-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.683s [Appium] XCUITestDriver has been successfully loaded in 1.410s ?[38;5,0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no office instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:1212 [Appium] at Server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) [Appium] at runNextTicks (node:internal/process/task_queues:69:3) [Appium] at processImmediate (node:internal/process/task_queues:90:21) at builds.utilities.MobileInstance.startAppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at		
	Demo%20Features/Demo.feature:25)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72) at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:82) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:24) at builds.utilities.MobileActions.mobileSetup(MobileActions.java:30) at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:24) at io.cucumber.java.Novker.dolnvoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.AbstractGlueDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
(Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)		
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:542)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)		
	at java.base/java.net.Socket.connect(Socket.java:752)		
	at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)		
	at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)		
	at io.appium.java client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)		
4	Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:120)		
	at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		