Cucumber Report

| **Start : Dec 17, 11:36:35.651 am**	**End : Dec 17, 11:36:39.464 am**	**Duration : 3.813 s**
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 2 FAILED - 2 SKIPPED - 4

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Demo Feature	*3.813 s*	*2*	*0*	*2*	*0*	*8*	*2*	*2*	*4*

#	Feature Name	Scenario Name
1	*Demo Feature*	*Verify Statistics section in web browser*
2		*Verify Statistics section in web browser*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	1	0	1	0
@Test2	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Demo Feature	2	0	2	0	3.813 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Demo Feature	Verify Statistics section in web browser	4	1	1	2	3.772 s
2		Verify Statistics section in web browser	4	1	1	2	3.811 s

Demo Feature

FAILED	DURATION - 3.813 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	Steps Total - 8 Pass - 2 Fail - 2 Skip - 4
/ 11:36:35.651 am // 11:36:39.464 am /			

Verify Statistics section in web browser

FAILED	DURATION - 3.772 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2
/ 11:36:35.652 am // 11:36:39.424 am /			
Demo Feature			
@Regression @Test2			

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	3.626 s
2	When send key text "Heyyyyyyyyyyyyyyy" into the google search bar and press enter	FAILED	0.003 s

	java.lang.IllegalArgumentException: Locator must be set
	   at org.openqa.selenium.internal.Require.nonNull(Require.java:61)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	   at builds.actions.BrowserActions.sendKeys(BrowserActions.java:76)
	   at workDirectory.pages.google.GooglePage.typeAndSearch(GooglePage.java:14)
	   at workDirectory.stepDefinitions.google.GooglePageStepDefinition.
	sendKeyTextIntoTheGoogleSearchBarAndPressEnter(GooglePageStepDefinition.java:17)
	   at ?.send key text "Heyyyyyyyyyyyyyyy" into the google search bar and press enter(file:///Users/00131018amirulhakim/git/BDD-Framework/
	src/test/resources/features/Demo%20Features/Demo.feature:14)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	PASSED	0.135 s
	Screenshot		

#	Step / Hook Details	Status	Duration
3	Then assert page title is "covid-19 stats malaysia - Google Search"	SKIPPED	0.000 s
4	Then assert statistics section is displayed	SKIPPED	0.000 s

Verify Statistics section in web browser

FAILED	DURATION - 3.811 s
/ 11:36:35.653 am // 11:36:39.464 am /	
Demo Feature	
@Regression @Test2	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	3.649 s
2	When send key text "covid-19 stats malaysia" into the google search bar and press enter	FAILED	0.000 s

	java.lang.IllegalArgumentException: Locator must be set
	    at org.openqa.selenium.internal.Require.nonNull(Require.java:61)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at builds.actions.BrowserActions.sendKeys(BrowserActions.java:76)
	    at workDirectory.pages.google.GooglePage.typeAndSearch(GooglePage.java:14)
	    at workDirectory.stepDefinitions.google.GooglePageStepDefinition.
	sendKeyTextIntoTheGoogleSearchBarAndPressEnter(GooglePageStepDefinition.java:17)
	    at ?.send key text "covid-19 stats malaysia" into the google search bar and press enter(file:///Users/00131018amirulhakim/git/BDD-
	Framework/src/test/resources/features/Demo%20Features/Demo.feature:7)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	PASSED	0.155 s
	Screenshot		

#	Step / Hook Details	Status	Duration
3	Then assert page title is "covid-19 stats malaysia - Google Search"	SKIPPED	0.000 s
4	Then assert statistics section is displayed	SKIPPED	0.000 s