

# Cucumber Report

19 Dec 2024, 6:16:19 pm

Start : Dec 19, 6:15:58.471 pm

End : Dec 19, 6:16:19.242 pm

Duration : 20.771 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 0  
FAILED - 3  
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Using IOS 1</u>	20.771 s	3	0	3	0	6	0	3	3

#	Feature Name	Scenario Name
1	<u>Using IOS 1</u>	<u>User To Test Search Bar Function</u>
2		<u>User To Test Search Bar Function</u>
3		<u>User To Test Search Bar Function</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test1	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Using IOS 1</u>	3	0	3	0	20.771 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Using IOS 1</u>	<u>User To Test Search Bar Function</u>	2	0	1	1	20.770 s
2		<u>User To Test Search Bar Function</u>	2	0	1	1	20.550 s
3		<u>User To Test Search Bar Function</u>	2	0	1	1	20.550 s

## Using IOS 1

<b>FAILED</b>	<b>DURATION - 20.771 s</b>	Scenarios		Steps	
/ 6:15:58.471 pm // 6:16:19.242 pm /		Total - 3		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	

## User To Test Search Bar Function

<div><div>FAILED</div><div>DURATION - 20.770 s</div></div>		<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>20</div><div>15</div><div>10</div><div>5</div><div>0</div></div><div><div>1</div><div>2</div></div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>2</div></div>
/ 6:15:58.472 pm // 6:16:19.242 pm /				
Using IOS 1				
@Test1				



#	Step / Hook Details	Status	Duration
1	<p>Given I launch the Mobile Simulator "Android Device 1"</p> <p>io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4723/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js, --port, 4723, --address, 127.0.0.1] Server log: [35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) [35m[Appium]?[39m Non-default server args: [35m[Appium]?[39m { address: [32m'127.0.0.1'?[39m } [35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium [35m[Appium]?[39m Attempting to load driver uiautomator2... [35m[Appium]?[39m Attempting to load driver xcuitest... [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.660s [Appium] XCUIDriver has been successfully loaded in 1.068s [38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] Error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] at Server.setupListenHandle [as _listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)</p>	<b>FAILED</b>	20.760 s

#	Step / Hook Details	Status	Duration
	<p>at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)</p> <p>at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)</p> <p>at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Test%20Features/Test.feature:5)</p> <p>Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout</p> <p>at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitForAvailable(AppiumServerAvailabilityChecker.java:72)</p> <p>at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)</p> <p>at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)</p> <p>at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)</p> <p>at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)</p> <p>at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)</p> <p>at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)</p> <p>at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)</p> <p>at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)</p>		



#	Step / Hook Details	Status	Duration
	at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.<init>(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)	FAILED	0.002 s
2	When I type "covid" into searchbar	SKIPPED	0.000 s

### User To Test Search Bar Function

<b>FAILED</b> DURATION - 20.550 s / 6:15:58.473 pm // 6:16:19.023 pm / Using IOS 1 @Test1		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given I launch the Mobile Simulator "Android Device 1"</p> <p>io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4723/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js, --port, 4723, --address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[32m'127.0.0.1'?[39m } ?[35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium ?[35m[Appium]?[39m Attempting to load driver uiautomator2... ?[35m[Appium]?[39m Attempting to load driver xcuitest... ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.661s [Appium] XCUIDriver has been successfully loaded in 1.068s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] Error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] at Server.setupListenHandle [as _listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21)</p> <p>at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192)  at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)  at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)  at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)  at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Test%20Features/Test.feature:5)</p> <p>Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitForAvailable(AppiumServerAvailabilityChecker.java:72)  at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)  at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)  at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)  at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)</p>	FAILED	20.538 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.&lt;init&gt;(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<b>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)</b>	<b>FAILED</b>	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		

#	Step / Hook Details	Status	Duration
	because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		
2	When I type "covid" into searchbar	SKIPPED	0.000 s

## User To Test Search Bar Function

<div>FAILED</div> <div>DURATION - 20.550 s</div>		<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>20</div><div>15</div><div>10</div><div>5</div><div>0</div></div> <div><div>1</div><div>2</div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>2</div></div>
<div>/ 6:15:58.473 pm // 6:16:19.023 pm /</div>				
<div>Using IOS 1</div>				
<div>@Test1</div>				

#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"  io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4723/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js, --port, 4723, --address, 127.0.0.1] Server log: [35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) [35m[Appium]?[39m Non-default server args: [35m[Appium]?[39m { address: [32m'127.0.0.1'?[39m } [35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium [35m[Appium]?[39m Attempting to load driver uiautomator2... [35m[Appium]?[39m Attempting to load driver xcuitest... [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js [Appium] XCUIDriver has been successfully loaded in 0.749s [Appium] AndroidUiautomator2Driver has been successfully loaded in 1.094s [38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] Error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] at Server.setupListenHandle [as _listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:192) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60) at builds.actions.MobileActions.mobileSetup(MobileActions.java:25) at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14) at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Test%20Features/Test.feature:5)	FAILED	20.541 s

#	Step / Hook Details	Status	Duration
	<p>Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout  at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitForAvailable(AppiumServerAvailabilityChecker.java:72)  at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)  at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)  at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)  at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)  at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)  at java.base/java.lang.reflect.Method.invoke(Method.java:580)  at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)  at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)  at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)  at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)  at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  at java.base/java.lang.Thread.run(Thread.java:1570)</p> <p>Caused by: java.net.ConnectException: Connection refused  at java.base/sun.nio.ch.Net.pollConnect(Native Method)  at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.<init>(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)	FAILED	0.004 s
2	When I type "covid" into searchbar	SKIPPED	0.000 s