

Cucumber Report

17 Dec 2024, 11:57:44 am

Start : Dec 17, 11:57:43.919 am

End : Dec 17, 11:57:44.096 am

Duration : 0.177 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 2
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Demo Feature</u>	0.177 s	2	0	2	0	2	0	2	0

#	Feature Name	Scenario Name
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>
2		<u>To Test Android Simulator with Page Factory Approach</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	2	0	2	0	0.177 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	0.176 s
2		<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	0.175 s

Demo Feature

FAILED	DURATION - 0.177 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 2 Pass - 0 Fail - 2 Skip - 0	
/ 11:57:43.919 am // 11:57:44.096 am /					

To Test Android Simulator with Page Factory Approach



FAILED	DURATION - 0.176 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 11:57:43.920 am // 11:57:44.096 am /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MacBook-Pro.local', ip: 'fe80:0:0:0:4e1:1f7e:bb97:27a9%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109) at builds.utilities.MobileInstance.androidInit(MobileInstance.java:51)</p>	FAILED	0.168 s

#	Step / Hook Details	Status	Duration
	<p>at builds.actions.MobileActions.androidSetup(MobileActions.java:26) at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:44) at ?.launch the Android Simulator(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:25) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:496) at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda\$apply\$0(AppiumIdempotencyFilter.java:35) at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda\$apply\$0(AppiumUserAgentFilter.java:87) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:383) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455) ... 9 more Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227) at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) ... 3 more Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873) at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961) at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210) at java.base/java.security.AccessController.doPrivileged(AccessController.java:571) at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:120) </p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		

To Test Android Simulator with Page Factory Approach

<div>FAILED</div> <div>DURATION - 0.175 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 11:57:43.921 am // 11:57:44.096 am /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MacBook-Pro.local', ip: 'fe80:0:0:0:4e1:1f7e:bb97:27a9%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:563)</p> <p>at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)</p> <p>at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)</p> <p>at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103)</p> <p>at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109)</p> <p>at builds.utilities.MobileInstance.androidInit(MobileInstance.java:51)</p> <p>at builds.actions.MobileActions.androidSetup(MobileActions.java:26)</p> <p>at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:44)</p> <p>at ?.launch the Android Simulator(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:29)</p> <p>Caused by: java.io.UncheckedIOException: java.net.ConnectException</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:496)</p> <p>at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda\$apply\$0(AppiumIdempotencyFilter.java:35)</p>	FAILED	0.169 s

#	Step / Hook Details	Status	Duration
	<p>at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda\$apply\$0(AppiumUserAgentFilter.java:87)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:383)</p> <p>at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)</p> <p>at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)</p> <p>at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)</p> <p>at java.base/java.lang.Thread.run(Thread.java:1570)</p> <p>Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956)</p> <p>at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455)</p> <p>... 9 more Caused by: java.net.ConnectException</p> <p>at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)</p> <p>at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)</p> <p>at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)</p> <p>at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)</p> <p>... 3 more Caused by: java.nio.channels.ClosedChannelException</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873)</p> <p>at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210)</p> <p>at java.base/java.security.AccessController.doPrivileged(AccessController.java:571)</p> <p>at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null</p> <p>at builds.actions.MobileActions.screenshot(MobileActions.java:120)</p> <p>at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)</p>	FAILED	0.001 s