Cucumber Report

| Start : Dec 10, 6:29:03.401 pm	End : Dec 10, 6:31:07.246 pm	Duration : 2 m 3.845 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 5 FAILED - 4 SKIPPED - 23

Features: 1

Scenarios: 5

Steps: 32

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 15 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Demo Feature	*2 m 3.845 s*	5	0	5	0	32	5	4	23

#	Feature Name	Scenario Name
1	*Demo Feature*	*To Test IOS Simulator with Page Factory Approach*
2		*Verify notepad in mobile is able to write*
3		*Verify notepad in mobile is able to write*
4		*Verify Statistics section in web browser*
5		*Verify Browser & App Login*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Regression	5	0	5	0	1	0	1	0
@Test1	4	0	4	0	1	0	1	0
@Test2	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Demo Feature	5	0	5	0	2 m 3.845 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Demo Feature	To Test IOS Simulator with Page Factory Approach	2	1	0	1	2 m 3.844 s
2		Verify notepad in mobile is able to write	7	0	1	6	0.629 s
3		Verify notepad in mobile is able to write	8	0	1	7	0.628 s
4		Verify Statistics section in web browser	4	2	1	1	35.737 s
5		Verify Browser & App Login	11	2	1	8	35.637 s

Demo Feature

FAILED	DURATION - 2 m 3.845 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 32 Pass - 5 Fail - 4 Skip - 23	32
/ 6:29:03.401 pm // 6:31:07.246 pm /					

To Test IOS Simulator with Page Factory Approach

FAILED	DURATION - 2 m 3.844 s		Steps Total - 2 Pass - 1 Fail - 0 Skip - 1	2
/ 6:29:03.402 pm // 6:31:07.246 pm /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	Given launch the iOS Simulator	PASSED	2 m 3.264 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	FAILED	0.389 s

	java.lang.IllegalStateException: You can not use Scenario.log or Scenario.attach when a step is not being executed
	    at io.cucumber.core.runner.TestCaseState.requireActiveTestStep(TestCaseState.java:157)
	    at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:73)
	    at io.cucumber.java.Scenario.attach(Scenario.java:78)
	    at builds.actions.MobileActions.screenshot(MobileActions.java:78)
	    at workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep(Hooks.java:42)		

2	Then click Allow Access	SKIPPED	0.000 s
	AFTER - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.180 s

	java.lang.IllegalStateException: You can not use Scenario.log or Scenario.attach when a step is not being executed
	    at io.cucumber.core.runner.TestCaseState.requireActiveTestStep(TestCaseState.java:157)
	    at io.cucumber.core.runner.TestCaseState.attach(TestCaseState.java:73)
	    at io.cucumber.java.Scenario.attach(Scenario.java:78)
	    at builds.actions.MobileActions.screenshot(MobileActions.java:78)
	    at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:26)		

Verify notepad in mobile is able to write

FAILED	DURATION - 0.629 s
/ 6:29:03.405 pm // 6:29:04.034 pm /	
Demo Feature	
@Regression @Test1	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given launch the mobile apps and open notepad	FAILED	0.614 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: The application at '/Users/00131018amirulhakim/Documents/com.test 2.framework/Apk/NotePad.apk' does not exist or is not accessible Host info: host: '00131018s-MacBook-Pro.local', ip: '2001:d08:d4:8a64:4969:4d39:a596:c8a0%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]}] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}
	
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	   at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)
	   at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
	   at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103)
	   at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109)
	   at builds.utilities.BaseTest.androidSetup(BaseTest.java:83)
	   at workDirectory.stepDefinitions.NotePadStepDefinitions.NotePadStepDefinitions(NotePadStepDefinitions.java:27)
	   at ?.launch the mobile apps and open notepad(file:///Users/00131018amirulhakim/Documents/com.kym.framework/src/test/resources/features/Demo%20Features/Demo.feature:32)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.util.Properties.getProperty(String)" is null at workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep(Hooks.java:35)		
2	And create new note	SKIPPED	0.000 s
3	And type note title	SKIPPED	0.001 s
	Selamat | Hari | Raya		
4	And type note body	SKIPPED	0.000 s
	First Word | Second Word Gong Xi | Fa Cai		
5	And save the note	SKIPPED	0.000 s
6	When click back button	SKIPPED	0.000 s
7	And Quit	SKIPPED	0.000 s
	AFTER - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.util.Properties.getProperty(String)" is null at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:19)		

Verify notepad in mobile is able to write

FAILED	DURATION - 0.628 s		Steps	
/ 6:29:03.406 pm // 6:29:04.034 pm /			Total - 8	
			Pass - 0	
Demo Feature			Fail - 1	8
			Skip - 7	
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	Given launch the mobile apps and open notepad	FAILED	0.614 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: The application at '/Users/00131018amirulhakim/Documents/com.test 2.framework/Apk/NotePad.apk' does not exist or is not accessible Host info: host: '00131018s-MacBook-Pro.local', ip: '2001:d08:d4:8a64:4969:4d39:a596:c8a0%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession		

| #	Step / Hook Details	Status	Duration

	{capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}]}] Capabilities {appium:app: /Users/00131018amirulhakim/..., appium:appActivity: com.atomczak.notepat.MainAc..., appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:udid: emulator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	   at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176)
	   at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:174)
	   at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
	   at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:103)
	   at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:109)
	   at builds.utilities.BaseTest.androidSetup(BaseTest.java:83)
	   at workDirectory.stepDefinitions.NotePadStepDefinitions.NotePadStepDefinitions(NotePadStepDefinitions.java:27)
	   at ?.launch the mobile apps and open notepad(file:///Users/00131018amirulhakim/Documents/com.kym.framework/src/test/resources/features/Demo%20Features/Demo.feature:18)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.util.Properties.getProperty(String)" is null at workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep(Hooks.java:35)	FAILED	0.001 s
2	And create new note	SKIPPED	0.000 s
3	And type "Hello World!" note title	SKIPPED	0.000 s
4	And type "Don't forget to be happy everyday :)" note body	SKIPPED	0.000 s
5	And save the note	SKIPPED	0.000 s
6	When click back button	SKIPPED	0.000 s
7	Then assert note "Hello World!" is displayed	SKIPPED	0.000 s
8	And Quit	SKIPPED	0.000 s
	AFTER - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because the return value of "java.util.Properties.getProperty(String)" is null at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:19)	FAILED	0.001 s

Verify Statistics section in web browser

FAILED	DURATION - 35.737 s		Steps
/ 6:29:03.407 pm // 6:29:39.144 pm /			Total - 4
			Pass - 2
Demo Feature			Fail - 1
			Skip - 1
@Regression @Test2			

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	33.195 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	PASSED	0.319 s
2	When send key text "covid-19 stats malaysia" into the google search bar and press enter	PASSED	1.526 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	PASSED	0.260 s
3	Then assert page title is "covid-19 stats malaysia - Google Search"	FAILED	0.109 s

	java.lang.AssertionError: expected [covid-19 stats malaysia - Google Search] but found [whiccovid-19 stats malaysiacovid-19 stats malaysia - Google Search]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:666) at builds.actions.BrowserActions.assertPageTitle(BrowserActions.java:139) at workDirectory.stepDefinitions.GooglePageStepDefinition.assertPageTitleIs(GooglePageStepDefinition.java:32) at ?.assert page title is "covid-19 stats malaysia - Google Search"(file:///Users/00131018amirulhakim/Documents/com.kym.framework/src/test/resources/features/Demo%20Features/Demo.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	PASSED	0.115 s
4	Then assert statistics section is displayed	SKIPPED	0.000 s
	AFTER - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	PASSED	0.208 s

Verify Browser & App Login

FAILED	DURATION - 35.637 s		Steps
/ 6:29:03.407 pm // 6:29:39.044 pm /			Total - 11
Demo Feature			Pass - 2
			Fail - 1
@Regression @Test1			Skip - 8

#	Step / Hook Details	Status	Duration
1	Given launch the browser and navigate to Google page	PASSED	32.298 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep() 	PASSED	1.059 s
2	When send key text "covid-19 stats malaysia" into the google search bar and press enter	PASSED	1.681 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep() 	PASSED	0.147 s
3	Then assert page title is "covid-19 stats malaysia - Google Search"	FAILED	0.113 s

	java.lang.AssertionError: expected [covid-19 stats malaysia - Google Search] but found [whiccovid-19 stats malaysiacovid-19 stats malaysia - Google Search]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)
	    at org.testng.Assert.assertEquals(Assert.java:666)
	    at builds.actions.BrowserActions.assertPageTitle(BrowserActions.java:139)
	    at workDirectory.stepDefinitions.GooglePageStepDefinition.assertPageTitleIs(GooglePageStepDefinition.java:32)
	    at ?.assert page title is "covid-19 stats malaysia - Google Search"(file:///Users/00131018amirulhakim/Documents/com.kym.framework/src/test/resources/features/Demo%20Features/Demo.feature:48)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotEveryStep()	PASSED	0.116 s

#	Step / Hook Details	Status	Duration
4	Then assert statistics section is displayed	SKIPPED	0.000 s
5	Given launch the mobile apps and open notepad	SKIPPED	0.000 s
6	And create new note	SKIPPED	0.000 s
7	And type note title	SKIPPED	0.001 s
	Selamat Hari Raya		
8	And type note body	SKIPPED	0.000 s
	First Word Second Word Gong Xi Fa Cai		
9	And save the note	SKIPPED	0.000 s
10	When click back button	SKIPPED	0.000 s
11	And Quit	SKIPPED	0.000 s
	AFTER - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	PASSED	0.217 s