Duration : 6.059 s Start: Dec 19, 6:01:45.348 pm End: Dec 19, 6:01:51.407 pm Scenarios **Features** Steps PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 6 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 Pass % 70 20 80 20 80 20 80 90 10 90 10 33 % 33 % 100 100 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Using IOS 1	6.059 s	3	1	2	0	6	2	2	2


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Using IOS 1	User To Test Search Bar Function
2		User To Test Search Bar Function


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Test1	3	1	2	0	1	0	1	0

FEATURES SUMMARY

-- 5 --



1	#	Feature Name	T	P	F	S	Duration
-	1	Using IOS 1	3	1	2	0	6.059 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Using IOS 1	User To Test Search Bar Function	2	0	1	1	5.910 s
2		User To Test Search Bar Function	2	0	1	1	5.964 s
3		User To Test Search Bar Function	2	2	0	0	6.056 s

DETAILED SECTION -- 7 --

Using IOS 1

FAILED	DURATION - 6.059 s	Scenarios		Steps	
		Total - 3		Total - 6	
/ 6:01:45.348 pm // 6	3:01:51.407 pm /	Pass - 1	3	Pass - 2	6
		Fail - 2		Fail - 2	📐 ് 🍠
		Skip - 0		Skip - 2	


User To Test Search Bar Function



;	#	Step / Hook Details	Status	Duration
1		Given I launch the Mobile Simulator "Android Device 1"	FAILED	5.899 s
		org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The session identified by 8522f9ae-1b2f-4e3a-9086-da1781c6784e is not known. Host info: host: '00131018s-MBP.dlinkrouter.local', ip: '2001:e68:82c9:ac00:f9fc:6e6e:f1b6:fd50%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities} {appium:app: //Jsexs/00131018amirulnakim/, appium:appActivity: com.atomczak.notepat.MainAc, appium:appackage: com.atomczak.notepat.MainAc, appium:autoAcceptAlerts: true, appium:autoDismissAlerts: true, appium:autoGacentAlerts: true, appium:automationName: uiautomator2, appium:deviceName: Pixel 8, appium:fullReset: false, appium:language: en, appium:locale: MY, appium:newCommandTimeout: 300, appium:noReset: true, appium:noSign: false, appium:orientation: PORTRAIT, appium:platformVersion: 13, appium:skipDeviceInitialization: true, appium:skipServerInstallation: false, appium:udid: emulator-5554, appium:uautomator2ServerLaunchTimeout: 300000, appium:uiautomator2ServerReadTimeout: 300000, platformName: ANDROID}}]] Capabilities {appium:appi.//Jsers/00131018amirulhakim/, appium:appActivity: com.atomczak.notepat.MainAc, appium:appPackage: com. atomczak.notepat, appium:autoAcceptAlerts: true, appium:autoDismissAlerts: true, appium:language: en, appium:locale: MY, appium:automationName: uiautomator2, appium:deviceName: Pixel 8, appium:fullReset: false, appium:language: en, appium:locale: MY, appium:newCommandTimeout: 300, appium:noReset: true, appium:noSign: false, appium:lorientation: PORTRAIT, appium:platformVersion: 13, appium:skipDeviceInitialization: true, appium:skipServerInstallation: false, appium:uiautomator-5554, appium:uiautomator2ServerLaunchTimeout: 300000, appium:uiautomator2ServerReadTimeout: 300000, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHan		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:174)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:91)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:103)</init>		
	at io.appium.java_client.android.AndroidDriver. <init>(AndroidDriver.java:109)</init>		
	at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:98)		
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)		
	at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)		
	at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/		
	Test%20Features/Test.feature:5)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		
2	When I type "covid" into searchbar	SKIPPED	0.001 s

User To Test Search Bar Function




#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"	FAILED	5.957 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The session identified by c26f5d2d-ba33-45a3-a326-cdb3cfa18477 is not known. Host info: host: '00131018s-MBP.dlinkrouter.local', ip: '2001:e68:82c9:ac00:f9fc:6e6e:f1b6:fd50%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch:		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession (apabilities=[Capabilities (appium:appr./Users/00131018amirulhakim/, appium:appActivity: com. atomczak.notepat. appium:autoMaceptAlerts: true, appium:appPackage: com.atomczak.notepat. appium:autoMaceptAlerts: true, appium:appPackage: com.atomczak.notepat. appium:deviceName: Pixel 8, appium:fullReset: false, appium:language: en, appium:locale: MY, appium:pewCommandTimeout: 300, appium:noReset: true, appium:sloin: false, appium:clientation: PORTRAIT, appium:platformVersion: 13, appium:slopeviceInitialization: true, appium:slopeverlostialization: true, appium:slopeverlostialization: true, appium:slopeverlostialization: appium:autoMator/2ServerLaunchTimeout: 300000, appium:uiautomator/2ServerReadTimeout: 300000, platformName: ANDROID]]]] Capabilities (appium:app: /Users/0013108amirulhakim/appium:appActivity: com.atomczak.notepat.MainAc, appium:appAckage: com.atomczak.notepat, appium:autoAcceptAlerts: true, appium:autoCarantPermissions: true, appium:automationName: uiautomator2, appium:deviceName: Pixel 8, appium:fullReset: false, appium:language: en, appium:locale: MY, appium:automationName: uiautomator2, appium:noseet: true, appium:nosign: false, appium:molitientation: PORTRAIT, appium:platformVersion: 13, appium:slipDeviceInitialization: true, appium:skipServerInstallation: false, appium:orientation: PORTRAIT, appium:platformVersion: 13, appium:slipDeviceInitialization: true, appium:skipServerInstallation: false, appium:uiautomator/ServerLaunchTimeout: 300000, appium:uiautomator/ServerReadTimeout: 300000, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:17) at io.appium.java_client.AppiumDriver.sintPolamerium.creadteSession(AppiumComm	FAILED	0.000 s
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.000 S
	because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:118)		
	at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)	CIVIDDED	0.001 -
2	When I type "covid" into searchbar	SKIPPED	0.001 s

User To Test Search Bar Function

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"	PASSED	6.049 s
2	When I type "covid" into searchbar	PASSED	0.001 s