
# **Cucumber Report**




| Feature     |          |   | Scenario |   |   |   | Step |   |   |  |
|-------------|----------|---|----------|---|---|---|------|---|---|--|
| Name        | Duration | T | P        | F | S | T | P    | F | S |  |
| Using IOS 1 | 20.673 s | 3 | 0        | 3 | 0 | 6 | 0    | 3 | 3 |  |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name                    |
|---|--------------|----------------------------------|
| 1 | Using IOS 1  | User To Test Search Bar Function |
| 2 |              | User To Test Search Bar Function |
| 3 |              | User To Test Search Bar Function |


| TAG    | Scenario |   |   | Feature |   |   |   |   |
|--------|----------|---|---|---------|---|---|---|---|
| Name   | T        | P | F | S       | T | P | F | S |
| @Test1 | 3        | 0 | 3 | 0       | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |  |
|---|--------------|---|---|---|---|----------|--|
| 1 | Using IOS 1  | 3 | 0 | 3 | 0 | 20.673 s |  |


SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name                    | T | P | F | S | Duration |
|---|--------------|----------------------------------|---|---|---|---|----------|
| 1 | Using IOS 1  | User To Test Search Bar Function | 2 | 0 | 1 | 1 | 20.672 s |
| 2 |              | User To Test Search Bar Function | 2 | 0 | 1 | 1 | 20.669 s |
| 3 |              | User To Test Search Bar Function | 2 | 0 | 1 | 1 | 20.668 s |

DETAILED SECTION -- 7 -

## **Using IOS 1**



#### **User To Test Search Bar Function**




| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given I launch the Mobile Simulator "Android Device 1"   | FAILED | 20.647 s |
|   | io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4773/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 4773,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[35m[Appium]?[39m, port: ?[33m4773?[39m } ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[35m[Appium]?[39m Attempting to load driver values ?[35m[Appium]?[39m Attempting to load driver values ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.697s [Appium] XCUITestDriver has been successfully loaded in 1.554s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4773 [Appium] at IstenlnCluster (node:net:1969:12) [Appium] at server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenlnCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157) at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60) |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)   |        |          |
|   | at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)                  |        |          |
|   | at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/ |        |          |
|   | Test%20Features/Test.feature:5)  |        |          |
|   | Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout                   |        |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72)     |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)                                |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)                               |        |          |
|   | at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)   |        |          |
|   | at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  |        |          |
|   | at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)   |        |          |
|   | at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)                  |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)                               |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)  |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)  |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)  |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)                                       |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)                         |        |          |
|   | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)                         |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)                                    |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)  |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)                                     |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)                               |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)  |        |          |
|   | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)                                   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)   |        |          |
|   | at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)            |        |          |
|   | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)  |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)   |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)  |        |          |

**DETAILED SECTION** 

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/java.lang.Thread.run(Thread.java:1570)  Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.sini>(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) * Not displayable characters are replaced by '?'. |         |          |
|   | AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118)   | FAILED  | 0.015 s  |
| 2 | at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)  When I type "covid" into searchbar  | SKIPPED | 0.000 s  |

### **User To Test Search Bar Function**



DETAILED SECTION -- 10 --


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given I launch the Mobile Simulator "Android Device 1"   | FAILED | 20.649 s |
|   | io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://l27.0.0.1:4773/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 4773,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060887) ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[35m[Appium]?[39m, port: ?[35m[Appium]?[39m The autodetected Appium home path: //Jsers/00131018amirulhakim/.appium?[39m Attempting to load driver valuatomator2 ?[35m[Appium]?[39m Attempting to load driver valuatomator2 ?[35m[Appium]?[39m Requiring driver at //Jsers/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at //Jsers/00131018amirulhakim/.appium/node_modules/appium-xcuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.696s [Appium] XCUITestDriver has been successfully loaded in 1.553s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4773 [Appium] at Server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at b |        |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72)   |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)  |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)   |        |          |
|   | at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)   |        |          |
|   | at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  |        |          |
|   | at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)   |        |          |
|   | at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)  |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)   |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)  |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)  |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)  |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  |        |          |

DETAILED SECTION -- 11 --

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)                                    |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)                      |        |          |
|   | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)                      |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)                                 |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)   |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)                                  |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)                            |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)   |        |          |
|   | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)                                |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)  |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)  |        |          |
|   | at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)         |        |          |
|   | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)   |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)  |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)                                       |        |          |
|   | at java.base/java.lang.Thread.run(Thread.java:1570)   |        |          |
|   | Caused by: java.net.ConnectException: Connection refused  |        |          |
|   | at java.base/sun.nio.ch.Net.pollConnect(Native Method)  |        |          |
|   | at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)  |        |          |
|   | at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549)  |        |          |
|   | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)   |        |          |
|   | at java.base/java.net.Socket.connect(Socket.java:752)   |        |          |
|   | at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)  |        |          |
|   | at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)  |        |          |
|   | at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)  |        |          |
|   | at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>  |        |          |
|   | at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)   |        |          |
|   | at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)   |        |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)                              |        |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)                                 |        |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)                                  |        |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)                                       |        |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)        |        |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)  |        |          |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)                                  | FAILED | 0.012 s  |
| Γ | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" |        |          |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30) |         |          |
| 2 | When I type "covid" into searchbar   | SKIPPED | 0.000 s  |

#### **User To Test Search Bar Function**



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given I launch the Mobile Simulator "Android Device 1"   | FAILED | 20.650 s |
|   | io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4773/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/lbin/node Arguments: [/opt/homebrew/lbin/node_modules/appium/build/lib/main.js,port, 4773,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[35m[Appium]?[39m, port: ?[35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/appium ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-uiautomator2-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-vacuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.696s [Appium] XCUITestDriver has been successfully loaded in 1.553s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4773 [Appium] Error: listen EADDRINUSE: address already in use 127.0.0.1:4773 [Appium] at Server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at IstenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:60 |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout               |        |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72) |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)                            |        |          |
|   | at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)                           |        |          |
|   | at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:157)   |        |          |
|   | at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)  |        |          |
|   | at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)   |        |          |
|   | at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)              |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)                           |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)  |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)  |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)                                    |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)  |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:53)  |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)                                   |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)                     |        |          |
|   | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)                     |        |          |
|   | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)                                |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)  |        |          |
|   | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)                                 |        |          |
|   | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)                           |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:580)  |        |          |
|   | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)                               |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)   |        |          |
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)   |        |          |
|   | at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)        |        |          |
|   | at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)  |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)                                       |        |          |
|   | at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)                                      |        |          |
|   | at java.base/java.lang.Thread.run(Thread.java:1570)  |        |          |
|   | Caused by: java.net.ConnectException: Connection refused   |        |          |
|   | at java.base/sun.nio.ch.Net.pollConnect(Native Method)   |        |          |
|   | at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)   |        |          |

DETAILED SECTION -- 14 --

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549)  |         |          |
|   | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)   |         |          |
|   | at java.base/java.net.Socket.connect(Socket.java:752)   |         |          |
|   | at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)  |         |          |
|   | at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)  |         |          |
|   | at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)  |         |          |
|   | at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>  |         |          |
|   | at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)   |         |          |
|   | at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)   |         |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)                              |         |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)                                 |         |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)                                  |         |          |
|   | at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)                                       |         |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)        |         |          |
|   | at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)  |         |          |
|   | * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)                                  | FAILED  | 0.011 s  |
|   | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" | ]       |          |
|   | because the return value of "builds.actions.MobileActions.getMobileDriver()" is null  |         |          |
|   | at builds.actions.MobileActions.screenshot(MobileActions.java:118)  |         |          |
|   | at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)  |         |          |
| 2 | When I type "covid" into searchbar  | SKIPPED | 0.000 s  |