

# Cucumber Report

17 Dec 2024, 5:30:04 pm

Start : Dec 17, 5:29:58.516 pm

End : Dec 17, 5:30:04.432 pm

Duration : 5.916 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0


PASSED - 0  
FAILED - 2  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Demo Feature</u>	5.916 s	2	0	2	0	2	0	2	0

#	Feature Name	Scenario Name
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>
2		<u>To Test Android Simulator with Page Factory Approach</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	2	0	2	0	5.916 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Demo Feature</u>	<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	5.915 s
2		<u>To Test Android Simulator with Page Factory Approach</u>	1	0	1	0	5.913 s

## Demo Feature

<b>FAILED</b>	<b>DURATION - 5.916 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 2 Pass - 0 Fail - 2 Skip - 0	
/ 5:29:58.516 pm // 5:30:04.432 pm /					

## To Test Android Simulator with Page Factory Approach



<b>FAILED</b>	<b>DURATION - 5.915 s</b>		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 5:29:58.517 pm // 5:30:04.432 pm /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator "Android Device 2"</p> <pre> java.lang.RuntimeException: java.net.MalformedURLException: unknown protocol: null     at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:49)     at builds.actions.MobileActions.mobileSetup(MobileActions.java:29)     at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)     at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)     at ?.launch the Android Simulator "Android Device 2"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:29) Caused by: java.net.MalformedURLException: unknown protocol: null     at java.base/java.net.URL.&lt;init&gt;(URL.java:779)     at java.base/java.net.URL.&lt;init&gt;(URL.java:654)     at java.base/java.net.URL.&lt;init&gt;(URL.java:590)     at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:47)     at builds.actions.MobileActions.mobileSetup(MobileActions.java:29)     at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)     at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)     at java.base/java.lang.reflect.Method.invoke(Method.java:580)           </pre>	FAILED	5.906 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)</b></p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null     at builds.actions.MobileActions.screenshot(MobileActions.java:119)     at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30) </pre>	FAILED	0.001 s

## To Test Android Simulator with Page Factory Approach



<div>FAILED</div> <div>DURATION - 5.913 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:29:58.519 pm // 5:30:04.432 pm /				
Demo Feature				
@Regression @Test1				

#	Step / Hook Details	Status	Duration
1	<p>Given launch the Android Simulator "Android Device 1"</p> <pre> java.lang.RuntimeException: java.net.MalformedURLException: unknown protocol: null     at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:49)     at builds.actions.MobileActions.mobileSetup(MobileActions.java:29)     at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)     at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)     at ?.launch the Android Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/Demo.feature:25) Caused by: java.net.MalformedURLException: unknown protocol: null     at java.base/java.net.URL.&lt;init&gt;(URL.java:779)     at java.base/java.net.URL.&lt;init&gt;(URL.java:654)     at java.base/java.net.URL.&lt;init&gt;(URL.java:590)     at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:47)     at builds.actions.MobileActions.mobileSetup(MobileActions.java:29)     at workDirectory.pages.notepad.NotePadAppPage.start(NotePadAppPage.java:22)     at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:35)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)     at java.base/java.lang.reflect.Method.invoke(Method.java:580)     at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)     at io.cucumber.java.Invoker.invoke(Invoker.java:24)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)     at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)     at io.cucumber.core.runner.TestStep.run(TestStep.java:53)     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) </pre>	FAILED	5.906 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1570) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)</b> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:119) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)	FAILED	0.001 s