
Cucumber Report




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Using IOS 1	20.513 s	3	0	3	0	6	0	3	3

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Using IOS 1	User To Test Search Bar Function
2		User To Test Search Bar Function
3		User To Test Search Bar Function


TAG	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@Test1	3	0	3	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Using IOS 1</u>	3	0	3	0	20.513 s	


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Using IOS 1	User To Test Search Bar Function	2	0	1	1	20.511 s
2		User To Test Search Bar Function	2	0	1	1	20.511 s
3		User To Test Search Bar Function	2	0	1	1	20.511 s

DETAILED SECTION -- 7

Using IOS 1



User To Test Search Bar Function




#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"	FAILED	20.503 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4723/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 4723,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[32m'127.0.0.1'?[39m } ?[35m[Appium]?[39m The autodetected Appium home path: /Users/00131018amirulhakim/.appium ?[35m[Appium]?[39m Attempting to load driver value value at valu		

#	Step / Hook Details	Status	Duration
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)		
	at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)		
	at ?.I launch the Mobile Simulator "Android Device 1"(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/		
	Test%20Features/Test.feature:5)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		
	at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:158)		
	at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)		
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)		
	at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		

DETAILED SECTION

#	Step / Hook Details	Status	Duration
The state of the s	at java.base/java.lang.Thread.run(Thread.java:1570) Caused by: java.net.ConnectException: Connection refused at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592) at java.base/java.net.Socket.connect(Socket.java:752) at java.base/java.net.NetworkClient.doConnect(NetworkClient.java:178) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531) at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636) at java.base/sun.net.www.http.HttpClient. at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:280) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386) at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408) at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1243) at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129) at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79) at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		
2	When I type "covid" into searchbar	SKIPPED	0.000 s

User To Test Search Bar Function




DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"	FAILED	20.503 s
	·		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.lnvoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)		
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)		
	at java.base/java.net.Socket.connect(Socket.java:752)		
	at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)		
	at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		
2	When I type "covid" into searchbar	SKIPPED	0.000 s

User To Test Search Bar Function



#	Step / Hook Details	Status	Duration
1	Given I launch the Mobile Simulator "Android Device 1"	FAILED	20.502 s
	io.appium.java_client.service.local.AppiumServerHasNotBeenStartedLocallyException: Appium HTTP server is not listening at http://127.0.0.1:4723/ after 20000 ms timeout. Consider increasing the server startup timeout value and check the server log for possible error messages occurrences. Node.js executable path: /opt/homebrew/bin/node Arguments: [/opt/homebrew/lib/node_modules/appium/build/lib/main.js,port, 4723,address, 127.0.0.1] Server log: ?[35m[Appium]?[39m Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680891) ?[35m[Appium]?[39m] Welcome to Appium v2.6.0 (REV 3001afe88112c13b5aafdd92e097680897060881) ?[35m[Appium]?[39m Non-default server args: ?[35m[Appium]?[39m { address: ?[35m[Appium]?[39m Attempting to load driver uiautomator2 ?[35m[Appium]?[39m Attempting to load driver uiautomator2 ?[35m[Appium]?[39m Attempting to load driver at /Users/00131018amirulhakim/.appium/node_modules/appium-vacuitest-driver/build/index.js ?[35m[Appium]?[39m Requiring driver at /Users/00131018amirulhakim/.appium/node_modules/appium-vacuitest-driver/build/index.js [Appium] AndroidUiautomator2Driver has been successfully loaded in 0.696s [Appium] XCUITestDriver has been successfully loaded in 1.164s ?[38;5;0m[HTTP]?[0m Could not start REST http interface listener. The requested port may already be in use. Please make sure there is no other instance of this server running already. [Appium] Could not configure Appium server. It's possible that a driver or plugin tried to update the server and failed. Original error: listen EADDRINUSE: address already in use 127.0.0.1:4723 [Appium] at Server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at server.setupListenHandle [as_listen2] (node:net:1912:16) [Appium] at listenInCluster (node:net:1969:12) [Appium] at node:net:2178:7 [Appium] at processTicksAndRejections (node:internal/process/task_queues:90:21) at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:158) at builds.utilities.Mobil		

#	Step / Hook Details	Status	Duration
	Test%20Features/Test.feature:5)		
	Caused by: io.appium.java_client.service.local.AppiumServerAvailabilityChecker\$ConnectionTimeout: ConnectionTimeout		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:72)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.ping(AppiumDriverLocalService.java:144)		
	at io.appium.java_client.service.local.AppiumDriverLocalService.start(AppiumDriverLocalService.java:185)		
	at builds.utilities.MobileInstance.startAppiumService(MobileInstance.java:158)		
	at builds.utilities.MobileInstance.mobileInit(MobileInstance.java:60)		
	at builds.actions.MobileActions.mobileSetup(MobileActions.java:25)		
	at workDirectory.stepDefinitions.common.CommonStepDefinitions.launchTheMobileSimulator(CommonStepDefinitions.java:14)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81)		
	at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException: Connection refused		
	at java.base/sun.nio.ch.Net.pollConnect(Native Method)		

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:682)		
	at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549)		
	at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:592)		
	at java.base/java.net.Socket.connect(Socket.java:752)		
	at java.base/sun.net.NetworkClient.doConnect(NetworkClient.java:178)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:531)		
	at java.base/sun.net.www.http.HttpClient.openServer(HttpClient.java:636)		
	at java.base/sun.net.www.http.HttpClient. <init>(HttpClient.java:280)</init>		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:386)		
	at java.base/sun.net.www.http.HttpClient.New(HttpClient.java:408)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(HttpURLConnection.java:1310)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect0(HttpURLConnection.java:1243)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.plainConnect(HttpURLConnection.java:1129)		
	at java.base/sun.net.www.protocol.http.HttpURLConnection.connect(HttpURLConnection.java:1058)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.connectToUrl(AppiumServerAvailabilityChecker.java:79)		
	at io.appium.java_client.service.local.AppiumServerAvailabilityChecker.waitUntilAvailable(AppiumServerAvailabilityChecker.java:61) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null at builds.actions.MobileActions.screenshot(MobileActions.java:118) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		
2	When I type "covid" into searchbar	SKIPPED	0.000 s