Start: Dec 17, 11:56:06.732 am End: Dec 17, 11:56:06.939 am **Duration**: 0.207 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 80 20 80 90 90 10 10 100 100 100

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Demo Feature	0.207 s	2	0	2	0	2	0	2	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Demo Feature	To Test Android Simulator with Page Factory Approach
2		To Test Android Simulator with Page Factory Approach

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Regression	2	0	2	0	1	0	1	0
@Test1	2	0	2	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	<u>Demo Feature</u>	2	0	2	0	0.207 s	

SCENARIOS SUMMARY -- 6 --



7	Feature Name	Scenario Name	T	P	F	S	Duration
	Demo Feature	To Test Android Simulator with Page Factory Approach	1	0	1	0	0.206 s
	?	To Test Android Simulator with Page Factory Approach	1	0	1	0	0.204 s

DETAILED SECTION -- 7 --

## **Demo Feature**

FAILED	DURATION - 0.207 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 11:56:06.732 am /	// 11:56:06.939 am /	Pass - 0	2	Pass - 0	2
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

## **To Test Android Simulator with Page Factory Approach**




#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator	FAILED	0.196 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MacBook-Pro.local', ip: 'fe80:0:0:0:de1:1f7e:bb97:27a9%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io.appium. java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/00131018amirulhakim/, appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:nesest: false, appium:resetKeyboard: true, appium:appColl}]] Capabilities {appium:app: /Users/00131018amirulhakim/, appium:appAckage: com.atomczak.notepat.MainAc, appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:fullReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:inlReset: true, appium:newCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:uiautomator2, appium:uiautomator2, appium:noReset: false, appium:resetKeyboard: true, appium:uiautomator2, appium:inlReset: true, appium:inlawCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:uiautomator2ServerLaunchTimeout: 300000, appium:unicodeKeyboard: true, platformName: ANDROID}  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:174)  at io.appium.java_client.AppiumDriver.sint>(AppiumDriver.java:103)  at io.appium.java_client.AppiumDriver.sint>(AppiumDriver.java:103)  at io.appium.java_client.android.AndroidDriver.sint>(AppiumDriver.java:109)  at builds.utilities.MobileInstance.androidInit(MobileInstance.java:51)		

#	Step / Hook Details	Status	Duration
	at builds.actions.MobileActions.androidSetup(MobileActions.java:26)		
	at workDirectory.stepDefinitions.notepad.NotePadStepDefinitions.launchTheAndroidSimulator(NotePadStepDefinitions.java:44)		
	at ?.launch the Android Simulator(file:///Users/00131018amirulhakim/git/BDD-Framework/src/test/resources/features/Demo%20Features/		
	Demo.feature:25)		
	Caused by: java.io.UncheckedIOException: java.net.ConnectException		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:496)		
	at io.appium.java_client.internal.filters.AppiumIdempotencyFilter.lambda\$apply\$0(AppiumIdempotencyFilter.java:35)		
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda\$apply\$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:383)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455)		
	9 more Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)		
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)		
	at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)		
	3 more Caused by: java.nio.channels.ClosedChannelException		
	at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204)		
	at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873)		
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210)		
	at java.base/java.security.AccessController.doPrivileged(AccessController.java:571)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		
	because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:120)		

#	Step / Hook Details	Status	Duration
	at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		

## **To Test Android Simulator with Page Factory Approach**



#	Step / Hook Details	Status	Duration
1	Given launch the Android Simulator	FAILED	0.197 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: '00131018s-MacBook-Pro.local', ip: 'fe80.0:0.0:4e1:117e:bb97:27a9%en0' Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Mac OS X', os.arch: 'darch64', os.version: '14.6.1', java.version: '22.0.2' Driver info: io. appium. java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities=[Appium:app: /Users/00131018amirulhakim/, appium:appActivity: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat, appium:automationName: uiautomator2, appium:mewCommandTimeout: 300, appium:noReset: false, appium:resetKeyboard: true, appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. Appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. MainAc, appium:appPackage: com.atomczak.notepat. Appium:appium:appPackage: com.atomczak.notepat. Appium:appium:appackage: com.atomczak.notepat. Appium:appium:appack		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.internal.filters.AppiumUserAgentFilter.lambda\$apply\$0(AppiumUserAgentFilter.java:87)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:383)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1570)		
	Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:956)		
	at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:455)		
	9 more Caused by: java.net.ConnectException		
	at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1065)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:227)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.checkRetryConnect(PlainHttpConnection.java:280)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$2(PlainHttpConnection.java:238)		
	at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934)		
	at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911)		
	at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510)		
	at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773)		
	3 more Caused by: java.nio.channels.ClosedChannelException		
	at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:204)		
	at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:873)		
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:961)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.lambda\$connectAsync\$1(PlainHttpConnection.java:210)		
	at java.base/java.security.AccessController.doPrivileged(AccessController.java:571)		
	at java.net.http/jdk.internal.net.http.PlainHttpConnection.connectAsync(PlainHttpConnection.java:212)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "builds.actions.MobileActions.getMobileDriver()" is null		
	at builds.actions.MobileActions.screenshot(MobileActions.java:120) at workDirectory.stepDefinitions.Hooks.takeScreenshotIfFailed(Hooks.java:30)		