

1 Structure Of Our Repositories

Our Git repositories here are structured as "GitHub Organizations". To us, GitHub organizations are simply collections of repos. For example, BISOS Organization includes repos related to BISOS. This ReposOverview describes the structure of the organizations.

1.1 Repository: bisos/overview

SSH Url: `git@github.com:bisos/overview.git` HTML Url: `https://github.com/bisos/overview` GIT Url: `git://github.com/bisos/overview.git`

Description: ByStar Internet Services Operating System

1.2 Repository: bisos/base

SSH Url: `git@github.com:bisos/base.git` HTML Url: `https://github.com/bisos/base` GIT Url: `git://github.com/bisos/base.git`

Description: Empty-At-This-Time

1.3 Repository: ByStar/overview

SSH Url: `git@github.com:ByStar/overview.git` HTML Url: `https://github.com/ByStar/overview` GIT Url: `git://github.com/ByStar/overview.git`

Description: Overview Of ByStar

1.4 Repository: ByStar/base

SSH Url: `git@github.com:ByStar/base.git` HTML Url: `https://github.com/ByStar/base` GIT Url: `git://github.com/ByStar/base.git`

Description: Empty-At-This-Time

1.5 Repository: ByStar/bxReposBase

SSH Url: `git@github.com:ByStar/bxReposBase.git` HTML Url: `https://github.com/ByStar/bxReposBase` GIT Url: `git://github.com/ByStar/bxReposBase.git`

Description: Empty-At-This-Time

1.6 Repository: bx-unisos/overview

SSH Url: `git@github.com:bx-unisos/overview.git` HTML Url: `https://github.com/bx-unisos/overview` GIT Url: `git://github.com/bx-unisos/overview.git`

Description: On Unix Internet Services OS

1.7 Repository: bx-unisos/base

SSH Url: [git@github.com:bx-unisos/base.git](https://github.com/bx-unisos/base.git) HTML Url: <https://github.com/bx-unisos/base> GIT Url: [git://github.com/bx-unisos/base.git](https://github.com/bx-unisos/base.git)

Description: Empty-At-This-Time

1.8 Repository: blee-pip/overview

SSH Url: [git@github.com:blee-pip/overview.git](https://github.com/blee-pip/overview.git) HTML Url: <https://github.com/blee-pip/overview> GIT Url: [git://github.com/blee-pip/overview.git](https://github.com/blee-pip/overview.git)

Description: Empty-At-This-Time

1.9 Repository: blee-pip/namespace

SSH Url: [git@github.com:blee-pip/namespace.git](https://github.com/blee-pip/namespace.git) HTML Url: <https://github.com/blee-pip/namespace> GIT Url: [git://github.com/blee-pip/namespace.git](https://github.com/blee-pip/namespace.git)

Description: Empty-At-This-Time

1.10 Repository: blee-pip/icmPlayer

SSH Url: [git@github.com:blee-pip/icmPlayer.git](https://github.com/blee-pip/icmPlayer.git) HTML Url: <https://github.com/blee-pip/icmPlayer> GIT Url: [git://github.com/blee-pip/icmPlayer.git](https://github.com/blee-pip/icmPlayer.git)

Description: Empty-At-This-Time

1.11 Repository: blee-pip/elispDist

SSH Url: [git@github.com:blee-pip/elispDist.git](https://github.com/blee-pip/elispDist.git) HTML Url: <https://github.com/blee-pip/elispDist> GIT Url: [git://github.com/blee-pip/elispDist.git](https://github.com/blee-pip/elispDist.git)

Description: Empty-At-This-Time

1.12 Repository: blee-pip/base

SSH Url: [git@github.com:blee-pip/base.git](https://github.com/blee-pip/base.git) HTML Url: <https://github.com/blee-pip/base> GIT Url: [git://github.com/blee-pip/base.git](https://github.com/blee-pip/base.git)

Description: Empty-At-This-Time

1.13 Repository: bx-blee/overview

SSH Url: [git@github.com:bx-blee/overview.git](https://github.com/bx-blee/overview.git) HTML Url: <https://github.com/bx-blee/overview> GIT Url: [git://github.com/bx-blee/overview.git](https://github.com/bx-blee/overview.git)

Description: ByStar Libre-Halaal Emacs Environment (BLEE)

1.14 Repository: bx-blee/base

SSH Url: `git@github.com:bx-blee/base.git` HTML Url: `https://github.com/bx-blee/base` GIT Url: `git://github.com/bx-blee/base.git`

Description: Empty-At-This-Time

1.15 Repository: unisos-pip/overview

SSH Url: `git@github.com:unisos-pip/overview.git` HTML Url: `https://github.com/unisos-pip/overview`
GIT Url: `git://github.com/unisos-pip/overview.git`

Description: Empty-At-This-Time

1.16 Repository: unisos-pip/icm

SSH Url: `git@github.com:unisos-pip/icm.git` HTML Url: `https://github.com/unisos-pip/icm` GIT Url: `git://github.com/unisos-pip/icm.git`

Description: Empty-At-This-Time

1.17 Repository: unisos-pip/namespace

SSH Url: `git@github.com:unisos-pip/namespace.git` HTML Url: `https://github.com/unisos-pip/namespace`
GIT Url: `git://github.com/unisos-pip/namespace.git`

Description: Empty-At-This-Time

1.18 Repository: unisos-pip/common

SSH Url: `git@github.com:unisos-pip/common.git` HTML Url: `https://github.com/unisos-pip/common`
GIT Url: `git://github.com/unisos-pip/common.git`

Description: Empty-At-This-Time

1.19 Repository: unisos-pip/icmExamples

SSH Url: `git@github.com:unisos-pip/icmExamples.git` HTML Url: `https://github.com/unisos-pip/icmExamples` GIT Url: `git://github.com/unisos-pip/icmExamples.git`

Description: Empty-At-This-Time

1.20 Repository: unisos-pip/x822Msg

SSH Url: `git@github.com:unisos-pip/x822Msg.git` HTML Url: `https://github.com/unisos-pip/x822Msg`
GIT Url: `git://github.com/unisos-pip/x822Msg.git`

Description: Empty-At-This-Time

1.21 Repository: unisos-pip/ucf

SSH Url: `git@github.com:unisos-pip/ucf.git` HTML Url: `https://github.com/unisos-pip/ucf` GIT Url: `git://github.com/unisos-pip/ucf.git`

Description: Unisos Common Facilities (unisos.ucf)

1.22 Repository: unisos-pip/base

SSH Url: `git@github.com:unisos-pip/base.git` HTML Url: `https://github.com/unisos-pip/base` GIT Url: `git://github.com/unisos-pip/base.git`

Description: Empty-At-This-Time

1.23 Repository: unisos-pip/utils

SSH Url: `git@github.com:unisos-pip/utils.git` HTML Url: `https://github.com/unisos-pip/utils` GIT Url: `git://github.com/unisos-pip/utils.git`

Description: General Purpose Utilities At Unisos Layer.

1.24 Repository: unisos-pip/githubApi

SSH Url: `git@github.com:unisos-pip/githubApi.git` HTML Url: `https://github.com/unisos-pip/githubApi` GIT Url: `git://github.com/unisos-pip/githubApi.git`

Description: Empty-At-This-Time

1.25 Repository: efficientProtocols/overview

SSH Url: `git@github.com:efficientProtocols/overview.git` HTML Url: `https://github.com/efficientProtocols/overview` GIT Url: `git://github.com/efficientProtocols/overview.git`

Description: Empty-At-This-Time

1.26 Repository: efficientProtocols/OCP

SSH Url: `git@github.com:efficientProtocols/OCP.git` HTML Url: `https://github.com/efficientProtocols/OCP` GIT Url: `git://github.com/efficientProtocols/OCP.git`

Description: Open C Platform

1.27 Repository: efficientProtocols/ESRO

SSH Url: `git@github.com:efficientProtocols/ESRO.git` HTML Url: `https://github.com/efficientProtocols/ESRO` GIT Url: `git://github.com/efficientProtocols/ESRO.git`

Description: Efficient Short Remote Operations – Reference Implementation Of RFC-2188

1.28 Repository: `efficientProtocols/EMSD`

SSH Url: `git@github.com:efficientProtocols/EMSD.git` HTML Url: `https://github.com/efficientProtocols/EMSD` GIT Url: `git://github.com/efficientProtocols/EMSD.git`

Description: Efficient Mail Submission And Delivery (EMSD) – Reference Implementation of RFC-2524

1.29 Repository: `efficientProtocols/base`

SSH Url: `git@github.com:efficientProtocols/base.git` HTML Url: `https://github.com/efficientProtocols/base` GIT Url: `git://github.com/efficientProtocols/base.git`

Description: Empty-At-This-Time

1.30 Repository: `bisos-pip/overview`

SSH Url: `git@github.com:bisos-pip/overview.git` HTML Url: `https://github.com/bisos-pip/overview` GIT Url: `git://github.com/bisos-pip/overview.git`

Description: Empty-At-This-Time

1.31 Repository: `bisos-pip/bootstrap`

SSH Url: `git@github.com:bisos-pip/bootstrap.git` HTML Url: `https://github.com/bisos-pip/bootstrap` GIT Url: `git://github.com/bisos-pip/bootstrap.git`

Description: Empty-At-This-Time

1.32 Repository: `bisos-pip/bx-bases`

SSH Url: `git@github.com:bisos-pip/bx-bases.git` HTML Url: `https://github.com/bisos-pip/bx-bases` GIT Url: `git://github.com/bisos-pip/bx-bases.git`

Description: Empty-At-This-Time

1.33 Repository: `bisos-pip/common`

SSH Url: `git@github.com:bisos-pip/common.git` HTML Url: `https://github.com/bisos-pip/common` GIT Url: `git://github.com/bisos-pip/common.git`

Description: Empty-At-This-Time

1.34 Repository: `bisos-pip/core`

SSH Url: `git@github.com:bisos-pip/core.git` HTML Url: `https://github.com/bisos-pip/core` GIT Url: `git://github.com/bisos-pip/core.git`

Description: Empty-At-This-Time

1.35 Repository: bisos-pip/currents

SSH Url: `git@github.com:bisos-pip/currents.git` HTML Url: `https://github.com/bisos-pip/currents`
GIT Url: `git://github.com/bisos-pip/currents.git`

Description: Empty-At-This-Time

1.36 Repository: bisos-pip/examples

SSH Url: `git@github.com:bisos-pip/examples.git` HTML Url: `https://github.com/bisos-pip/examples`
GIT Url: `git://github.com/bisos-pip/examples.git`

Description: Empty-At-This-Time

1.37 Repository: bisos-pip/full

SSH Url: `git@github.com:bisos-pip/full.git` HTML Url: `https://github.com/bisos-pip/full` GIT Url:
`git://github.com/bisos-pip/full.git`

Description: Empty-At-This-Time

1.38 Repository: bisos-pip/gossonot

SSH Url: `git@github.com:bisos-pip/gossonot.git` HTML Url: `https://github.com/bisos-pip/gossonot`
GIT Url: `git://github.com/bisos-pip/gossonot.git`

Description: Empty-At-This-Time

1.39 Repository: bisos-pip/lcnt

SSH Url: `git@github.com:bisos-pip/lcnt.git` HTML Url: `https://github.com/bisos-pip/lcnt` GIT Url:
`git://github.com/bisos-pip/lcnt.git`

Description: Empty-At-This-Time

1.40 Repository: bisos-pip/namespace

SSH Url: `git@github.com:bisos-pip/namespace.git` HTML Url: `https://github.com/bisos-pip/namespace`
GIT Url: `git://github.com/bisos-pip/namespace.git`

Description: Empty-At-This-Time

1.41 Repository: bisos-pip/platform

SSH Url: `git@github.com:bisos-pip/platform.git` HTML Url: `https://github.com/bisos-pip/platform`
GIT Url: `git://github.com/bisos-pip/platform.git`

Description: Empty-At-This-Time

1.42 Repository: bisos-pip/things

SSH Url: [git@github.com:bisos-pip/things.git](ssh://git@github.com:bisos-pip/things.git) HTML Url: <https://github.com/bisos-pip/things> GIT
Url: <git://github.com/bisos-pip/things.git>

Description: Empty-At-This-Time

1.43 Repository: bisos-pip/marme

SSH Url: [git@github.com:bisos-pip/marme.git](ssh://git@github.com:bisos-pip/marme.git) HTML Url: <https://github.com/bisos-pip/marme> GIT
Url: <git://github.com/bisos-pip/marme.git>

Description: Multi-Account Resident Mail Exchange Environment (MARMEE)

1.44 Repository: bisos-pip/mmwsIcm

SSH Url: [git@github.com:bisos-pip/mmwsIcm.git](ssh://git@github.com:bisos-pip/mmwsIcm.git) HTML Url: <https://github.com/bisos-pip/mmwsIcm>
GIT Url: <git://github.com/bisos-pip/mmwsIcm.git>

Description: Web Services Interactive Command Module (wsIcm)

1.45 Repository: bisos-pip/coreDist

SSH Url: [git@github.com:bisos-pip/coreDist.git](ssh://git@github.com:bisos-pip/coreDist.git) HTML Url: <https://github.com/bisos-pip/coreDist>
GIT Url: <git://github.com/bisos-pip/coreDist.git>

Description: Empty-At-This-Time