

1 About Our Repositories

Our Git repositories here are structured as "GitHub Organizations". To us, GitHub organizations are simply collections of repos. For example, BISOS Organization includes repos related to BISOS. This ReposOverview describes the structure of the organizations.

2 About Mohsen Banan

Mohsen Banan is the primary maintainer of all github-organizations and repositories described here. He is a software and internet engineer. Additional information about him is available at: <http://mohsen.1.banan.byname.net>. You can contact him at: <http://mohsen.1.banan.byname.net/contact>.

Mohsen is the primary architect of ByStar software and internet services.

3 About ByStar: The Libre-Halaal ByStar Digital Ecosystem

The Libre-Halaal ByStar Digital Ecosystem is an autonomy and privacy oriented digital ecosystem that is built on purely open-source and free software.

4 About BISOS: ByStar Internet Services OS

BISOS: ByStar Internet Services OS is a layer on top of Linux that functions as a base platform for all ByStar services and usage environment.

5 About UNISOS: Unix Internet Services OS

UNISOS: Unix Internet Services OS is the generalized layer of BISOS that provides non-ByStar specific facilities.

6 About Blee: Bystar Libre-halaal Emacs Environment

Blee: Bystar Libre-halaal Emacs Environment is the usage layer of ByStar.

Contents

1 About Our Repositories	1
2 About Mohsen Banan	1
3 About ByStar: The Libre-Halaal ByStar Digital Ecosystem	1
4 About BISOS: ByStar Internet Services OS	1

5	About UNISOS: Unix Internet Services OS	1
6	About Blee: Bystar Libre-halaal Emacs Environment	1
7	Machine Generated List And Description Of Organizations And Repositories	4
7.1	Organization: ByStar	4
7.1.1	Repository: ByStar/overview	4
7.1.2	Repository: ByStar/base	4
7.1.3	Repository: ByStar/bxReposBase	4
7.2	Organization: bx-unisos	5
7.2.1	Repository: bx-unisos/overview	5
7.2.2	Repository: bx-unisos/base	5
7.3	Organization: bisos	5
7.3.1	Repository: bisos/overview	5
7.3.2	Repository: bisos/base	5
7.4	Organization: bx-blee	6
7.4.1	Repository: bx-blee/overview	6
7.4.2	Repository: bx-blee/base	6
7.5	Organization: bxGenesis	6
7.5.1	Repository: bxGenesis/overview	6
7.5.2	Repository: bxGenesis/vagrantBue	6
7.5.3	Repository: bxGenesis/vagrants	7
7.5.4	Repository: bxGenesis/base	7
7.5.5	Repository: bxGenesis/fbxoPkgs	7
7.6	Organization: unisos-pip	7
7.6.1	Repository: unisos-pip/overview	7
7.6.2	Repository: unisos-pip/icm	7
7.6.3	Repository: unisos-pip/namespace	8
7.6.4	Repository: unisos-pip/common	8
7.6.5	Repository: unisos-pip/icmExamples	8
7.6.6	Repository: unisos-pip/x822Msg	8
7.6.7	Repository: unisos-pip/ucf	8
7.6.8	Repository: unisos-pip/base	8
7.6.9	Repository: unisos-pip/utls	9
7.6.10	Repository: unisos-pip/githubApi	9
7.7	Organization: bisos-pip	9
7.7.1	Repository: bisos-pip/overview	9

7.7.2	Repository: bisos-pip/bootstrap	9
7.7.3	Repository: bisos-pip/bx-bases	9
7.7.4	Repository: bisos-pip/common	10
7.7.5	Repository: bisos-pip/core	10
7.7.6	Repository: bisos-pip/currents	10
7.7.7	Repository: bisos-pip/examples	10
7.7.8	Repository: bisos-pip/full	10
7.7.9	Repository: bisos-pip/gossonot	10
7.7.10	Repository: bisos-pip/lcnt	11
7.7.11	Repository: bisos-pip/namespace	11
7.7.12	Repository: bisos-pip/platform	11
7.7.13	Repository: bisos-pip/things	11
7.7.14	Repository: bisos-pip/marme	11
7.7.15	Repository: bisos-pip/mmwsIcm	12
7.7.16	Repository: bisos-pip/coreDist	12
7.7.17	Repository: bisos-pip/base	12
7.8	Organization: roPerf-pip	12
7.8.1	Repository: roPerf-pip/overview	12
7.8.2	Repository: roPerf-pip/namespace	12
7.8.3	Repository: roPerf-pip/bearerTokenExample	13
7.9	Organization: roPerf-pip	13
7.9.1	Repository: roPerf-pip/overview	13
7.9.2	Repository: roPerf-pip/namespace	13
7.9.3	Repository: roPerf-pip/bearerTokenExample	13
7.9.4	Repository: roPerf-pip/base	13
7.10	Organization: blee-pip	14
7.10.1	Repository: blee-pip/overview	14
7.10.2	Repository: blee-pip/namespace	14
7.10.3	Repository: blee-pip/icmPlayer	14
7.10.4	Repository: blee-pip/elispDist	14
7.10.5	Repository: blee-pip/base	14
7.11	Organization: efficientProtocols	15
7.11.1	Repository: efficientProtocols/overview	15
7.11.2	Repository: efficientProtocols/OCF	15
7.11.3	Repository: efficientProtocols/ESRO	15
7.11.4	Repository: efficientProtocols/EMSD	15

7.11.5	Repository: efficientProtocols/base	15
7.12	Organization: rePublication	1
7.12.1	Repository: rePublication/overview	1
7.12.2	Repository: rePublication/base	1

7 Machine Generated List And Description Of Organizations And Repositories

The following sections enumerate all of ByStar related github-organizations and repositories.

The information below is machine generated using unisos.githubApi pip package – available at: <https://github.com/unisos-pip/githubApi>

7.1 Organization: ByStar

<https://github.com/ByStar>

Github Organization Description: ByStar is an autonomy and privacy oriented Digital Ecosystem.

7.1.1 Repository: ByStar/overview

SSH Url: [git@github.com:ByStar/overview.git](ssh://git@github.com:ByStar/overview.git)

HTML Url: <https://github.com/ByStar/overview>

GIT Url: <git://github.com/ByStar/overview.git>

Repository Description: Overview Of ByStar

7.1.2 Repository: ByStar/base

SSH Url: [git@github.com:ByStar/base.git](ssh://git@github.com:ByStar/base.git)

HTML Url: <https://github.com/ByStar/base>

GIT Url: <git://github.com/ByStar/base.git>

Repository Description: Empty-For-Now

7.1.3 Repository: ByStar/bxReposBase

SSH Url: [git@github.com:ByStar/bxReposBase.git](ssh://git@github.com:ByStar/bxReposBase.git)

HTML Url: <https://github.com/ByStar/bxReposBase>

GIT Url: <git://github.com/ByStar/bxReposBase.git>

Repository Description: Empty-For-Now

7.2 Organization: bx-unisos

<https://github.com/bx-unisos>

Github Organization Description: A foundation for BISOS. Part of ByStar Digital Ecosystem

7.2.1 Repository: bx-unisos/overview

SSH Url: [git@github.com:bx-unisos/overview.git](ssh://git@github.com:bx-unisos/overview.git)

HTML Url: <https://github.com/bx-unisos/overview>

GIT Url: <git://github.com/bx-unisos/overview.git>

Repository Description: On Unix Internet Services OS

7.2.2 Repository: bx-unisos/base

SSH Url: [git@github.com:bx-unisos/base.git](ssh://git@github.com:bx-unisos/base.git)

HTML Url: <https://github.com/bx-unisos/base>

GIT Url: <git://github.com/bx-unisos/base.git>

Repository Description: Empty-For-Now

7.3 Organization: bisos

<https://github.com/bisos>

Github Organization Description: BISOS: is the software foundation of ByStar autonomous and federated services.

7.3.1 Repository: bisos/overview

SSH Url: [git@github.com:bisos/overview.git](ssh://git@github.com:bisos/overview.git)

HTML Url: <https://github.com/bisos/overview>

GIT Url: <git://github.com/bisos/overview.git>

Repository Description: ByStar Internet Services Operating System

7.3.2 Repository: bisos/base

SSH Url: [git@github.com:bisos/base.git](ssh://git@github.com:bisos/base.git)

HTML Url: <https://github.com/bisos/base>

GIT Url: <git://github.com/bisos/base.git>

Repository Description: Empty-For-Now

7.4 Organization: bx-blee

<https://github.com/bx-blee>

Github Organization Description: bx-blee: Blee is a Emacs Based User Environment that creates a software-service continuum between BISOS and

7.4.1 Repository: bx-blee/overview

SSH Url: <git@github.com:bx-blee/overview.git>

HTML Url: <https://github.com/bx-blee/overview>

GIT Url: <git://github.com/bx-blee/overview.git>

Repository Description: ByStar Libre-Halaal Emacs Environment (BLEE)

7.4.2 Repository: bx-blee/base

SSH Url: <git@github.com:bx-blee/base.git>

HTML Url: <https://github.com/bx-blee/base>

GIT Url: <git://github.com/bx-blee/base.git>

Repository Description: Empty-For-Now

7.5 Organization: bxGenesis

<https://github.com/bxGenesis>

Github Organization Description: Empty-At-This-Time

7.5.1 Repository: bxGenesis/overview

SSH Url: <git@github.com:bxGenesis/overview.git>

HTML Url: <https://github.com/bxGenesis/overview>

GIT Url: <git://github.com/bxGenesis/overview.git>

Repository Description: Empty-For-Now

7.5.2 Repository: bxGenesis/vagrantBue

SSH Url: <git@github.com:bxGenesis/vagrantBue.git>

HTML Url: <https://github.com/bxGenesis/vagrantBue>

GIT Url: <git://github.com/bxGenesis/vagrantBue.git>

Repository Description: Empty-For-Now

7.5.3 Repository: bxGenesis/vagrants

SSH Url: `git@github.com:bxGenesis/vagrants.git`
HTML Url: `https://github.com/bxGenesis/vagrants`
GIT Url: `git://github.com/bxGenesis/vagrants.git`

Repository Description: Empty-For-Now

7.5.4 Repository: bxGenesis/base

SSH Url: `git@github.com:bxGenesis/base.git`
HTML Url: `https://github.com/bxGenesis/base`
GIT Url: `git://github.com/bxGenesis/base.git`

Repository Description: Empty-For-Now

7.5.5 Repository: bxGenesis/fbxoPkgs

SSH Url: `git@github.com:bxGenesis/fbxoPkgs.git`
HTML Url: `https://github.com/bxGenesis/fbxoPkgs`
GIT Url: `git://github.com/bxGenesis/fbxoPkgs.git`

Repository Description: Install Foreign ByStar Object Packages.

7.6 Organization: unisos-pip

`https://github.com/unisos-pip`

Github Organization Description: A foundation for BISOS. Part of ByStar Digital Ecosystem

7.6.1 Repository: unisos-pip/overview

SSH Url: `git@github.com:unisos-pip/overview.git`
HTML Url: `https://github.com/unisos-pip/overview`
GIT Url: `git://github.com/unisos-pip/overview.git`

Repository Description: Empty-For-Now

7.6.2 Repository: unisos-pip/icm

SSH Url: `git@github.com:unisos-pip/icm.git`
HTML Url: `https://github.com/unisos-pip/icm`
GIT Url: `git://github.com/unisos-pip/icm.git`

Repository Description: Empty-For-Now

7.6.3 Repository: unisos-pip/namespace

SSH Url: `git@github.com:unisos-pip/namespace.git`
HTML Url: `https://github.com/unisos-pip/namespace`
GIT Url: `git://github.com/unisos-pip/namespace.git`

Repository Description: Empty-For-Now

7.6.4 Repository: unisos-pip/common

SSH Url: `git@github.com:unisos-pip/common.git`
HTML Url: `https://github.com/unisos-pip/common`
GIT Url: `git://github.com/unisos-pip/common.git`

Repository Description: Empty-For-Now

7.6.5 Repository: unisos-pip/icmExamples

SSH Url: `git@github.com:unisos-pip/icmExamples.git`
HTML Url: `https://github.com/unisos-pip/icmExamples`
GIT Url: `git://github.com/unisos-pip/icmExamples.git`

Repository Description: Empty-For-Now

7.6.6 Repository: unisos-pip/x822Msg

SSH Url: `git@github.com:unisos-pip/x822Msg.git`
HTML Url: `https://github.com/unisos-pip/x822Msg`
GIT Url: `git://github.com/unisos-pip/x822Msg.git`

Repository Description: Empty-For-Now

7.6.7 Repository: unisos-pip/ucf

SSH Url: `git@github.com:unisos-pip/ucf.git`
HTML Url: `https://github.com/unisos-pip/ucf`
GIT Url: `git://github.com/unisos-pip/ucf.git`

Repository Description: Unisos Common Facilities (unisos.ucf)

7.6.8 Repository: unisos-pip/base

SSH Url: `git@github.com:unisos-pip/base.git`
HTML Url: `https://github.com/unisos-pip/base`
GIT Url: `git://github.com/unisos-pip/base.git`

Repository Description: Empty-For-Now

7.6.9 Repository: unisos-pip/utils

SSH Url: [git@github.com:unisos-pip/utils.git](ssh://git@github.com:unisos-pip/utils.git)
HTML Url: <https://github.com/unisos-pip/utils>
GIT Url: <git://github.com/unisos-pip/utils.git>

Repository Description: General Purpose Utilities At Unisos Layer.

7.6.10 Repository: unisos-pip/githubApi

SSH Url: [git@github.com:unisos-pip/githubApi.git](ssh://git@github.com:unisos-pip/githubApi.git)
HTML Url: <https://github.com/unisos-pip/githubApi>
GIT Url: <git://github.com/unisos-pip/githubApi.git>

Repository Description: Empty-For-Now

7.7 Organization: bisos-pip

<https://github.com/bisos-pip>

Github Organization Description: Empty-At-This-Time

7.7.1 Repository: bisos-pip/overview

SSH Url: [git@github.com:bisos-pip/overview.git](ssh://git@github.com:bisos-pip/overview.git)
HTML Url: <https://github.com/bisos-pip/overview>
GIT Url: <git://github.com/bisos-pip/overview.git>

Repository Description: Empty-For-Now

7.7.2 Repository: bisos-pip/bootstrap

SSH Url: [git@github.com:bisos-pip/bootstrap.git](ssh://git@github.com:bisos-pip/bootstrap.git)
HTML Url: <https://github.com/bisos-pip/bootstrap>
GIT Url: <git://github.com/bisos-pip/bootstrap.git>

Repository Description: Empty-For-Now

7.7.3 Repository: bisos-pip/bx-bases

SSH Url: [git@github.com:bisos-pip/bx-bases.git](ssh://git@github.com:bisos-pip/bx-bases.git)
HTML Url: <https://github.com/bisos-pip/bx-bases>
GIT Url: <git://github.com/bisos-pip/bx-bases.git>

Repository Description: Empty-For-Now

7.7.4 Repository: bisos-pip/common

SSH Url: `git@github.com:bisos-pip/common.git`
HTML Url: `https://github.com/bisos-pip/common`
GIT Url: `git://github.com/bisos-pip/common.git`

Repository Description: Empty-For-Now

7.7.5 Repository: bisos-pip/core

SSH Url: `git@github.com:bisos-pip/core.git`
HTML Url: `https://github.com/bisos-pip/core`
GIT Url: `git://github.com/bisos-pip/core.git`

Repository Description: Empty-For-Now

7.7.6 Repository: bisos-pip/currents

SSH Url: `git@github.com:bisos-pip/currents.git`
HTML Url: `https://github.com/bisos-pip/currents`
GIT Url: `git://github.com/bisos-pip/currents.git`

Repository Description: Empty-For-Now

7.7.7 Repository: bisos-pip/examples

SSH Url: `git@github.com:bisos-pip/examples.git`
HTML Url: `https://github.com/bisos-pip/examples`
GIT Url: `git://github.com/bisos-pip/examples.git`

Repository Description: Empty-For-Now

7.7.8 Repository: bisos-pip/full

SSH Url: `git@github.com:bisos-pip/full.git`
HTML Url: `https://github.com/bisos-pip/full`
GIT Url: `git://github.com/bisos-pip/full.git`

Repository Description: Empty-For-Now

7.7.9 Repository: bisos-pip/gossonot

SSH Url: `git@github.com:bisos-pip/gossonot.git`
HTML Url: `https://github.com/bisos-pip/gossonot`

GIT Url: [git://github.com/bisos-pip/gossonot.git](https://github.com/bisos-pip/gossonot.git)

Repository Description: Empty-For-Now

7.7.10 Repository: bisos-pip/lcnt

SSH Url: [git@github.com:bisos-pip/lcnt.git](https://github.com/bisos-pip/lcnt.git)

HTML Url: <https://github.com/bisos-pip/lcnt>

GIT Url: [git://github.com/bisos-pip/lcnt.git](https://github.com/bisos-pip/lcnt.git)

Repository Description: Empty-For-Now

7.7.11 Repository: bisos-pip/namespace

SSH Url: [git@github.com:bisos-pip/namespace.git](https://github.com/bisos-pip/namespace.git)

HTML Url: <https://github.com/bisos-pip/namespace>

GIT Url: [git://github.com/bisos-pip/namespace.git](https://github.com/bisos-pip/namespace.git)

Repository Description: Empty-For-Now

7.7.12 Repository: bisos-pip/platform

SSH Url: [git@github.com:bisos-pip/platform.git](https://github.com/bisos-pip/platform.git)

HTML Url: <https://github.com/bisos-pip/platform>

GIT Url: [git://github.com/bisos-pip/platform.git](https://github.com/bisos-pip/platform.git)

Repository Description: Empty-For-Now

7.7.13 Repository: bisos-pip/things

SSH Url: [git@github.com:bisos-pip/things.git](https://github.com/bisos-pip/things.git)

HTML Url: <https://github.com/bisos-pip/things>

GIT Url: [git://github.com/bisos-pip/things.git](https://github.com/bisos-pip/things.git)

Repository Description: Empty-For-Now

7.7.14 Repository: bisos-pip/marme

SSH Url: [git@github.com:bisos-pip/marme.git](https://github.com/bisos-pip/marme.git)

HTML Url: <https://github.com/bisos-pip/marme>

GIT Url: [git://github.com/bisos-pip/marme.git](https://github.com/bisos-pip/marme.git)

Repository Description: Multi-Account Resident Mail Exchane Environment (MARMEE)

7.7.15 Repository: bisos-pip/mmwsIcm

SSH Url: [git@github.com:bisos-pip/mmwsIcm.git](ssh://git@github.com:bisos-pip/mmwsIcm.git)
HTML Url: <https://github.com/bisos-pip/mmwsIcm>
GIT Url: <git://github.com/bisos-pip/mmwsIcm.git>

Repository Description: Web Services Interactive Command Module (wsIcm)

7.7.16 Repository: bisos-pip/coreDist

SSH Url: [git@github.com:bisos-pip/coreDist.git](ssh://git@github.com:bisos-pip/coreDist.git)
HTML Url: <https://github.com/bisos-pip/coreDist>
GIT Url: <git://github.com/bisos-pip/coreDist.git>

Repository Description: Empty-For-Now

7.7.17 Repository: bisos-pip/base

SSH Url: [git@github.com:bisos-pip/base.git](ssh://git@github.com:bisos-pip/base.git)
HTML Url: <https://github.com/bisos-pip/base>
GIT Url: <git://github.com/bisos-pip/base.git>

Repository Description: Empty-For-Now

7.8 Organization: roPerf-pip

<https://github.com/roPerf-pip>

Github Organization Description: Empty-At-This-Time

7.8.1 Repository: roPerf-pip/overview

SSH Url: [git@github.com:roPerf-pip/overview.git](ssh://git@github.com:roPerf-pip/overview.git)
HTML Url: <https://github.com/roPerf-pip/overview>
GIT Url: <git://github.com/roPerf-pip/overview.git>

Repository Description: Empty-For-Now

7.8.2 Repository: roPerf-pip/namespace

SSH Url: [git@github.com:roPerf-pip/namespace.git](ssh://git@github.com:roPerf-pip/namespace.git)
HTML Url: <https://github.com/roPerf-pip/namespace>
GIT Url: <git://github.com/roPerf-pip/namespace.git>

Repository Description: Empty-For-Now

7.8.3 Repository: roPerf-pip/bearerTokenExample

SSH Url: `git@github.com:roPerf-pip/bearerTokenExample.git`
HTML Url: `https://github.com/roPerf-pip/bearerTokenExample`
GIT Url: `git://github.com/roPerf-pip/bearerTokenExample.git`

Repository Description: Empty-For-Now

7.9 Organization: roPerf-pip

`https://github.com/roPerf-pip`

Github Organization Description: Empty-At-This-Time

7.9.1 Repository: roPerf-pip/overview

SSH Url: `git@github.com:roPerf-pip/overview.git`
HTML Url: `https://github.com/roPerf-pip/overview`
GIT Url: `git://github.com/roPerf-pip/overview.git`

Repository Description: Empty-For-Now

7.9.2 Repository: roPerf-pip/namespace

SSH Url: `git@github.com:roPerf-pip/namespace.git`
HTML Url: `https://github.com/roPerf-pip/namespace`
GIT Url: `git://github.com/roPerf-pip/namespace.git`

Repository Description: Empty-For-Now

7.9.3 Repository: roPerf-pip/bearerTokenExample

SSH Url: `git@github.com:roPerf-pip/bearerTokenExample.git`
HTML Url: `https://github.com/roPerf-pip/bearerTokenExample`
GIT Url: `git://github.com/roPerf-pip/bearerTokenExample.git`

Repository Description: Empty-For-Now

7.9.4 Repository: roPerf-pip/base

SSH Url: `git@github.com:roPerf-pip/base.git`
HTML Url: `https://github.com/roPerf-pip/base`
GIT Url: `git://github.com/roPerf-pip/base.git`

Repository Description: Empty-For-Now

7.10 Organization: blee-pip

<https://github.com/blee-pip>

Github Organization Description: blee-pip pkgs: Blee is a Emacs Based User Environment that creates a software-service continuum between BISOS and Bystar Autonomous Services

7.10.1 Repository: blee-pip/overview

SSH Url: [git@github.com:blee-pip/overview.git](ssh://git@github.com:blee-pip/overview.git)
HTML Url: <https://github.com/blee-pip/overview>
GIT Url: <git://github.com/blee-pip/overview.git>

Repository Description: Empty-For-Now

7.10.2 Repository: blee-pip/namespace

SSH Url: [git@github.com:blee-pip/namespace.git](ssh://git@github.com:blee-pip/namespace.git)
HTML Url: <https://github.com/blee-pip/namespace>
GIT Url: <git://github.com/blee-pip/namespace.git>

Repository Description: Empty-For-Now

7.10.3 Repository: blee-pip/icmPlayer

SSH Url: [git@github.com:blee-pip/icmPlayer.git](ssh://git@github.com:blee-pip/icmPlayer.git)
HTML Url: <https://github.com/blee-pip/icmPlayer>
GIT Url: <git://github.com/blee-pip/icmPlayer.git>

Repository Description: Empty-For-Now

7.10.4 Repository: blee-pip/elispDist

SSH Url: [git@github.com:blee-pip/elispDist.git](ssh://git@github.com:blee-pip/elispDist.git)
HTML Url: <https://github.com/blee-pip/elispDist>
GIT Url: <git://github.com/blee-pip/elispDist.git>

Repository Description: Empty-For-Now

7.10.5 Repository: blee-pip/base

SSH Url: [git@github.com:blee-pip/base.git](ssh://git@github.com:blee-pip/base.git)
HTML Url: <https://github.com/blee-pip/base>
GIT Url: <git://github.com/blee-pip/base.git>

Repository Description: Empty-For-Now

7.11 Organization: efficientProtocols

<https://github.com/efficientProtocols>

Github Organization Description: Light Efficient Application Protocols (LEAP) For low-powered long-thin-pipes

7.11.1 Repository: efficientProtocols/overview

SSH Url: [git@github.com:efficientProtocols/overview.git](ssh://git@github.com:efficientProtocols/overview.git)

HTML Url: <https://github.com/efficientProtocols/overview>

GIT Url: <git://github.com/efficientProtocols/overview.git>

Repository Description: Empty-For-Now

7.11.2 Repository: efficientProtocols/OCP

SSH Url: [git@github.com:efficientProtocols/OCP.git](ssh://git@github.com:efficientProtocols/OCP.git)

HTML Url: <https://github.com/efficientProtocols/OCP>

GIT Url: <git://github.com/efficientProtocols/OCP.git>

Repository Description: Open C Platform

7.11.3 Repository: efficientProtocols/ESRO

SSH Url: [git@github.com:efficientProtocols/ESRO.git](ssh://git@github.com:efficientProtocols/ESRO.git)

HTML Url: <https://github.com/efficientProtocols/ESRO>

GIT Url: <git://github.com/efficientProtocols/ESRO.git>

Repository Description: Efficient Short Remote Operations – Reference Implementation Of RFC-2188

7.11.4 Repository: efficientProtocols/EMSD

SSH Url: [git@github.com:efficientProtocols/EMSD.git](ssh://git@github.com:efficientProtocols/EMSD.git)

HTML Url: <https://github.com/efficientProtocols/EMSD>

GIT Url: <git://github.com/efficientProtocols/EMSD.git>

Repository Description: Efficient Mail Submission And Delivery (EMSD) – Reference Implementation of RFC-2524

7.11.5 Repository: efficientProtocols/base

SSH Url: [git@github.com:efficientProtocols/base.git](ssh://git@github.com:efficientProtocols/base.git)

HTML Url: <https://github.com/efficientProtocols/base>

GIT Url: <git://github.com/efficientProtocols/base.git>

Repository Description: Empty-For-Now

7.12 Organization: rePublication

<https://github.com/rePublication>

Github Organization Description: Empty-At-This-Time

7.12.1 Repository: rePublication/overview

SSH Url: <git@github.com:rePublication/overview.git>

HTML Url: <https://github.com/rePublication/overview>

GIT Url: <git://github.com/rePublication/overview.git>

Repository Description: Empty-For-Now

7.12.2 Repository: rePublication/base

SSH Url: <git@github.com:rePublication/base.git>

HTML Url: <https://github.com/rePublication/base>

GIT Url: <git://github.com/rePublication/base.git>

Repository Description: Empty-For-Now