Cucumber Report

| Start : Apr 06, 1:44:24.366 PM	End : Apr 06, 1:46:52.637 PM	Duration : 2 m 28.271 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 11 FAILED - 3 SKIPPED - 0	PASSED - 103 FAILED - 3 SKIPPED - 16

3

14

122

Pass %

33 %

78 %

84 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To perform all the CRUD Operations in products API	17.671 s	3	3	0	0	15	15	0	0
To perform all the Operations in Database	32.348 s	5	4	1	0	34	27	1	6
User End To End Feature Scenario	1 m 38.170 s	6	4	2	0	73	61	2	10

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@api	3	3	0	0	1	1	0	0
@database	5	4	1	0	1	0	1	0
@user	5	3	2	0	1	0	1	0
@admin	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To perform all the CRUD Operations in products API	3	3	0	0	17.671 s
2	To perform all the Operations in Database	5	4	1	0	32.348 s
3	User End To End Feature Scenario	6	4	2	0	1 m 38.170 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To perform all the CRUD Operations in products API	To Perform the GET Operation on product DB to retrieve a list of products	5	5	0	0	13.556 s
2	To perform all the CRUD Operations in products API	To Perform the get Operation for most viewed products on product DB	5	5	0	0	2.127 s
3	To perform all the CRUD Operations in products API	To retrive the products from one category	5	5	0	0	1.914 s
4	To perform all the Operations in Database	To retrieve the data from category table from database	2	2	0	0	3.916 s
5	To perform all the Operations in Database	To insert a new category into the database	5	5	0	0	2.433 s
6	To perform all the Operations in Database	To add a new user to the database	10	10	0	0	7.049 s
7	To perform all the Operations in Database	To create a new category in GUI and validating the data from the database	11	4	1	6	15.483 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
8	To perform all the Operations in Database	To delete the new category and new user details from the database	6	6	0	0	3.373 s
9	User End To End Feature Scenario	This scenario is to define the registration happy path	18	10	1	7	29.956 s
10	User End To End Feature Scenario	This scenario is to define the sucessful login	7	7	0	0	8.526 s
11	User End To End Feature Scenario	This scenario is to define the failure login	5	5	0	0	6.485 s
12	User End To End Feature Scenario	This scenario is to define the product page and placing the order path	19	19	0	0	18.424 s
13	User End To End Feature Scenario	This scenario is to define the empty your cart path	10	6	1	3	17.688 s
14	User End To End Feature Scenario	This scenario is to define the admin login happy path and manage product	14	14	0	0	17.000 s

To perform all the CRUD Operations in products API

PASSED	DURATION - 17.671 s	Scenarios		Steps	
/ 1:44:24.366 PM // 1:44:42.037 PM /		Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Total - 15 Pass - 15 Fail - 0 Skip - 0	15

To Perform the GET Operation on product DB to retrieve a list of products

PASSED	DURATION - 13.556 s		Steps	
/ 1:44:24.382 PM // 1:44:37.938 PM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
To perform all the CRUD Operations in products API				
@api				

#	Step / Hook Details	Status	Duration
1	Given The base URI is "http://localhost:8090/medicare"	PASSED	1.185 s
2	When I perform the Get Operation	PASSED	1.994 s
3	Then I receive the list of the products	PASSED	2.260 s
4	And Response code should be 200	PASSED	0.004 s
5	And I validate the products in UI and API are same	PASSED	0.001 s

To Perform the get Operation for most viewed products on product DB

PASSED	DURATION - 2.127 s		Steps	
/ 1:44:37.981 PM // 1:44:40.108 PM /			Total - 5 Pass - 5 Fail - 0 Skip - 0	5
To perform all the CRUD Operations in products API				
@api				

#	Step / Hook Details	Status	Duration
1	Given The base URI for most Viewed products is "http://localhost:8090/medicare"	PASSED	0.005 s
2	When I perform the get operation to get most viewed products	PASSED	0.037 s
3	Then I receive the list of the most viewed products	PASSED	0.137 s
4	Then I should receive response code as 200	PASSED	0.001 s
5	And I should receive the same list of products in UI and API	PASSED	0.000 s

To retrieve the products from one category

PASSED	DURATION - 1.914 s
/ 1:44:40.123 PM // 1:44:42.037 PM /	
To perform all the CRUD Operations in products API	
@api	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given The base URI for one category products is "http://localhost:8090/medicare"	PASSED	0.061 s
2	When I perform the get operation to get one category products	PASSED	0.034 s
3	Then I receive the list of the one category products	PASSED	0.100 s
4	Then I should get response code as 200	PASSED	0.002 s
5	And I should receive the same list of products from one category in UI and API	PASSED	0.000 s

To perform all the Operations in Database

FAILED	DURATION - 32.348 s
/ 1:44:42.086 PM // 1:45:14.434 PM /	

Scenarios
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

Steps
Total - 34
Pass - 27
Fail - 1
Skip - 6

34

To retrieve the data from category table from database

PASSED	*DURATION - 3.916 s*
/ 1:44:42.086 PM // 1:44:46.002 PM /	
To perform all the Operations in Database	
@database	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	1.887 s
2	When I pass the statement quary to retrive the data from the category table	PASSED	0.095 s

To insert a new category into the database

PASSED	*DURATION - 2.433 s*
/ 1:44:46.029 PM // 1:44:48.462 PM /	
To perform all the Operations in Database	
@database	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	0.139 s
2	When I perform the insert quary to create a new category with name and description	PASSED	0.178 s
3	Then I pass the statement quary to retrive the data from the category table	PASSED	0.218 s
4	Then I check the new category is displayed in GUI	PASSED	0.077 s
5	And I close the driver	PASSED	0.004 s

To add a new user to the database

PASSED	DURATION - 7.049 s		Steps

PASSED *DURATION - 7.049 s*

/ 1:44:48.472 PM // 1:44:55.521 PM /

To perform all the Operations in Database

@database

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	0.278 s
2	When I add a new user with all the required details	PASSED	0.330 s
3	Then the new user should be added to the database	PASSED	0.399 s
4	And I close the driver	PASSED	0.002 s
5	When I have launched the application	PASSED	2.018 s
6	And I click on the Login Link	PASSED	0.903 s
7	When I enter the existing username as "sm@gmail.com" and password as "13245"	PASSED	0.500 s
8	And I click on the Login Button	PASSED	0.651 s
9	Then validate I am on the Home page	PASSED	0.064 s
10	And I close the driver	PASSED	0.001 s

To create a new category in GUI and validating the data from the database

FAILED *DURATION - 15.483 s*

/ 1:44:55.536 PM // 1:45:11.019 PM /

To perform all the Operations in Database

@database

Steps
Total - 11
Pass - 4
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	When I have launched the application	PASSED	7.299 s
2	And I click on the Login Link	PASSED	1.080 s
3	Then I send the admin credentials username as "vk@gmail.com" and password as "admin"	PASSED	0.327 s

#	Step / Hook Details	Status	Duration
4	And I click on the Login Button	PASSED	0.279 s
5	Then I click on Manage Product	FAILED	2.085 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (564, 32). Other element would receive the click: <div class="se-pre-con" style="opacity: 0.00134276;"></div> (Session info: chrome=111.0.5563.147) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GKVRTSF', ip: '192.168.29.92', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\prabh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52770}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: da7797f124420b6c4e0ddb74e9537326
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.lang.reflect.Method.invoke(Method.java:498)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at com.sun.proxy.$Proxy26.click(Unknown Source)
	    at pages.AdminMngProductPage.clickManageProduct(AdminMngProductPage.java:107)
	    at stepDefs.AdminMngProductPageStepDef.i_click_on_Manage_Product(AdminMngProductPageStepDef.java:30)
	    at ?.I click on Manage Product(file:///C:/Users/prabh/eclipse-workspace2/CapestoneProject3/src/test/java/features/DatabaseTesting. feature:36)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.576 s
	image		

#	Step / Hook Details	Status	Duration
6	Then I click on Add New Category	SKIPPED	0.001 s
7	Then I enter the category name as "Dermatology1" and description as "Drugs for the treatment of skin disease"	SKIPPED	0.001 s
8	Then I click the save Button	SKIPPED	0.000 s
9	And I validate the new category name in the Category table in database	SKIPPED	0.002 s
10	Then I delete the new Category entry	SKIPPED	0.000 s
11	And I close the driver	SKIPPED	0.001 s

To delete the new category and new user details from the database

PASSED	DURATION - 3.373 s		Steps	
/ 1:45:11.061 PM // 1:45:14.434 PM /			Total - 6	
			Pass - 6	
To perform all the Operations in Database			Fail - 0	
			Skip - 0	
@database				6

#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	0.319 s
2	When I perform the delete quary to delete the new category with name	PASSED	0.318 s
3	And I perform the delete quary to delete the new user details with email	PASSED	0.252 s
4	Then the category should be deleted from the database	PASSED	0.034 s
5	And the user should be deleted from the database	PASSED	0.001 s
6	And I close the driver	PASSED	0.001 s

User End To End Feature Scenario

FAILED	DURATION - 1 m 38.170 s		Scenarios		Steps	
/ 1:45:14.467 PM // 1:46:52.637 PM /			Total - 6 Pass - 4 Fail - 2 Skip - 0	6	Total - 73 Pass - 61 Fail - 2 Skip - 10	73

This scenario is to define the registration happy path

FAILED	DURATION - 29.956 s			Steps	
/ 1:45:14.467 PM // 1:45:44.423 PM /				Total - 18 Pass - 10 Fail - 1 Skip - 7	18
User End To End Feature Scenario					
@user					

#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	2.700 s
2	And I click on the Login Link	PASSED	1.112 s
3	When I click on the registration Link	PASSED	0.370 s
4	When I enter the firstname as "Partha" and lastname as "Karmokar"	PASSED	0.476 s
5	Then I enter the email id as "park@gmail.com"	PASSED	0.489 s
6	Then I enter the contact number as "2686245910"	PASSED	0.220 s
7	Then I enter the password as "423"	PASSED	0.112 s
8	And I enter the confirm password as "423"	PASSED	0.123 s
9	And I select the role as user	PASSED	0.130 s
10	And I click on the Next Billing Button	PASSED	0.358 s
11	Then I enter the address details	FAILED	21.735 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //input[@id='addressLineOne'] (tried for 20 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272)
	    at pages.RegistrationPage.SetAddLineOne(RegistrationPage.java:174)
	    at stepDefs.RegistrationStepDef.i_enter_the_address_details(RegistrationStepDef.java:95)
	    at ?.I enter the address details(file:///C:/Users/prabh/eclipse-workspace2/CapestoneProject3/src/test/java/features/UITest.feature:17)		

#	Step / Hook Details	Status	Duration

	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='addressLineOne']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GKVRTSF', ip: '192.168.29.92', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\prabh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52807}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 41990a31fc94e4b309671e5f0ead7eb8 *** Element info: {Using=xpath, value=//input[@id='addressLineOne']}
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:205)
	  at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:201)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249)
	  at pages.RegistrationPage.SetAddLineOne(RegistrationPage.java:174)
	  at stepDefs.RegistrationStepDef.i_enter_the_address_details(RegistrationStepDef.java:95)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:27)
	  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:67)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:149)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:219)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runners.Suite.runChild(Suite.java:128)		
	at org.junit.runners.Suite.runChild(Suite.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.apache.maven.surefire.junitcore.JUnitCore.run(JUnitCore.java:55)		
	at org.apache.maven.surefire.junitcore.JUnitCoreWrapper.createRequestAndRun(JUnitCoreWrapper.java:137)		
	at org.apache.maven.surefire.junitcore.JUnitCoreWrapper.executeEager(JUnitCoreWrapper.java:107)		
	at org.apache.maven.surefire.junitcore.JUnitCoreWrapper.execute(JUnitCoreWrapper.java:83)		
	at org.apache.maven.surefire.junitcore.JUnitCoreWrapper.execute(JUnitCoreWrapper.java:75)		
	at org.apache.maven.surefire.junitcore.JUnitCoreProvider.invoke(JUnitCoreProvider.java:157)		
	at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:428)		
	at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)		
	at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:562)		
	at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:548)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s

#	Step / Hook Details	Status	Duration
	image		
12	And I click on Next-confirm Button	SKIPPED	0.000 s
13	And I click on confirm Button	SKIPPED	0.000 s
14	Then validate I am on the Welcome page and Login Button is displayed	SKIPPED	0.000 s
15	Then Click on registration page login Button	SKIPPED	0.001 s
16	When I enter the username as "park@gmail.com" and password as "423"	SKIPPED	0.001 s
17	And I click on the Login Button	SKIPPED	0.001 s
18	Then validate the username	SKIPPED	0.000 s

This scenario is to define the sucessful login

PASSED	DURATION - 8.526 s		Steps
/ 1:45:44.441 PM // 1:45:52.967 PM /			Total - 7
			Pass - 7
User End To End Feature Scenario			Fail - 0
			Skip - 0
@user			

#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	2.943 s
2	And I click on the Login Link	PASSED	1.034 s
3	When I enter the existing username as "kn@gmail.com" and password as "12345"	PASSED	0.292 s
4	And I click on the Login Button	PASSED	0.340 s
5	Then validate I am on the Home page	PASSED	0.049 s
6	Then I click on username icon	PASSED	1.079 s
7	And I click on logout	PASSED	0.222 s

This scenario is to define the failure login

PASSED	DURATION - 6.485 s

/ 1:45:52.986 PM // 1:45:59.471 PM /

User End To End Feature Scenario

@user

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	2.596 s
2	And I click on the Login Link	PASSED	1.129 s
3	When I enter the username as "abc@gmail.com" and password as "23578"	PASSED	0.337 s
4	And I click on the Login Button	PASSED	0.331 s
5	Then I should get the error message "Username and Password is invalid!"	PASSED	0.050 s

This scenario is to define the product page and placing the order path

PASSED	DURATION - 18.424 s

/ 1:45:59.486 PM // 1:46:17.910 PM /

User End To End Feature Scenario

@user

Steps
Total - 19
Pass - 19
Fail - 0
Skip - 0

19

| #	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	3.189 s
2	And I click on the Login Link	PASSED	0.860 s
3	When I enter the username as "kn@gmail.com" and password as "12345"	PASSED	0.352 s
4	And I click on the Login Button	PASSED	0.333 s
5	Then validate I am on the Home page	PASSED	0.101 s
6	And I click on view product	PASSED	1.315 s
7	Then validate I am on the product page	PASSED	0.085 s
8	Then I click on Add to Cart icon to add one item to cart for 1st product	PASSED	1.600 s

#	Step / Hook Details	Status	Duration
9	Then I click Continue Shopping	PASSED	1.352 s
10	And I click on Add to Cart icon to add one item to cart for 2nd product	PASSED	1.530 s
11	Then I click on Checkout Button	PASSED	1.320 s
12	And validate I am on the Shipping address page	PASSED	0.056 s
13	And I enter the Shipping address details	PASSED	1.247 s
14	And I click on Add address Button	PASSED	0.798 s
15	Then validate I am on the payment details page	PASSED	0.108 s
16	Then validate the product names	PASSED	0.099 s
17	Then I enter the card details	PASSED	0.396 s
18	And I click the pay button	PASSED	1.227 s
19	Then I should get the order confirmed message "Your Order is Confirmed!!"	PASSED	0.052 s

This scenario is to define the empty your cart path

FAILED	DURATION - 17.688 s
/ 1:46:17.925 PM // 1:46:35.613 PM /	
User End To End Feature Scenario	
@user	

Steps

Total - 10

Pass - 6

Fail - 1

Skip - 3

10

| #	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	3.901 s
2	And I click on the Login Link	PASSED	0.954 s
3	When I enter the username as "kn@gmail.com" and password as "12345"	PASSED	0.391 s
4	And I click on the Login Button	PASSED	0.617 s
5	And I click on view product	PASSED	1.112 s
6	Then I click on Add to Cart icon to add one item to cart for 1st product	PASSED	1.658 s
7	Then I click on username icon	FAILED	1.171 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1136, 32). Other element would receive the click: <div class="se-pre-con" style="opacity: 0.000829092;"></div> (Session info: chrome=111.0.5563.147) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DESKTOP-GKVRTSF', ip: '192.168.29.92', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_191' Driver info: org.openqa.		

#	Step / Hook Details	Status	Duration

	selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\prabh\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52924}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cff2ad63246a935ee51f4dbcec14cec8
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)
	  at sun.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	  at com.sun.proxy.$Proxy26.click(Unknown Source)
	  at pages.LoginPage.clickIconUserName(LoginPage.java:82)
	  at stepDefs.LoginStepDef.i_click_on_username_icon(LoginStepDef.java:43)
	  at ?.I click on username icon(file:///C:/Users/prabh/eclipse-workspace2/CapestoneProject3/src/test/java/features/UITest.feature:66)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.295 s
8	And I click on cart icon	SKIPPED	0.000 s
9	Then click on the delete cart icon	SKIPPED	0.000 s
10	Then I should get the message "Your Cart is Empty!"	SKIPPED	0.002 s

This scenario is to define the admin login happy path and manage product

PASSED	*DURATION - 17.000 s*
/ 1:46:35.637 PM // 1:46:52.637 PM /	
User End To End Feature Scenario	
@admin	

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	4.856 s
2	And I click on the Login Link	PASSED	1.265 s
3	When I send the admin credentials username as "vk@gmail.com" and password as "admin"	PASSED	0.341 s
4	And I click on the Login Button	PASSED	0.316 s
5	Then validate I am on the Home page	PASSED	0.062 s
6	Then I click on Manage Product	PASSED	1.578 s
7	Then I click on Add New Category	PASSED	1.116 s
8	Then I enter the category name as "Dermatology" and description as "Drugs for the treatment of skin disease"	PASSED	1.170 s
9	Then I click the save Button	PASSED	0.872 s
10	Then I enter all the product details	PASSED	1.514 s
11	And I upload a file	PASSED	0.130 s
12	Then select the newly created category from the category dropdown	PASSED	0.336 s
13	And I click the product save Button	PASSED	0.648 s
14	Then Validate the newly added product in the all products list by searching by productname	PASSED	0.329 s