


| Feature | | | Scenario | | | | Step | | | |
|--|--------------|---|----------|---|---|----------|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| To perform all the CRUD Operations in products API | 17.048 s | 3 | 3 | 0 | 0 | 15 | 15 | 0 | 0 | |
| To perform all the Operations in Database | 28.209 s | 5 | 5 | 0 | 0 | 34 | 34 | 0 | 0 | |
| User End To End Feature Scenario | 1 m 20.694 s | 6 | 6 | 0 | 0 | 73 | 73 | 0 | 0 | |


| Tag | | Scei | nario | | Feature | | | |
|-----------|---|------|-------|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @api | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @database | 5 | 5 | 0 | 0 | 1 | 1 | 0 | 0 |
| @user | 5 | 5 | 0 | 0 | 1 | 1 | 0 | 0 |
| @admin | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY




| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | To perform all the CRUD Operations in products API | 3 | 3 | 0 | 0 | 17.048 s |
| 2 | To perform all the Operations in Database | 5 | 5 | 0 | 0 | 28.209 s |
| 3 | <u>User End To End Feature Scenario</u> | 6 | 6 | 0 | 0 | 1 m 20.694 s |

SCENARIOS SUMMARY -- 5 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|---|----------|
| 1 | To perform all the CRUD Operations in products API | To Perform the GET Operation on product DB to retrieve a list of products | 5 | 5 | 0 | 0 | 12.648 s |
| 2 | To perform all the CRUD Operations in products API | To Perform the get Operation for most viewed products on product DB | 5 | 5 | 0 | 0 | 2.061 s |
| 3 | To perform all the CRUD Operations in products API | To retrive the products from one category | 5 | 5 | 0 | 0 | 2.287 s |
| 4 | To perform all the Operations in Database | To retrieve the data from category table from database | 2 | 2 | 0 | 0 | 3.919 s |
| 5 | To perform all the Operations in Database | To insert a new category into the database | 5 | 5 | 0 | 0 | 3.770 s |
| 6 | To perform all the Operations in Database | To add a new user to the database | 10 | 10 | 0 | 0 | 6.153 s |
| 7 | To perform all the Operations in Database | To create a new category in GUI and validating the data from the database | 11 | 11 | 0 | 0 | 11.449 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|----|----|---|---|----------|
| 8 | To perform all the Operations in Database | To delete the new category and new user details from the database | 6 | 6 | 0 | 0 | 2.834 s |
| 9 | User End To End Feature Scenario | This scenario is to define the registration happy path | 18 | 18 | 0 | 0 | 14.035 s |
| 10 | User End To End Feature Scenario | This scenario is to define the sucessful login | 7 | 7 | 0 | 0 | 8.488 s |
| 11 | User End To End Feature Scenario | This scenario is to define the failure login | 5 | 5 | 0 | 0 | 6.749 s |
| 12 | User End To End Feature Scenario | This scenario is to define the product page and placing the order path | 19 | 19 | 0 | 0 | 22.911 s |
| 13 | User End To End Feature Scenario | This scenario is to define the empty your cart path | 10 | 10 | 0 | 0 | 13.729 s |
| 14 | User End To End Feature Scenario | This scenario is to define the admin login happy path and manage product | 14 | 14 | 0 | 0 | 14.706 s |

To perform all the CRUD Operations in products API


| Scenarios | | Steps | |
|-----------|-----------------------------|-----------------------------|--|
| Total - 3 | | Total - 15 | |
| Pass - 3 | 3 | Pass - 15 | 15 |
| Fail - 0 | | Fail - 0 | |
| Skip - 0 | | Skip - 0 | |
| | Total - 3 Pass - 3 Fail - 0 | Total - 3 Pass - 3 Fail - 0 | Total - 3 Pass - 3 Fail - 0 Total - 15 Pass - 15 Fail - 0 |

To Perform the GET Operation on product DB to retrieve a list of products




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The base URI is "http://localhost:8090/medicare" | PASSED | 1.029 s |
| 2 | When I perform the Get Operation | PASSED | 1.238 s |
| 3 | Then I receive the list of the products | PASSED | 1.706 s |
| 4 | And Response code should be 200 | PASSED | 0.004 s |
| 5 | And I validate the products in UI and API are same | PASSED | 0.001 s |

To Perform the get Operation for most viewed products on product DB




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The base URI for most Viewed products is "http://localhost:8090/medicare" | PASSED | 0.003 s |
| 2 | When I perform the get operation to get most viewed products | PASSED | 0.046 s |
| 3 | Then I receive the list of the most viewed products | PASSED | 0.201 s |
| 4 | Then I should receive response code as 200 | PASSED | 0.000 s |
| 5 | And I should receive the same list of products in UI and API | PASSED | 0.000 s |

To retrive the products from one category




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The base URI for one category products is "http://localhost:8090/medicare" | PASSED | 0.003 s |
| 2 | When I perform the get operation to get one category products | PASSED | 0.046 s |
| 3 | Then I receive the list of the one category products | PASSED | 0.141 s |
| 4 | Then I should get response code as 200 | PASSED | 0.000 s |
| 5 | And I should receive the same list of products from one category in UI and API | PASSED | 0.001 s |

To perform all the Operations in Database




To retrieve the data from category table from database

DETAILED SECTION -- 9 --



| | # | Step / Hook Details | Status | Duration |
|---|---|---|--------|----------|
| | 1 | Given The connection is built with the medicare database | PASSED | 1.794 s |
| 2 | 2 | When I pass the statement quary to retrive the data from the category table | PASSED | 0.129 s |


To insert a new category into the database



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The connection is built with the medicare database | PASSED | 0.109 s |
| 2 | When I perform the insert quary to create a new category with name and description | PASSED | 0.427 s |
| 3 | Then I pass the statement quary to retrive the data from the category table | PASSED | 0.251 s |
| 4 | Then I check the new category is displayed in GUI | PASSED | 0.216 s |
| 5 | And I close the driver | PASSED | 0.003 s |


To add a new user to the database

DETAILED SECTION -- 10 --



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given The connection is built with the medicare database | PASSED | 0.106 s |
| 2 | When I add a new user with all the required details | PASSED | 0.400 s |
| 3 | Then the new user should be added to the database | PASSED | 0.192 s |
| 4 | And I close the driver | PASSED | 0.004 s |
| 5 | When I have launched the application | PASSED | 2.026 s |
| 6 | And I click on the Login Link | PASSED | 1.118 s |
| 7 | When I enter the existing username as "sm@gmail.com" and password as "13245" | PASSED | 0.345 s |
| 8 | And I click on the Login Button | PASSED | 0.309 s |
| 9 | Then validate I am on the Home page | PASSED | 0.054 s |
| 10 | And I close the driver | PASSED | 0.004 s |

To create a new category in GUI and validating the data from the database




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When I have launched the application | PASSED | 1.970 s |
| 2 | And I click on the Login Link | PASSED | 1.091 s |
| 3 | Then I send the admin credentials username as "vk@gmail.com" and password as "admin" | PASSED | 0.313 s |

DETAILED SECTION -- 11 --


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 4 | And I click on the Login Button | PASSED | 1.405 s |
| 5 | Then I click on Manage Product | PASSED | 1.819 s |
| 6 | Then I click on Add New Category | PASSED | 1.084 s |
| 7 | Then I enter the category name as "Dermatology1" and description as "Drugs for the treatment of skin disease" | PASSED | 0.920 s |
| 8 | Then I click the save Button | PASSED | 0.907 s |
| 9 | And I validate the new category name in the Category table in database | PASSED | 0.185 s |
| 10 | Then I delete the new Category entry | PASSED | 0.085 s |
| 11 | And I close the driver | PASSED | 0.003 s |

To delete the new category and new user details from the database




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The connection is built with the medicare database | PASSED | 0.050 s |
| 2 | When I perform the delete quary to delete the new category with name | PASSED | 0.226 s |
| 3 | And I perform the delete quary to delete the new user details with email | PASSED | 0.144 s |
| 4 | Then the category should be deleted from the database | PASSED | 0.073 s |
| 5 | And the user should be deleted from the database | PASSED | 0.002 s |
| 6 | And I close the driver | PASSED | 0.002 s |

User End To End Feature Scenario




This scenario is to define the registration happy path



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given I have launched the application | PASSED | 1.970 s |
| 2 | And I click on the Login Link | PASSED | 1.176 s |
| 3 | When I click on the registration Link | PASSED | 0.195 s |
| 4 | When I enter the firstname as "Partha" and lastname as "Karmokar" | PASSED | 0.640 s |
| 5 | Then I enter the email id as "park@gmail.com" | PASSED | 0.515 s |
| 6 | Then I enter the contact number as "2686245910" | PASSED | 0.150 s |
| 7 | Then I enter the password as "423" | PASSED | 0.111 s |
| 8 | And I enter the confirm password as "423" | PASSED | 0.139 s |
| 9 | And I select the role as user | PASSED | 0.091 s |
| 10 | And I click on the Next Billing Button | PASSED | 0.350 s |
| 11 | Then I enter the address details | PASSED | 1.340 s |
| 12 | And I click on Next-confirm Button | PASSED | 1.177 s |
| 13 | And I click on confirm Button | PASSED | 1.582 s |
| 14 | Then validate I am on the Welcome page and Login Button is displayed | PASSED | 0.118 s |
| 15 | Then Click on registration page login Button | PASSED | 1.157 s |
| 16 | When I enter the username as "park@gmail.com" and password as "423" | PASSED | 0.283 s |
| 17 | And I click on the Login Button | PASSED | 0.652 s |

| # | Step / Hook Details | Status | Duration |
|----|----------------------------|--------|----------|
| 18 | Then validate the username | PASSED | 0.069 s |

This scenario is to define the sucessful login



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I have launched the application | PASSED | 2.556 s |
| 2 | And I click on the Login Link | PASSED | 1.099 s |
| 3 | When I enter the existing username as "kn@gmail.com" and password as "12345" | PASSED | 0.273 s |
| 4 | And I click on the Login Button | PASSED | 0.269 s |
| 5 | Then validate I am on the Home page | PASSED | 0.090 s |
| 6 | Then I click on username icon | PASSED | 1.062 s |
| 7 | And I click on logout | PASSED | 0.223 s |


This scenario is to define the failure login

| PASSED | DURATION - 6.749 s | 2 - | | | | | Steps | |
|------------------|-------------------------|-------|---|-----|----------|---|----------------------|---|
| / 12:54:51 787 | PM // 12:54:58.536 PM / | 1.5 - | | | | | Total - 5 | |
| 7 12.04.31.707 1 | WW 12.54.50.550 FW/ | 1 - | | | | | Pass - 5 | 5 |
| User End To Er | nd Feature Scenario | 0.5 | | | | | Fail - 0 Skip - 0 | 3 |
| @user | | 0 - | | | L | | 3KIP - U | |
| | | | 1 | 2 3 | 4 | 5 | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given I have launched the application | PASSED | 1.971 s |
| 2 | And I click on the Login Link | PASSED | 1.205 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | When I enter the username as "abc@gmail.com" and password as "23578" | PASSED | 0.308 s |
| 4 | And I click on the Login Button | PASSED | 0.798 s |
| 5 | Then I should get the error message "Username and Password is invalid!" | PASSED | 0.061 s |


This scenario is to define the product page and placing the order path



| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 1 | Given I have launched the application | PASSED | 2.235 s |
| 2 | And I click on the Login Link | PASSED | 1.065 s |
| 3 | When I enter the username as "kn@gmail.com" and password as "12345" | PASSED | 0.425 s |
| 4 | And I click on the Login Button | PASSED | 0.423 s |
| 5 | Then validate I am on the Home page | PASSED | 0.080 s |
| 6 | And I click on view product | PASSED | 1.164 s |
| 7 | Then validate I am on the product page | PASSED | 0.083 s |
| 8 | Then I click on Add to Cart icon to add one item to cart for 1st product | PASSED | 2.486 s |
| 9 | Then I click Continue Shopping | PASSED | 1.321 s |
| 10 | And I click on Add to Cart icon to add one item to cart for 2nd product | PASSED | 1.460 s |
| 11 | Then I click on Checkout Button | PASSED | 2.233 s |
| 12 | And validate I am on the Shipping address page | PASSED | 0.059 s |
| 13 | And I enter the Shipping address details | PASSED | 1.197 s |
| 14 | And I click on Add address Button | PASSED | 1.740 s |
| 15 | Then validate I am on the payment details page | PASSED | 0.099 s |
| 16 | Then validate the product names | PASSED | 0.098 s |
| 17 | Then I enter the card details | PASSED | 0.516 s |
| 18 | And I click the pay button | PASSED | 3.582 s |
| 19 | Then I should get the order confirmed message "Your Order is Confirmed!!" | PASSED | 0.056 s |


DETAILED SECTION -- 15 --

This scenario is to define the empty your cart path



| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 1 | Given I have launched the application | PASSED | 3.186 s |
| 2 | And I click on the Login Link | PASSED | 1.050 s |
| 3 | When I enter the username as "kn@gmail.com" and password as "12345" | PASSED | 0.290 s |
| 4 | And I click on the Login Button | PASSED | 0.255 s |
| 5 | And I click on view product | PASSED | 1.391 s |
| 6 | Then I click on Add to Cart icon to add one item to cart for 1st product | PASSED | 3.039 s |
| 7 | Then I click on username icon | PASSED | 1.119 s |
| 8 | And I click on cart icon | PASSED | 0.232 s |
| 9 | Then click on the delete cart icon | PASSED | 1.303 s |
| 10 | Then I should get the message "Your Cart is Empty!" | PASSED | 0.142 s |

This scenario is to define the admin login happy path and manage product



| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given I have launched the application | PASSED | 1.992 s |
| 2 | And I click on the Login Link | PASSED | 1.060 s |

DETAILED SECTION -- 16 --

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 3 | When I send the admin credentials username as "vk@gmail.com" and password as "admin" | PASSED | 0.323 s |
| 4 | And I click on the Login Button | PASSED | 0.305 s |
| 5 | Then validate I am on the Home page | PASSED | 0.089 s |
| 6 | Then I click on Manage Product | PASSED | 1.249 s |
| 7 | Then I click on Add New Category | PASSED | 1.092 s |
| 8 | Then I enter the category name as "Dermatology" and description as "Drugs for the treatment of skin disease" | PASSED | 1.531 s |
| 9 | Then I click the save Button | PASSED | 0.460 s |
| 10 | Then I enter all the product details | PASSED | 1.394 s |
| 11 | And I upload a file | PASSED | 0.080 s |
| 12 | Then select the newly created category from the category dropdown | PASSED | 0.340 s |
| 13 | And I click the product save Button | PASSED | 0.726 s |
| 14 | Then Validate the newly added product in the all products list by searching by productname | PASSED | 0.261 s |