

Cucumber Report

4 Apr, 2023 5:43:47 PM

Start : Apr 04, 5:41:26.686 PM

End : Apr 04, 5:43:44.941 PM

Duration : 2 m 18.255 s

Features







PASSED - 3
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 14
FAILED - 0
SKIPPED - 0


Steps

PASSED - 122
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To perform all the CRUD Operations in products API</u>	16.244 s	3	3	0	0	15	15	0	0
<u>To perform all the Operations in Database</u>	37.895 s	5	5	0	0	34	34	0	0
<u>User End To End Feature Scenario</u>	1 m 24.054 s	6	6	0	0	73	73	0	0


Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@api	3	3	0	0	1	1	0	0
@database	5	5	0	0	1	1	0	0
@user	5	5	0	0	1	1	0	0
@admin	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>To perform all the CRUD Operations in products API</u>	3	3	0	0	16.244 s
2	<u>To perform all the Operations in Database</u>	5	5	0	0	37.895 s
3	<u>User End To End Feature Scenario</u>	6	6	0	0	1 m 24.054 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To perform all the CRUD Operations in products API</u>	<u>To Perform the GET Operation on product DB to retrieve a list of products</u>	5	5	0	0	10.761 s
2	<u>To perform all the CRUD Operations in products API</u>	<u>To Perform the get Operation for most viewed products on product DB</u>	5	5	0	0	2.749 s
3	<u>To perform all the CRUD Operations in products API</u>	<u>To retrieve the products from one category</u>	5	5	0	0	2.689 s
4	<u>To perform all the Operations in Database</u>	<u>To retrieve the data from category table from database</u>	2	2	0	0	3.952 s
5	<u>To perform all the Operations in Database</u>	<u>To insert a new category into the database</u>	5	5	0	0	4.673 s
6	<u>To perform all the Operations in Database</u>	<u>To add a new user to the database</u>	10	10	0	0	12.898 s
7	<u>To perform all the Operations in Database</u>	<u>To create a new category in GUI and validating the data from the database</u>	11	11	0	0	11.454 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>To perform all the Operations in Database</u>	<u>To delete the new category and new user details from the database</u>	6	6	0	0	4.857 s
9	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the registration happy path</u>	18	18	0	0	16.103 s
10	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the sucessful login</u>	7	7	0	0	10.821 s
11	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the failure login</u>	5	5	0	0	8.192 s
12	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the product page and placing the order path</u>	19	19	0	0	21.843 s
13	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the empty your cart path</u>	10	10	0	0	12.854 s
14	<u>User End To End Feature Scenario</u>	<u>This scenario is to define the admin login happy path and manage product</u>	14	14	0	0	14.180 s

To perform all the CRUD Operations in products API

PASSED	DURATION - 16.244 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 5:41:26.686 PM // 5:41:42.930 PM /					


To Perform the GET Operation on product DB to retrieve a list of products

PASSED	DURATION - 10.761 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:41:26.691 PM // 5:41:37.452 PM /					
To perform all the CRUD Operations in products API					
@api					

#	Step / Hook Details	Status	Duration
1	Given The base URI is "http://localhost:8090/medicare"	PASSED	2.395 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	image		
2	When I perform the Get Operation	PASSED	1.476 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	image		

#	Step / Hook Details	Status	Duration
3	Then I receive the list of the products AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	2.183 s
4	And Response code should be 200 AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.004 s
5	And I validate the products in UI and API are same AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s


To Perform the get Operation for most viewed products on product DB



#	Step / Hook Details	Status	Duration
1	Given The base URI for most Viewed products is "http://localhost:8090/medicare" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.043 s
2	When I perform the get operation to get most viewed products AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.026 s
3	Then I receive the list of the most viewed products AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
4	Then I should receive response code as 200 AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.000 s
5	And I should receive the same list of products in UI and API AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.000 s
		PASSED	0.218 s

To retrieve the products from one category



#	Step / Hook Details	Status	Duration
1	Given The base URI for one category products is "http://localhost:8090/medicare"	PASSED	0.090 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.159 s


#	Step / Hook Details	Status	Duration
2	When I perform the get operation to get one category products AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.024 s
3	Then I receive the list of the one category products AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.088 s
4	Then I should get response code as 200 AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s
5	And I should receive the same list of products from one category in UI and API AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s

#	Step / Hook Details	Status	Duration

To perform all the Operations in Database




To retrieve the data from category table from database



#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	2.057 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.126 s

#	Step / Hook Details	Status	Duration
2	When I pass the statement query to retrieve the data from the category table AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.061 s
		PASSED	0.114 s


To insert a new category into the database



#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.033 s
2	When I perform the insert query to create a new category with name and description AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.286 s
		PASSED	0.145 s

#	Step / Hook Details	Status	Duration
3	Then I pass the statement quary to retrive the data from the category table AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.022 s
4	Then I check the new category is displayed in GUI AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.335 s
5	And I close the driver AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s

To add a new user to the database




#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	0.887 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.677 s
	image		
2	When I add a new user with all the required details	PASSED	0.643 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	image		
3	Then the new user should be added to the database	PASSED	0.028 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	image		


#	Step / Hook Details	Status	Duration
4	And I close the driver AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.002 s
5	When I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.201 s
5	When I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	2.337 s
6	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.303 s
6	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.757 s
6	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.213 s
7	When I enter the existing username as "sm@gmail.com" and password as "13245" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.327 s
7	When I enter the existing username as "sm@gmail.com" and password as "13245" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	1.577 s
8	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
8	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s

#	Step / Hook Details	Status	Duration
	<p>image</p>  <p>Copyright © Medisense - Designed and Developed By SimpleSense</p>		
9	Then validate I am on the Home page	PASSED	0.046 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>  <p>Copyright © Medisense - Designed and Developed By SimpleSense</p>	PASSED	0.144 s
10	And I close the driver	PASSED	0.000 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>  <p>Copyright © Medisense - Designed and Developed By SimpleSense</p>	PASSED	0.164 s

To create a new category in GUI and validating the data from the database



#	Step / Hook Details	Status	Duration
1	When I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	2.532 s
2	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  <small>Copyright © MedCare - Designed and Developed By Neelofair</small>	PASSED	0.772 s
3	Then I send the admin credentials username as "vk@gmail.com" and password as "admin" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image  <small>Copyright © MedCare - Designed and Developed By Neelofair</small>	PASSED	0.243 s
4	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.313 s
5	Then I click on Manage Product AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	1.162 s
		PASSED	0.339 s

#	Step / Hook Details	Status	Duration
			
6	Then I click on Add New Category AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.754 s
7	Then I enter the category name as "Dermatology1" and description as "Drugs for the treatment of skin disease" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.469 s
8	Then I click the save Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.398 s
9	And I validate the new category name in the Category table in database AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.035 s
		PASSED	0.210 s

#	Step / Hook Details	Status	Duration
10	Then I delete the new Category entry AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.026 s
11	And I close the driver AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.001 s

To delete the new category and new user details from the database


PASSED	DURATION - 4.857 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 5:42:16.005 PM // 5:42:20.862 PM /				
To perform all the Operations in Database				
@database				

#	Step / Hook Details	Status	Duration
1	Given The connection is built with the medicare database	PASSED	0.140 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.567 s


#	Step / Hook Details	Status	Duration
	image		
2	When I perform the delete query to delete the new category with name AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	image	PASSED	0.181 s
3	And I perform the delete query to delete the new user details with email AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	image	PASSED	0.170 s
4	Then the category should be deleted from the database AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.023 s
	image	PASSED	0.274 s
5	And the user should be deleted from the database AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.002 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s

#	Step / Hook Details	Status	Duration
	image		
6	And I close the driver	PASSED	0.001 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image		

User End To End Feature Scenario



This scenario is to define the registration happy path



#	Step / Hook Details	Status	Duration
1	Given I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	3.390 s
2	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.802 s
3	When I click on the registration Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.299 s
4	When I enter the firstname as "Partha" and lastname as "Karmokar" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.319 s
5	Then I enter the email id as "park@gmail.com" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.359 s
		PASSED	0.195 s


#	Step / Hook Details	Status	Duration
			
6	Then I enter the contact number as "2686245910"	PASSED	0.104 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
			
7	Then I enter the password as "423"	PASSED	0.076 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
			
8	And I enter the confirm password as "423"	PASSED	0.076 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
			
9	And I select the role as user	PASSED	0.095 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s

#	Step / Hook Details	Status	Duration
10	And I click on the Next Billing Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.206 s
11	Then I enter the address details AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	1.170 s
12	And I click on Next-confirm Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.367 s
13	And I click on confirm Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	1.278 s

#	Step / Hook Details	Status	Duration
			
14	Then validate I am on the Welcome page and Login Button is displayed AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)  	PASSED	0.106 s
15	Then Click on registration page login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)   <small>Copyright © Medance - Designed and Developed By Medance</small>	PASSED	0.666 s
16	When I enter the username as "park@gmail.com" and password as "423" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)  <small>Copyright © Medance - Designed and Developed By Medance</small>	PASSED	0.237 s
17	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) 	PASSED	0.496 s
		PASSED	0.244 s

#	Step / Hook Details	Status	Duration
18	Then validate the username	PASSED	0.046 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	image		

This scenario is to define the sucessful login




#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	2.775 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	image		
2	And I click on the Login Link	PASSED	0.739 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
3	When I enter the existing username as "kn@gmail.com" and password as "12345"	PASSED	0.258 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.344 s
4	And I click on the Login Button	PASSED	0.290 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.243 s
5	Then validate I am on the Home page	PASSED	0.049 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.152 s
6	Then I click on username icon	PASSED	0.718 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.448 s

#	Step / Hook Details	Status	Duration
7	And I click on logout	PASSED	0.158 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.187 s


This scenario is to define the failure login



#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	3.144 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.272 s
2	And I click on the Login Link	PASSED	0.577 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s

#	Step / Hook Details	Status	Duration
	<p>image</p> 		
3	When I enter the username as "abc@gmail.com" and password as "23578"	PASSED	0.286 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.468 s
4	And I click on the Login Button	PASSED	0.321 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.208 s
5	Then I should get the error message "Username and Password is invalid!"	PASSED	0.048 s
	<p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.191 s

This scenario is to define the product page and placing the order path






#	Step / Hook Details	Status	Duration
1	Given I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	3.662 s
2	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.780 s
3	When I enter the username as "kn@gmail.com" and password as "12345" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.255 s
4	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s


#	Step / Hook Details	Status	Duration
	image 		
5	Then validate I am on the Home page	PASSED	0.052 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	image 		
6	And I click on view product	PASSED	0.864 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	image 		
7	Then validate I am on the product page	PASSED	0.039 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	image 		
8	Then I click on Add to Cart icon to add one item to cart for 1st product	PASSED	1.845 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	image 		

#	Step / Hook Details	Status	Duration
9	Then I click Continue Shopping	PASSED	1.089 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
10	And I click on Add to Cart icon to add one item to cart for 2nd product	PASSED	1.164 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
11	Then I click on Checkout Button	PASSED	1.122 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
12	And validate I am on the Shipping address page	PASSED	0.063 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s

#	Step / Hook Details	Status	Duration
			
13	<p>And I enter the Shipping address details</p> <p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	1.009 s
14	<p>And I click on Add address Button</p> <p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.298 s
15	<p>Then validate I am on the payment details page</p> <p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.141 s
16	<p>Then validate the product names</p> <p>AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.118 s
		PASSED	0.249 s

#	Step / Hook Details	Status	Duration
			
17	Then I enter the card details AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.413 s
18	And I click the pay button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.390 s
19	Then I should get the order confirmed message "Your Order is Confirmed!!!" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.061 s

This scenario is to define the empty your cart path




#	Step / Hook Details	Status	Duration
1	Given I have launched the application AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	2.848 s
2	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.783 s
3	When I enter the username as "kn@gmail.com" and password as "12345" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.232 s
4	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
		PASSED	0.247 s

#	Step / Hook Details	Status	Duration
	image 		
5	And I click on view product	PASSED	1.084 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.217 s
6	Then I click on Add to Cart icon to add one item to cart for 1st product	PASSED	1.070 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.240 s
7	Then I click on username icon	PASSED	0.936 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.260 s
8	And I click on cart icon	PASSED	0.214 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.228 s


#	Step / Hook Details	Status	Duration
9	Then click on the delete cart icon	PASSED	1.141 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	image		
10	Then I should get the message "Your Cart is Empty!"	PASSED	0.078 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	image		

This scenario is to define the admin login happy path and manage product



#	Step / Hook Details	Status	Duration
1	Given I have launched the application	PASSED	2.667 s
	AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s

#	Step / Hook Details	Status	Duration
	image 		
2	And I click on the Login Link AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
	image  Copyright © Medicapp - Designed and Developed By Medicapp	PASSED	0.254 s
3	When I send the admin credentials username as "vk@gmail.com" and password as "admin" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	image  Copyright © Medicapp - Designed and Developed By Medicapp	PASSED	0.492 s
4	And I click on the Login Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	image 	PASSED	0.245 s
5	Then validate I am on the Home page AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.054 s
	image	PASSED	0.219 s

#	Step / Hook Details	Status	Duration
			
6	Then I click on Manage Product AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.848 s
			
7	Then I click on Add New Category AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.740 s
			
8	Then I enter the category name as "Dermatology" and description as "Drugs for the treatment of skin disease" AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.365 s
			
9	Then I click the save Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.371 s
			0.211 s

#	Step / Hook Details	Status	Duration
			
10	Then I enter all the product details AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	1.169 s
11	And I upload a file AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.096 s
12	Then select the newly created category from the category dropdown AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.215 s
13	And I click the product save Button AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.398 s
		PASSED	0.222 s

#	Step / Hook Details	Status	Duration
14	Then Validate the newly added product in the all products list by searching by productname AFTER_STEP - stepDefs.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.177 s
		PASSED	0.312 s