

Table 9.31.: Equipment Fire Protection Systems

EQUIPMENT/ HAZARD	SYSTEM REQUIREMENTS
K. BULK FLAMMABLE GAS STORAGE	i. Suppression Systems shall be based on comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.
L. BULK FLAMMABLE SOLID STORAGE	i. Suppression Systems shall be based on a comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.
M. HIGH HAZARD LOGISTICS	i. Suppression Systems shall be based on a comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.
N. CHEMICAL WAREHOUSES	i. Suppression Systems shall be based on a comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.
O. ARMS, AMMUNITION, EXPLOSIVES	i. Suppression Systems shall be based on a comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.
P. PROCESSING, GENERATING PLANTS	i. Suppression Systems shall be based on a comprehensive Risk assessment and shall be proposed and stamped by the Civil Defence approved House of Expertise.