

Table 15.7.: Application of Accessible Features in a Building

ITEMS	REQUIREMENTS
6. TOILETS AND BATHING AS PER TABLE 15.6. AND ICC ANSI 117.1	<p>1. ASSEMBLY, MERCANTILE, MALL</p> <p>i. An accessible family or assisted-use toilet room shall be provided where an aggregate of six or more male and female water closets is required. In buildings of mixed occupancy, only those water closets required for the assembly or mercantile occupancy shall be used to determine the family or assisted-use toilet room requirement.</p> <p>2. RECREATIONAL FACILITIES</p> <p>i. In recreational facilities where separate-sex bathing rooms are provided, an <i>accessible</i> family or assisted-use bathing room shall be provided. Fixtures located within family or assisted-use toilet and bathing rooms shall be included in determining the number of fixtures provided in an occupancy.</p>
7. CHECK-OUT AISLES AS PER TABLE 15.1. AND ICC ANSI 117.1	<p>i. Where check-out aisles are provided, accessible check-out aisles shall be provided in accordance with Table 15.7.c. Where check-out aisles serve different functions, at least one accessible check-out aisle shall be provided for each function.</p> <p>ii. Where check-out aisles serve different functions, accessible check-out aisles shall be provided in accordance with Table 15.7.c. for each function.</p> <p>iii. Where check-out aisles are dispersed throughout the building or facility, accessible check-out aisles shall also be dispersed.</p> <p>iv. Traffic control devices, security devices and turnstiles located in accessible check-out aisles or lanes shall be accessible.</p>
8. DRESSING, FITTING AND LOCKER ROOMS AS PER TABLE 15.1. AND ICC ANSI 117.1	<p>i. Where dressing rooms, fitting rooms or locker rooms are provided, at least 5%, but not less than one, of each type of use in each cluster provided shall be accessible.</p>
9. QUEUE AND WAITING LINES AS PER TABLE 15.1. AND ICC ANSI 117.1	<p>i. Queue and waiting lines for food, tickets or servicing accessible counters or check-out aisles shall be accessible.</p>

Table 15.5.c.: Number of Required Accessible Check-Out Aisles

TOTAL CHECK-OUT AISLES OF EACH FUNCTION	MINIMUM REQUIRED NUMBER OF ACCESSIBLE CHECK-OUT AISLES OF EACH FUNCTION
1. 1 TO 4	1
2. 5 TO 8	2
3. 9 TO 15	3
4. OVER 15	3 Plus 20% of additional Aisles