

Table 15.7.: Application of Accessible Features in a Building

ITEMS	REQUIREMENTS
4. DWELLING AND SLEEPING UNITS AS PER TABLE 15.6. AND ICC ANSI 117.1	<u>1. REHABILITATION/ DAYCARE/ BOARD AND CARE</u> i. At least 4%, but not less than one, of the dwelling units and sleeping units shall be Accessible units as per Table 15.6.1.
	<u>2. NURSING HOMES</u> i. At least 50% but not less than one of each type of the dwelling units and sleeping units shall be Accessible units. ii. In structures with four or more dwelling units or sleeping units intended to be occupied as a residence, every dwelling unit and sleeping unit intended to be occupied as a residence shall be a Type B unit.
	<u>3. HOSPITALS</u> i. At least 20%, but not less than one, of the portion of patient and visitor parking spaces serving rehabilitation facilities specializing in treating conditions that affect mobility and outpatient physical therapy facilities shall be accessible. ii. In structures with four or more dwelling units or sleeping units intended to be occupied as a residence, every dwelling unit and sleeping unit intended to be occupied as a residence shall be a Type B unit.
	<u>4. DETENTION AND CORRECTION</u> i. At least 2%, but not less than one, of the dwelling units and sleeping units shall be Accessible units.
	<u>5. SPECIAL HOLDING CELLS OR ROOMS</u> i. In addition to the Accessible units required by Table 15.7.4.4. , where special holding cells or special housing cells or rooms are provided, at least one serving each purpose shall be an Accessible unit. Cells or rooms subject to this requirement include, but are not limited to, those used for purposes of orientation, protective custody, administrative or disciplinary detention or segregation, detoxification and medical isolation.
	<u>6. RESIDENTIAL, GROUP B (BOARDING, HOSTEL)</u> i. Accessible units and group B units shall be provided as per Table 15.7.b. ii. Accessible units shall be dispersed among the various classes of units. Roll-in showers provided in Accessible units shall include a permanently mounted folding shower seat. iii. In structures with four or more dwelling units or sleeping units intended to be occupied as a residence, every dwelling unit and sleeping unit intended to be occupied as a residence shall be a Type B unit.
	<u>7. RESIDENTIAL, GROUP A (RESIDENTIAL APARTMENTS, ASSISTED LIVING)</u> i. Accessible units and group B units shall be provided as per Table 15.7.b. ii. Where there are four or more dwelling units or sleeping units intended to be occupied as a residence in a single structure, every dwelling unit and sleeping unit intended to be occupied as a residence shall be a Type B unit.