



DECISION

Complaint No. : POS/ROS/SKK-130/2025

Name and address of the complainant : Mr. Samiullah Khan S/o. Qadir Bux,
R/o. H. No.2/1-1, Kirri Nawab Khan,
Mukhtiarkar Road, Shikarpur

Name of the Agency Complained against : Incharge City Museum,
Culture Tourism, Antiquities Department, Shikarpur

Name & Designation of Investigating Officer : Mr. Nazir Ahmed Dhoon,
Director, Regional Office, Sukkur

Vetted by : Mr. Ghulam Abid Shaikh,
Advisor-K

Subject : **REQUEST FOR ISSUANCE OF DIRECTIVE FOR REPAIR OF DAMAGED WALL OF CITY MUSEUM, SHIKARPUR.**

COMPLAINT

Mr. Samiullah Khan, requested this Institution on 08.05.2025 to issue directive to Incharge City Museum for repair of damaged wall of City Museum, Shikarpur which may collapse anytime.

PROCEEDINGS

2. The matter was taken up with the Incharge City Museum, Culture Tourism, Antiquities Department, Shikarpur vide this office letter dated: 25.06.2025. In response, he vide his report dated: 01.07.2025 informed that the damaged wall was demolished and re-constructed under the supervision of his department and now it is safe and there is no threat of any structural failure. In support thereof, he also enclosed the photographs of the said wall.
3. A copy of the said report was sent to the complainant for his rejoinder vide this office letter dated: 03.07.2025 followed by reminder dated: 21.07.2025. In response, he vide his letter dated: 08.08.2025 confirmed that the wall of the museum has been reconstructed and requested to close the case.

FINDINGS

4. After intervention of this Institution, the problem of the complainant regarding reconstruction of the damaged wall of the museum has been redressed, which is also confirmed by him vide his letter dated: 08.08.2025. Hence, no further action is required by this Institution.

DECISION

5. In view of the above, the complaint stands redressed and disposed of accordingly.

Given under my hand and seal of office.



Sd /-

(Muhammad Sohail Rajput)

Sitara-e-Imtiaz. PAS

Ombudsman Sindh

Karachi, dated; 29th August, 2025