



DECISION

Complaint No. : POS/9571/2023/HYD/591

Name and address of the complainant : Mr. Imran Ahmed,
Chairman UC-119, TMC Shah Latifabad, Hyderabad.

Name of the Agency Complained against : Chief Executive Officer,
Hyderabad Water and Sewerage Corporation, Hyderabad.

Name & Designation of Investigating Officer : Syed Muhammad Sajjad Hyder,
Regional Director, Regional Office, Hyderabad.

Vetted by : Muhammad Naseer Jamali, Advisor-N

Subject : **ALLEGED ACUTE SHORTAGE OF POTABLE WATER AT UNIT NO.10 LATIFABAD DUE TO ILLEGAL CONNECTIONS PROVIDED TO THE PLAZAS.**

COMPLAINT

Mr. Imran Ahmed filed a complaint dated 02.11.2023 wherein he alleged acute shortage of drinking water due to illegal water connections provided to the commercial plazas at Unit No. 10, Latifabad, Hyderabad. Being aggrieved, he solicited intervention of this Institution.

PROCEEDINGS

2. The case was admitted for investigation under Section 10(3) of the Establishment of the Office of Ombudsman for the Province of Sindh Act, 1991 (amended up to date), subject to submission of mandatory documents and by condoning the delay.
3. This office issued a notice vide letter dated 02.01.2024 to the Executive Engineer, Latifabad Water Supply (M) Division, Latifabad for report, followed by a reminder.
4. The case was heard on various dates. The Executive Engineer, Latifabad Water Supply (M) Division submitted his report during the hearing on 06.11.2025 wherein he stated that the complaint was vague and lacked specific details regarding illegal water connections. He, further submitted that the water connections are being provided after fulfilment of prescribed procedure and issuance of NOC/Challan by the Taxation Department. The water shortage is primarily due to financial constraints. The complainant was advised to provide specific details of illegal water connections.
5. The complainant vide his rejoinder dated 25.03.2026 reiterated his version with regard to shortage of drinking water at Unit No. 10 Latifabad due to illegal connections allegedly provided to the commercial plazas by officials of the agency.

FINDINGS

6. The allegation involves disputed questions of fact regarding the illegal connections and resultant water shortage. The controversy requires a detailed technical inquiry and verification at site.

DECISION

7. In view of the above and in exercise of powers vested in me under Section 11 of the Establishment of the Office of Ombudsman for the Province of Sindh Act, 1991 (amended up to date) I, hereby direct the Chief Executive Officer, Hyderabad Water & Sewerage Corporation, Hyderabad, to:

- Conduct a thorough and transparent inquiry into the alleged illegal water connections;
- Take strict action against the officials found responsible, if any; and
- Ensure restoration of a fair and equitable water supply to the affected areas within 45 days and submit a compliance report to this office within the same period.

8. This also disposes of other complaint No. POS/96546/2023/HYD/597 filed by the same complainant on the same subject matter against the same agency.

Given under my hand and seal of the office



Sd /-

(MUHAMMAD SOHAIL RAJPUT)

Sitara-e-Imtiaz, PAS
Ombudsman Sindh

Karachi, dated **21.5** May, 2026

