SPEAKERS

VISION



Inventor of Contextual Compute.
Former Core Developer at Oracle.
Former Partner in Analytics at Accenture.

Anantha R Krishnan
Founder, CEO & Chief Architect

TECH



Core Contributor to Polygon | Proven blockchain scaling experience

Rahul Lenkala
Lead Protocol Developer

MARKETING



Former Marketing Lead, Outlier Ventures UK

Jonathan Pullinger
Head of Marketing

MOI


WELCOME

MOI Community Call #1 (Genesis)

MOI COMMUNITY CALL

Where the Internet Learns to Think

Introducing MOI & Contextual Compute



Welcome to MOI

The First Thinking Network

ANANTHA KRISHNAN




Our Vision:

Raise Humanity's Happiness Quotient

We're inventing technology to reflect and strengthen human interactions in a digital age.
Because we believe, while we build a fair and just tech-utopia, we must not forget


Humanity > Technology



VISION

Why Now?

The emergence of a Digitally Interacting world



We are entering a Digitally Interacting Society where technology is no longer a supporting artist but quickly becoming the main actor of our existence.

The new tech should enable every digital interaction relevant, personal and compassionate to the participants – as in real-world human interactions.


Demands a fundamental Computation Transformation

From Information Management

Today's computational foundation:
Automated Information Management through data and process

To Value Exchange

The New Computational Need:
Personalized Value Interactions through Participants and Context



But today's Internet Is at a Crossroad : Managing Value like information

Web3

Unlocked ownership, but not meaning.


AI

Unlocked intelligence, but not trust.

Digital World

Fragmented, reactive, centralized and unsafe.

We need a new foundation: one that thinks with us and reflect real-world interactions



The Root Cause of today's Digital Challenges



Today's Computation Model

Just focused on Where, What, and How as fundamental dimensions

Impact

Context and Value (Memory, State, Intelligence) are fragmented across applications .

Result

Networks just act as dumb stateless Pipes. Results in fundamental Safety, Scalability, Interoperability, and Usability issues

The missing Who!!!

THE ANSWER: CONTEXTUAL COMPUTE

From dumb pipes to Thinking Networks

Context and Value moves from Apps to Networks through Participants!

Contextual Compute

Participants become a fundamental dimension of Computation using a PIC model (Participant – Interaction – Context)

Personal Intelligence

Intelligence becomes a personal and emerging phenomenon at a network level, available for each participant in each interaction in each app

Ownership Shift

Apps focus on logic, Networks focus on smart connectivity, and Participants own assets and Context

In this model, Apps log into you!

Thinking Network :
The true Internet of Value , Web4

Web1	Web2	Web3	Web4
System-Centric	App-Centric	Platform-Centric	Participant-Centric
Data	Information	Token	Context
Read	Read/Write	Read/Write/Own	Read/Write/Own/Think
Static Pages	Client-server Apps	Decentralized Apps	Thinking Networks

MOI is the first thinking Network - the base infrastructure for AI + Web3

A New Stack for a New Web

Core Innovations

Context Protocol (CP)

"http of the Value Web"

- Network Objects
- Participant State
- MDAG, the network-wide data structure
- Composable Intelligence

Interaction Finality Protocol (IP)

"Human-aware, purpose-bound consensus"

- Natural Causal Ordering
- Truly Massively Parallel Interactions
- Modulated Trust

Interaction State Management (ISM)

"Context-native execution model"


- On-demand State Management
- Interaction Centric, Message oriented architecture
- Locally relevant, Globally Trusted

Proof-of-Context (PoXt)


"Flat, Safe, scalable, and self-evolving open networks"


- Growing Decentralization and reliability
- Human-centric sybil resistance
- Fair and Capital efficient

Immediate Use Cases



Secure Decentralized Finance





Safe DeFi and Unified Liquidity

Creating secure, participant-centric financial interactions with unified liquidity across platforms without bridges and shared asset pools

Trusted AI and Explainable Agentic Interactions

Building AI systems that interact with contextual awareness and maintain trust through participant-centered design

Enterprise Tokenization and Provenance with on-demand state management

Enabling businesses to tokenize assets with clear provenance and context-aware compliance

Real-World Momentum

3

Testnets Launched

60,000

Lines of New code

GROUND-UP INNOVATION

2000+

Nodes Live Globally

GLOBAL PATENTS

$6.5M

Bootstrapped

CAPITAL-EFFICIENT DEEP TECH


100+

Apps tested and developing

FOR REAL-WORLD USABILITY

From Stealth to Launch — With You

Community Is the Catalyst



Join the movement

- We want builders, believers, and brave thinkers to join us
- We are building for the long-term, 6 years in making.
- The industry has come a long way with decentralization and tokenization; making it fair, personal and practical is our goal! Not another meme chain or defi protocol
- Any effort like this cannot be accomplished by a single team or group.

Join us to make a Digitally Interacting Society personal, fair, and simple — a truly people-owned network that can enable and not control.

Thank You

MOI | FROM DUMB PIPES TO THINKING NETWORKS

"The real innovation is not just what the network does, but what it understands."

Tech Overview

CP - Context Protocol

IFP - Interaction Finality Protocol

ISM - Interaction State Machine

PoXt - Proof of Context

TECH UPDATE

CP – Context Protocol

Intelligence lives with participants

The Context Protocol defines a new state model that captures and evolves participant-centric intelligence using Context Objects and the MDAG.

TECH UPDATE


Context Protocol

Context Object

- Assets
- Files
- Logic
- Trust

Multi Link Composite DAG

MDAG models the network's state as a DAG where transitive links track updates within a Context Object, and interactive links connect inter-object interactions



TECH UPDATE

What Context Protocol Unlocks:

True Participant Ownership

Assets and logic live natively within each participant's Context Object not in external smart contracts.

Composable Intelligence

Context Objects act as memory and logic containers for agents allowing reasoning, traceability, and collaboration between autonomous actors.

Enables Safe DeFi

- No honey pot attacks or asset custody risks via contracts
- Unified Liquidity and native access control
- Protocol-level extensibility without writing contract logic

Enables Safe AI

- Verifiable agent behavior
- Reusable workflows
- Delegated, auditable execution paths

TECH UPDATE

IFP – Interaction Finality Protocol

Local Finality, Global Safety


The Interaction Finality Protocol (IFP) defines a new state machine replication (SMR) model that achieves consensus over Context Objects, enabling localized and parallel finality without relying on a globally ordered state.

TECH UPDATE

Interaction Finality Protocol

KBFT

A linear-communication BFT protocol operating under partial synchrony, KBFT dynamically modulates trust for each interaction scoping consensus to only the relevant participants, based on their context-defined validator sets.



TECH UPDATE

What IFP Unlocks

Modulated Trust

IFP enables context-specific consensus by allowing participants to configure their trust assumptions defining custom validator subsets, storage nodes, or execution environments for each interaction.

Enables Web2-like UX with Web3 Guarantees

- Fine-grained, adaptive trust models per use case
- Interoperable across domains with heterogeneous security requirements

Localized Instant Finality

By combining context-level intelligence and network entropy, IFP achieves deterministic finality scoped to each interaction—without network-wide synchronization.

Enables High-Throughput, Context-Aware Agentic Applications

- Massively parallel execution across disjoint context clusters
- Optimized latency and fault tolerance across geographic boundaries

TECH UPDATE

ISM - Interaction State Machine

Build With Context

The Interaction State Machine (ISM) defines a computation model for modifying Context Objects through isolated, context-scoped micro transactions. It introduces a context-centric programming paradigm that enables developers to build safe, highly concurrent, and composable business logic.

TECH UPDATE

Interaction State Machine

COCO Lang

A domain-specific language that natively recognizes the Context Object as a core programming construct. It combines Rust-like safety guarantees with Python-like syntax for accessibility, and is audit-friendly, ensuring business logic is easy to verify and secure.

PISA

A register-based, ZK-compatible virtual machine and runtime purposely built for executing micro transactional, domain-specific transition logic. It supports multiple interaction types (asset, logic, file) with deterministic isolation and can integrate zero-knowledge proof systems for verifiable, privacy-preserving state transitions



TECH UPDATE

What ISM Unlocks

Context-Centric Programming Model

ISM scopes computation to participant contexts and processes typed interactions as messages. Because state is managed at the participant level, application logic can remain stateless, enabling coordination, matching, and orchestration to happen off-chain while committing only results on-chain

Composable, Plug-and-Play Interactions

ISM provides a plug-and-play micro transactional model, where developers can simply use predefined interaction types (asset, logic, file, etc.) for their specific use case without writing new contracts.

Enables Message Driven Architecture

- **Scalable** – Stateless logic and off-chain coordination remove global bottlenecks, enabling high-throughput parallel execution
- **Secure** – Context isolation prevents unintended state changes across participants while preserving trust guarantees

Enables Rapid, Flexible Application Development (Low Code or No Code)

- Easily integrate with existing Web2 systems and infrastructure
- Compose complex logic by combining reusable interaction types
- Shorten development cycles and reduce security risk from contract code

PoXt – Proof of Context

Proof of Context

PoXt is a human-centric trust and Sybil-resistance paradigm that quantifies a participant’s reputation through Context Power a dynamic, multi-dimensional measure of work, social contribution, and economic stake enabling equitable participation and sustainable governance in decentralized systems.

TECH UPDATE

Proof of Context

Context Power

- Multi Faceted Measure
- Zk-Verifiable Identity
- Gas Price Survey
- Tallying rule for rewards

$$Cp_e(g) = \text{Economical Value}_e(g) + \text{SocialValue}_e(g) + \text{Work}_e(g)$$

TECH UPDATE

What PoXt Unlocks

Fair & Inclusive Network Access

Keeps the network open to a wide range of participants by lowering entry barriers and valuing genuine contribution over wealth or technical advantage.

Enables Wider Participation

Reliable & Affordable Network

Achieves reliability by rewarding validators for good behaviour and broad geographic distribution. Affordability is ensured by keeping capital requirements modest, lowering operational costs.

Enables Long Term Sustainable Networks

Why This All Matters

This architecture enables:

- **Safe DeFi** with unified liquidity and no custodial risks.
- **Safe AI** — agents that act, delegate, and are auditable on-chain.

TECH UPDATE

RoadMap

2018-2022

Research & Architecture

- Researched contextual compute and **state-full internet protocols**
- Designed **CP, IFP, ISM, PoXt**
- Built early prototypes and conducted internal validations

2023–2024

Testnet & Validation

- Developed & integrated core components: **MDAG, KBFT, COCO & PISA**
- Launched **Incentivized Testnet – Babylon**
- Scaled to **2,000** nodes
- Distributed **70M** in rewards
- Deployed **Enterprise Network – Sephorum**
- Conducted hackathons and early adoption pilots

2025

Context Chain Mainnet

- Develop & integrate **PoXt**
- Publish core protocol papers & complete **formal verification for IFP**
- Release domain-specific SDKs & enhance developer tooling
- Launch **Beta Mainnet Incentivized Testnet – Giza**
  - **Q3** target: ~2,500 nodes, 10k TPS

2026

Quantum Safety & Adoption

- **TGE & Mainnet** launch – Q1
- Add **quantum-proof cryptography** support
- Support **file-based interactions**
- Support domain-specific **Interactions** across **Safe AI & Safe DeFi, Commerce, Identity, etc.**
- **ZkProof** in PISA for compliance
- Scale network to **10k nodes & 40k TPS**

2027

Human Trust & Expansion

- Support **human-trust** based interactions
- By enabling **Proof-of-Humanity** in PoXt
- Enable **multi-token gas payments**
- Scale Network to **25k nodes & 100k TPS**

MARKETING UPDATE

Ecosystem & Social Media

EcoSystem Vision

- Web4 platform enabling “data in context”
- DiAPPs unlock new Web3 experiences
- Real-time, intelligent context → seamless global actions

Social Media Growth

- 500+ verified followers on X
- Using memes, news & paid ads to boost traction
- Final engagement push before TGE

MARKETING UPDATE

Fundraising & Developer Support

Fundraising Update

- Final strategic round before TGE
- Late-stage talks with Boost, Draper, Lemiscap, GSR
- New investor group linked to University of Cambridge

Developer Support

- New Dev Relations Officer (Adi)
- Active on Discord to support builders
- Tools: MOI Framework & CoCo

MARKETING UPDATE

Community & Competitions

Competitions Incoming!

- Win tickets to ApeFest Las Vegas
- $50K in token prizes
- Airdrops, games & experiences
- Join us on Telegram
- Play the MOI Game
- Be part of Web4 evolution

Play the game

COMMUNITY

Q&A Session

- You've talked about Safe DeFi. Can you explain how MOI protects native assets and puts users in control?
- MOI claims to work on low-code or even no-code infrastructure. What does that mean for developers and enterprises trying to build on the network?
- What does it mean for a network to be 'participant-centric' when it comes to AI and agent interactions?
- Most blockchains talk about scalability, but what exactly is 'on-demand horizontal scalability'? How does MOI handle scaling?

Connect with us

- Join the Testnet
- Explore out Github

Join now