



F NEXVERSE HACKATHON · ALGORAND BLOCKCHAIN CLUB · TRACK 2

# Route402.

The x402-native payment router for AI agents on Algorand.

AI agents can now pay for services on their own.  
Nobody's telling them which one to pick — Route402 does.

chain Algorand

protocol x402

asset USDC (ASA)

build 2 days · solo

Composite Entry · Agent Payment Router

TEAM SHA 256

MK Mois Khan

Y Yogesh

M Mushtaq

# Agents can't buy things — and nobody decides for them

Paying for a service still assumes a human: an account, a key, a card, an invoice. That breaks the moment an agent needs to choose between many providers, in real time, on its own.



## No account, no access

Consuming a paid API means signup, an API key, a card, a monthly invoice — fine for one provider, impossible for twenty, and impossible for one an agent discovered 30 seconds ago.



## Hardwired to one provider

Every agent today is locked to a single URL a human picked at build time — probably not the cheapest, probably not the fastest, and occasionally just down.




## Nobody picks, in real time

x402 removes the account by turning HTTP 402 into a real payment. But it creates a new gap: something still has to choose *which* provider, per request, live.

⚠ A hardwired provider is, at any moment, **probably not the cheapest, probably not the fastest, and occasionally down** — and the agent has no way to notice or care.

# Route402 is the decision layer

One request in. Every capable provider is scored on live price, latency and reliability — the best one is picked, paid on-chain, and verified before the result comes back. The agent never chooses.



-  **Legible**  
Every candidate is recorded — rejects included — with one plain-English reason.
-  **Paid on delivery**  
A guard verifies real delivery before payment counts — no result, no payment.
-  **Bounded**  
The agent sets a hard price ceiling. It is never exceeded, ever.
-  **Unattended**  
Failures, reroutes and recovery all happen with zero human input.

# Six things running end to end

Not a mockup — live routing, live settlement, and a dashboard that shows exactly why every decision was made.



## Live scoring engine

A pure function scores price, latency and reliability per request and explains its pick in one sentence — testable, no black box.



## Circuit breaker

A failing provider is detected and routed around automatically — traffic recovers with zero human intervention.



## Payment guard

Delivery is verified before settlement counts. A provider that fails to deliver is never paid — the refusal is logged and visible.



## Atomic transaction groups

Two-provider requests settle in one Algorand atomic group — both paid, or neither. A native primitive, not an escrow contract.



## Fee-sponsored wallets

The router sponsors network fees alongside the payment — the agent wallet transacts while holding zero ALGO.



## Live dashboard

Real-time decision feed, provider health, settlement ledger and a running savings counter vs. naive routing.

# Built with, and built by

|           |                |                      |            |           |          |
|-----------|----------------|----------------------|------------|-----------|----------|
| CHAIN     | Algorand       | x402 protocol        | USDC (ASA) |           |          |
| ROUTER    | TypeScript     | Fastify              | algosdk    |           |          |
| DATA      | better-sqlite3 | Append-only ledger   |            |           |          |
| PROVIDERS | Express        | x402-gated endpoints |            |           |          |
| DASHBOARD | React          | Vite                 | Tailwind   | WebSocket | Recharts |

AI agents can now pay for services on their own.  
Nobody's telling them which one to pick — Route402 does.

## TEAM SHA 256

**MK** **Mois Khan**  
Router · Payments · Architecture

**Y** **Yogesh**  
Providers · Dashboard

**M** **Mushtaq**  
Algorand · Settlement

🔗 NexVerse · Algorand Blockchain Club, Aurora University