Task Score

## codility

### **Candidate Report: Anonymous**

Test Name:

Summary Timeline

**Test Score** 

Tasks in Test

100 out of 100 points

1()()%

PermCheck Submitted in: Python

5 min

Time Spent

100%

#### TASKS DETAILS

Check whether array A is a permutation.

1. PermCheck

Task Score

Correctness

Performance

100%

100%

100%

#### Task description

A non-empty array A consisting of N integers is given.

A permutation is a sequence containing each element from 1 to N once, and only once.

For example, array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

A[3] = 2

is a permutation, but array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

is not a permutation, because value 2 is missing.

The goal is to check whether array A is a permutation.

Write a function:

def solution(A)

that, given an array A, returns 1 if array A is a permutation and 0 if it is

For example, given array A such that:

 $A\lceil 0 \rceil = 4$ 

A[1] = 1

A[2] = 3

A[3] = 2

the function should return 1.

#### Solution

Programming language used:

Total time used: 5 minutes

Effective time used: 5 minutes

Notes: not defined yet

#### Task timeline





```
Code: 12:15:33 UTC, py, final,
                                            show code in pop-up
score: 100
```

```
def solution(a):
2
        max_elem = max(a)
3
        if max_elem != len(a):
4
            return 0
5
        data_set = set(a)
6
        complete_set = set(range(1, max_elem + 1))
        return 1 if data_set == complete_set else 0
```

#### 12/20/2019

Given array A such that:

A[0] = 4

A[1] = 1

A[2] = 3

the function should return 0.

Write an efficient algorithm for the following assumptions:

- N is an integer within the range [1..100,000];
- each element of array A is an integer within the range [1..1,000,000,000].

Copyright 2009–2019 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

Test results - Codility

#### Analysis summary

The solution obtained perfect score.

#### Analysis 2

Detected time complexity:

# O(N) or O(N \* log(N))

expai	nd all Example test	S	
•	example1 the first example test	<b>√</b>	OK
•	example2 the second example test	<b>√</b>	ОК
expai	nd all Correctness te	sts	
•	extreme_min_max single element with minimal/maximal value	<b>√</b>	OK
•	single single element	<b>√</b>	OK
•	double two elements	✓	OK
•	antiSum1 total sum is correct, but it is not a permutation, N <= 10	<b>√</b>	ОК
•	small_permutation permutation + one element occurs twice, N = ~100	<b>√</b>	ОК
•	permutations_of_ranges permutations of sets like [2100] for which the anwsers should be false	<b>√</b>	ОК
expai	nd all Performance te	sts	5
•	medium_permutation permutation + few elements occur twice, N = ~10,000	<b>√</b>	ОК
•	antiSum2 total sum is correct, but it is not a permutation, $N = \sim 100,000$	✓	ОК
•	large_not_permutation permutation + one element occurs three times, N = ~100,000	<b>√</b>	ОК
•	large_range sequence 1, 2,, N, N = ~100,000	<b>√</b>	ОК
•	extreme_values all the same values, N = ~100,000	<b>√</b>	ОК
•	various_permutations all sequences are permutations	<b>√</b>	OK

PDF version of this report that may be downloaded on top of this site may contain sensitive data including personal information. For security purposes, we recommend you remove it from your system once reviewed.