

Projeto DIO-GCP – Criando um deploy de uma aplicação

```
Administrador: Windows PowerShell
PS C:\temp\k8s-projeto1-app-base> kubectl get pods
WARNING: the gcp auth plugin is deprecated in v1.22+, unavailable in v1.26+; use gcloud instead.
To learn more, consult https://cloud.google.com/blog/products/containers-kubernetes/kubectl-auth-changes-in-gke
NAME                                READY    STATUS    RESTARTS   AGE
mysql-7bcf88bbc-nsbxc               1/1      Running   0           7m30s
php-569c944447-8dgttr               1/1      Running   0           7m29s
php-569c944447-91s5b                1/1      Running   0           7m30s
php-569c944447-fbgjl               1/1      Running   0           7m29s
php-569c944447-fr612               1/1      Running   0           7m29s
php-569c944447-r69cw               1/1      Running   0           7m29s
php-569c944447-zlxb6               1/1      Running   0           7m29s
PS C:\temp\k8s-projeto1-app-base> kubectl exec --tty --stdin mysql-7bcf88bbc-nsbxc -- /bin/bash
WARNING: the gcp auth plugin is deprecated in v1.22+, unavailable in v1.26+; use gcloud instead.
To learn more, consult https://cloud.google.com/blog/products/containers-kubernetes/kubectl-auth-changes-in-gke
bash-4.2# use meubanco;
bash: use: command not found
bash-4.2# mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 4
Server version: 5.7.40 MySQL Community Server (GPL)

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use meubanco;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> select * from mensagens;
+----+-----+-----+-----+
| id  | nome  | email                | comentario |
+----+-----+-----+-----+
| 759 | Mosley Trybes | mosleycloud@gmail.com | testando app dio gcp cluster |
| 346 | José da Silva | email@email.org       | kubernetes!! |
+----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

Arquivo | C:\temp\k8s-projeto1-app-base\frontend\index.html

Essa página diz

Dados Salvos

OK

mario@email.com

teste inserção no banco

Enviar

```

Administrador: Windows PowerShell
php-569c944447-zlxb6 1/1 Running 0 7m29s
PS C:\temp\k8s-projeto1-app-base> kubectl exec --tty --stdin mysql-7bcf88bbc-nsbxc -- /bin/bash
W0305 09:14:17.357169 2012 gcp.go:119] WARNING: the gcp auth plugin is deprecated in v1.22+, unavailable in v1.26+; use gcloud instead.
To learn more, consult https://cloud.google.com/blog/products/containers-kubernetes/kubectl-auth-changes-in-gke
bash-4.2# use meubanco;
bash: use: command not found
bash-4.2# mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 4
Server version: 5.7.40 MySQL Community Server (GPL)

Copyright (c) 2000, 2022, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use meubanco;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> select * from mensagens;
+----+-----+-----+-----+
| id | nome | email | comentario |
+----+-----+-----+-----+
| 759 | Mosley Trybes | mosleycloud@gmail.com | testando app dio gcp cluster |
| 346 | José da Silva | email@email.org | kubernets!! |
+----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from mensagens;
+----+-----+-----+-----+
| id | nome | email | comentario |
+----+-----+-----+-----+
| 759 | Mosley Trybes | mosleycloud@gmail.com | testando app dio gcp cluster |
| 346 | José da Silva | email@email.org | kubernets!! |
| 307 | Mario de Souza | mario@email.com | teste inserção no banco |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>

```