## **FUNDAMENTOS DE GIT II**

a) C:\Users\migue\OneDrive\Escritorio\S2R1>git init Initialized empty Git repository in C:/Users/migue/OneDrive/Escritorio/S2R1/.git/ b) C:\Users\migue\OneDrive\Escritorio\S2R1>echo "brad pitt" > actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>echo "lenonardo di caprio" >> actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>echo "chis pratt" >> actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>git add actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>git commit -m "se ha guardado el archivo actores.txt" [master (root-commit) ca2e11e] se ha guardado el archivo actores.txt 1 file changed, 3 insertions(+) create mode 100644 actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>git log commit ca2e11e425c9d2fda0364ad235d9fb7ac284fee7 (**HEAD** -> master) Author: Moises Sala <moisessalasanchez@gmail.com> Date: Wed Oct 9 18:14:23 2024 +0200 se ha guardado el archivo actores.txt C:\Users\migue\OneDrive\Escritorio\S2R1>git branch test C:\Users\migue\OneDrive\Escritorio\S2R1>git branch test e) C:\Users\migue\OneDrive\Escritorio\S2R1>git checkout test Switched to branch 'test' C:\Users\migue\OneDrive\Escritorio\S2R1>git status On branch test nothing to commit, working tree clean

```
f)
C:\Users\migue\OneDrive\Escritorio\S2R1>echo "anjelina jolie" > actrices.txt
C:\Users\migue\OneDrive\Escritorio\S2R1>echo "ester exposito >> actrices.txt
 'ester exposito >> actrices.txt
C:\Users\migue\OneDrive\Escritorio\S2R1>echo "claudia salas" >> actrices.txt
C:\Users\migue\OneDrive\Escritorio\S2R1>git add actrices.txt
:\Users\migue\OneDrive\Escritorio\S2R1>git commit -m "el archivo actrices.txt está dentro de <u>la rama</u> test"
test 6c40e0c] el archivo actrices.txt está dentro de la rama test
1 file changed, 2 insertions(+)
create mode 100644 actrices.txt
C:\Users\migue\OneDrive\Escritorio\S2R1>git log
                   fa0df26d706c3effec2c3faf (HEAD -> test)
Author: Moises Sala <moisessalasanchez@gmail.com>
Date: Wed Oct 9 18:29:32 2024 +0200
   el archivo actrices.txt está dentro de la rama test
  mit ca2e11e425c9d2fda0364ad235d9fb7ac284fee7 (master)
Author: Moises Sala <moisessalasanchez@gmail.com>
Date: Wed Oct 9 18:14:23 2024 +0200
  se ha guardado el archivo actores.txt
g)
C:\Users\migue\OneDrive\Escritorio\S2R1>git log --graph --all
  commit 6c40e0c60d7ced68fa0df26d706c3effec2c3faf (HEAD -> test)
  Author: Moises Sala <moisessalasanchez@gmail.com>
  Date:
             Wed Oct 9 18:29:32 2024 +0200
        el archivo actrices.txt está dentro de la rama test
  commit ca2e11e425c9d2fda0364ad235d9fb7ac284fee7 (master)
   Author: Moises Sala <moisessalasanchez@gmail.com>
             Wed Oct 9 18:14:23 2024 +0200
   Date:
        se ha guardado el archivo actores.txt
h)
C:\Users\migue\OneDrive\Escritorio\S2R1>git checkout master
Switched to branch 'master'
C:\Users\migue\OneDrive\Escritorio\S2R1>git checkout master
Already on 'master'
```

```
C:\Users\migue\OneDrive\Escritorio\S2R1>git merge test
Updating ca2e11e..6c40e0c
Fast-forward
 actrices.txt | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 actrices.txt
j)
C:\Users\migue\OneDrive\Escritorio\S2R1>git branch test2
C:\Users\migue\OneDrive\Escritorio\S2R1>git status
On branch master
nothing to commit, working tree clean
C:\Users\migue\OneDrive\Escritorio\S2R1>git log
commit 6c40e0c60d7ced68fa0df26d706c3effec2c3faf (HEAD -> master, test2, test)
Author: Moises Sala <moisessalasanchez@gmail.com>
       Wed Oct 9 18:29:32 2024 +0200
Date:
   el archivo actrices.txt está dentro de la rama test
k)
C:\Users\migue\OneDrive\Escritorio\S2R1>echo "camila cabello" > actrices.txt
C:\Users\migue\OneDrive\Escritorio\S2R1>git log --graph --all
 commit d895e3787c6f4c4454e0d36463d623abffdc93e2 (HEAD -> master)
  Author: Moises Sala <moisessalasanchez@gmail.com>
          Wed Oct 9 19:29:02 2024 +0200
  Date:
      he añadido un nombre de actriz en la rama master
I)
C:\Users\migue\OneDrive\Escritorio\S2R1>git checkout test2
Switched to branch 'test2'
C:\Users\migue\OneDrive\Escritorio\S2R1>git status
On branch test2
nothing to commit, working tree clean
m)
C:\Users\migue\OneDrive\Escritorio\S2R1>echo "sara socas" > actrices.txt
```

C:\Users\migue\OneDrive\Escritorio\S2R1>git log --graph --all

\* commit 15a944ff29992046f8c557adbf1f5d0ad70111cc (HEAD -> test2)

Author: Moises Sala <moisessalasanchez@gmail.com>
Date: Wed Oct 9 19:36:10 2024 +0200

he añadido una actriz en la rama test2

\* commit d895e3787c6f4c4454e0d36463d623abffdc93e2 (master)

/ Author: Moises Sala <moisessalasanchez@gmail.com>
Date: Wed Oct 9 19:29:02 2024 +0200

he añadido un nombre de actriz en la rama master

n)
C:\Users\migue\OneDrive\Escritorio\S2R1>git checkout master
Switched to branch 'master'

0)

p)

```
C:\Users\migue\OneDrive\Escritorio\S2R1>git commit
hint: Waiting for your editor to close the file... unix2dos: converting file C:/Users/migue/OneDrive/Escritorio/S2R1/.git/COMMIT_EDITMSG to DOS format...
dos2unix: converting file C:/Users/migue/OneDrive/Escritorio/S2R1/.git/COMMIT_EDITMSG to Unix format...
[master 0c37cec] Merge branch 'test2'

C:\Users\migue\OneDrive\Escritorio\S2R1>git commit -m "sara socas y camila cabello"
On branch master
pothing to commit . working tree clean
```

q)

```
C:\Users\migue\OneDrive\Escritorio\S2R1>git log --graph --all

* commit 0c37cec6fb60ae0700a9f3fb41abe708e6276174 (HEAD -> master)

|\ Merge: d895e37 15a944f
|| Author: Moises Sala <moisessalasanchez@gmail.com>
|| Date: Wed Oct 9 20:08:43 2024 +0200
|| Merge branch 'test2'
```

2.

```
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto>git init --bare
Initialized empty Git repository in C:/Users/migue/OneDrive/Escritorio/S2R2-remoto/
```

3.

```
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto> git clone C:\Users\migue\OneDrive\Escritorio\S2R2
Cloning into 'S2R2'...
warning: You appear to have cloned an empty repository.
done.
```

a)

```
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto>cd S2R2
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto\S2R2>echo -e "Christopher Nollan\mcquiper\Carlos" > directores.txt
```

b)

```
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto\S2R2>git status
On branch master
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto\S2R2>git add directores.txt
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto\S2R2>git commit -m "3 nombres de directores"
[master (root-commit) 5c58e9a] 3 nombres de directores
1 file changed, 3 insertions(+)
create mode 100644 directores.txt
C:\Users\migue\OneDrive\Escritorio\S2R2-remoto\S2R2>git log
                         0d190c459a7ba20ecf5b47 (HEAD -> master)
Author: Moises Sala <moisessalasanchez@gmail.com>
       Thu Oct 10 11:27:29 2024 +0200
   3 nombres de directores
```

```
C:\Users\migue\OneDrive\Escritorio\S2R2>git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 282 bytes | 282.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To C:\Users\migue\OneDrive\Escritorio\S2R2-remoto
* [new branch] master -> master
```

d)

C:\Users\migue\OneDrive\Escritorio\S2R2>git checkout -b version1
Switched to a new branch 'version1'

e)

C:\Users\migue\OneDrive\Escritorio\S2R2>git branch
master

\* version1

f)

## C:\Users\migue\OneDrive\Escritorio\S2R2>echo "mcquper" >> directores.txt

```
C:\Users\migue\OneDrive\Escritorio\S2R2>echo "mcquper" >> directores.txt
C:\Users\migue\OneDrive\Escritorio\S2R2>git add directores.txt
C:\Users\migue\OneDrive\Escritorio\S2R2>git commit -m "he añadido un director en la rama version1"
[version1 c21b3a6] he añadido un director en la rama version1
1 file changed, 1 insertion(+)
```

g)

```
C:\Users\migue\OneDrive\Escritorio\S2R2>git push origin version1
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 336 bytes | 336.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To C:\Users\migue\OneDrive\Escritorio\S2R2-remoto
* [new branch] version1 -> version1
```

```
a)
C:\Users\migue\OneDrive\Escritorio\S2R3>type directores.txt
"crhistopher nollan"
 diego navas"
 mario casas"
C:\Users\migue\OneDrive\Escritorio\S2R3>git status
On branch master
Your branch is up to date with 'origin/master'.
nothing to commit, working tree clean
b)
C:\Users\migue\OneDrive\Escritorio\S2R3>git branch -vv
  master 4997925 [origin/master] he añadido 3 directores
 version1 c21b3a6 [origin/version1] he añadido un director en la rama version1
c)
C:\Users\migue\OneDrive\Escritorio\S2R3>type directores.txt
 "crhistopher nollan"
 "diego navas"
 "mario casas"
 "mcquper"
d)
C:\Users\migue\OneDrive\Escritorio\S2R3>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
C:\Users\migue\OneDrive\Escritorio\S2R3>git branch
 * master
  version1
e)
C:\Users\migue\OneDrive\Escritorio\S2R3>git merge version1
Updating 4997925..c21b3a6
Fast-forward
 directores.txt | 1 +
 1 file changed, 1 insertion(+)
```

C:\Users\migue\OneDrive\Escritorio\S2R2>git pull origin master
From C:\Users\migue\OneDrive\Escritorio\S2R2-remoto
\* branch master -> FETCH\_HEAD
Already up to date.

4997925..c21b3a6 master -> origin/master

C:\Users\migue\OneDrive\Escritorio\S2R2>type directores.txt
"crhistopher nollan"
"diego navas"
"mario casas"
"mcquper"