

Text Analysis API - Complete Developer Documentation

1. Endpoint Information

POST <https://yourdomain.com/api/text>

Headers Required:

Content-Type: application/json
x-api-key: YOUR_API_KEY

2. Request Body Structure

```
{
  "text": "This is AI generated content"
}
```

3. How The API Works (Function Flow)

Step 1: Client sends POST request with text and API key. Step 2: Server validates x-api-key header. Step 3: Server processes text using AI model. Step 4: Model classifies text (Human / AI). Step 5: Server returns structured JSON response. Step 6: Credits are deducted from user account.

4. Expected Dummy Response Example

```
{
  "success": true,
  "data": {
    "type": "data",
    "time": "2026-02-19T07:34:48.384Z",
    "data": [
      {
        "label": "Human",
        "confidence": 0.9434446692466736
      }
    ],
    "endpoint": "/classify_text",
    "fn_index": 2
  },
  "creditsLeft": 14
}
```

5. JavaScript Example

```

await fetch("https://yourdomain.com/api/text", {
  method: "POST",
  headers: {
    "Content-Type": "application/json",
    "x-api-key": "YOUR_API_KEY"
  },
  body: JSON.stringify({
    text: "This is AI generated content"
  })
});

```

6. Python Example

```

import requests

url = "https://yourdomain.com/api/text"

headers = {
    "Content-Type": "application/json",
    "x-api-key": "YOUR_API_KEY"
}

data = {
    "text": "This is AI generated content"
}

response = requests.post(url, json=data, headers=headers)
print(response.json())

```

7. PHP Example

```

<?php
$url = "https://yourdomain.com/api/text";

$data = json_encode([
    "text" => "This is AI generated content"
]);

$ch = curl_init($url);

curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_POST, true);
curl_setopt($ch, CURLOPT_POSTFIELDS, $data);
curl_setopt($ch, CURLOPT_HTTPHEADER, [
    "Content-Type: application/json",
    "x-api-key: YOUR_API_KEY"
]);

$response = curl_exec($ch);
curl_close($ch);

echo $response;
?>

```

8. C# Example

```
using System;
using System.Net.Http;
using System.Text;
using System.Threading.Tasks;

class Program
{
    static async Task Main()
    {
        var client = new HttpClient();
        client.DefaultRequestHeaders.Add("x-api-key", "YOUR_API_KEY");

        var json = "{\"text\": \"This is AI generated content\"}";
        var content = new StringContent(json, Encoding.UTF8, "application/json");

        var response = await client.PostAsync("https://yourdomain.com/api/text", content);
        var result = await response.Content.ReadAsStringAsync();

        Console.WriteLine(result);
    }
}
```