Mojaf



Meta AI



PRODUCT CONTENT

1. Company Profile 03-04

2. WPC Skin Door 11-30

3. Decoration line Door 31-34

4. Full WPC Door 35-54

5. WPC Assembly Door 55-66

6. Top Panel 67-68

7. Invisible Door Aluminum Glass Door 69

8. WPC Door Frame and Architrave 70-76

9. Accessories 77-80

10. Wall Panel System 81-82

ENVIRONMENTALLY FRIENDLY
SOUNDPROOF
WATERPROOF AND INSECT-PROOF
CREATING HIGH-QUALITY
MODERN LIFE





WELCOME TO VISIT US

APPRECIATE THE ART OF WOOD

Here you can see the 10,000 square meters modern exhibition hall and the integrated design concept of doors, walls panel and cabinets, fully automatic high-tech production equipment, the largest number of extrusion equipment in China, and immerse yourself in the modern and quality life that wood-plastic products bring you.

Biggest advantage

Waterproof, moisture-proof, insect proof

Strong stability

Easy to process
Long lifespan

Formaldehyde free grade

Environmental protection reaches a higher level



WPC base material

Excellence in Material Application

Wood plastic products have unique advantages in quality, mainly reflected in their unique material characteristics: waterproof, moisture-proof, insect proof, easy to process and repair, good dimensional stability, environmentally friendly, formaldehyde free, and excellent weather resistance. They can adapt to complex environments, have low requirements for transportation and storage environments, and are suitable for global production, sales, and application.

CERTIFICATETS



YINGKONG®

WPC SKIN DOOR



Waterproof
–Waterproof
–Moistureproof

Anti -Termites
–Anti–Worm
–Anti Termite

Environmentally Friendly
–eco–friendly Material
–formaldehyde Levels:E1
–recycled Material

Customized
–Color and design
–Hinge hole
–Lock hole
–Carton box

Easy Installation
–4 screws connection
–Saving labor time
–Saving cost

Fast Delivery
–Faster than competitor

Better life
–The Noise Reduction

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

WPC SKIN DOOR

M-80

M-12

Waterproof
–Waterproof
–Moistureproof

Anti -Termites
–Anti–Worm
–Anti Termite

Environmentally Friendly
–eco–friendly Material
–formaldehyde Levels:E1
–recycled Material

Customized
–Color and design
–Hinge hole
–Lock hole
–Carton box

Easy Installation
–4 screws connection
–Saving labor time
–Saving cost

Fast Delivery
–Faster than competitor

Better life
–The Noise Reduction

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

YINGKONG®



M-44



Jiu Yi X

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable



M-14

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 ℃ and extreme cold of -15 ℃, the material consistently maintains its unique stability and resistance to deformation;

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

Jiu Yi Xin

WPC SKIN DOOR

M-29



M-32

M-102

Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;

YINGKONG®

Waterproof
–Waterproof
–Moistureproof

Anti -Termites
–Anti–Worm
–Anti Termite

Environmentally Friendly
–eco–friendly Material
–formaldehyde Levels:E1
–recycled Material

Customized
–Color and design
–Hinge hole
–Lock hole
–Carton box

Easy Installation
–4 screws connection
–Saving labor time
–Saving cost

Fast Delivery
–Faster than competitor

Better life
–The Noise Reduction

M-109

WPC SKIN DOOR

M-110

M-75

M-49

NM-617

M-106

M-94

M-66

M-37

Yituo Exhibition Materials: WPC products rely heavily on production processes and molds, and are less limited by the physical properties of the materials themselves. During the initial processing and later reprocessing or assembly processes, the advantages and stability of the materials are very obvious.

YINGKONG®

M-105

M-103

M-114

Jiu Yi



Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

WPC SKIN DOOR

M-95

M-104

M-78

19052X

M-36

M-118

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable



M-101

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 ℃ and extreme cold of -15 ℃, the material consistently maintains its unique stability and resistance to deformation;

Jiu Yi Xing ®

WPC SKIN DOOR

M-115

NM-831

NM-701

NM-713

NM-2101

NM-825

DS-001

NM-605

NM-619

YINGKONG®

NM-612

NM-628

M-97

Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;

WPC SKIN DOOR

NM-626B

NM-716

NM-702



NM-718

M-60

M-77



M-33



M-38

ARIH
ML-001

WPC SKIN DOOR
-Nano-agent coating series



ML-002

ML-003

Waterproof
-Waterproof
-Moistureproof

Anti -Termites
-Anti-Worm
-Anti Termite

Environmentally Friendly
-eco-friendly Material
-formaldehyde Levels:E1
-recycled Material

Customized
-Color and design
-Hinge hole
-Lock hole
-Carton box

Easy Installation
-4 screws connection
-Saving labor time
-Saving cost

Fast Delivery
-Faster than competitor

Better life
-The Noise Reduction



Yituo Exhibition Materials: WPC products rely heavily on production processes and molds, and are less limited by the physical properties of the materials themselves. During the initial processing and later reprocessing or assembly processes, the advantages and stability of the materials are very obvious.

Jiu Yi Xing ®

GREEN,
HEALTHY,

ENVIRONMENTAL PROTECTION
AND REST ASSURED

Jiu Yi

WPC SKIN DOOR
-Nano-agent coating series

ML-005

ML-006

ML-007

ML-008

ML-009



ML-010

ML-011

ML-012

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

MX-002/YX03
CX-002/YX03

MX-003L/YX03

MX-004L/YX03

MX-005L/YX03

Jiu

WPC SKIN DOOR
-Decoration line Door

MX-002B/YX03
CX-002B/YX03

MX-001/YX03
CX-001/YX03

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 ℃ and extreme cold of -15 ℃, the material consistently maintains its unique stability and resistance to deformation;

YINGKONG
MX-002/YX05
CX-002/YX05

WPC SKIN DOOR



MX-002B/YX05
CX-002B/YX05

M-003B

GLASS OPTIONAL：

B1超白水晶

B2超白香梨

B3黑线条

B4远峰蓝

B5灰方格

B6灰木纹

B7长虹

B8油砂

B9钻石



WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

100% WPC DOOR

1.Raw Material
2.Pvc Film lamination
3.Painting

100% WATERPROOF

WPC DOOR
Structure Drawing

WPC Door PVC Film Laminated



WPC Door Painting Tech



FULL WPC DOOR-PAINTING

Waterproof
–Waterproof
–Moistureproof

Anti-Termites
–Anti–Worm
–Anti Termite

Fast Delivery

Sound proof

Environmentally Friendly
–Eco–friendly Material
–Formaldehyde Levels:e1
–Recycled Material

Customized
–Color and design
–Hinge hole
–Lock hole
–ODM&DEM

Easy Installation
–4 screws connection
–Saving labor time

101







35MM WPC DOOR

Available door leaf width
1000/920/900 (±4mm) **/800/700mm**



40MM WPC DOOR

Available door leaf width
1100/1000/930/830/730/710mm



45MM WPC DOOR

Available door leaf width
1100/1000/910/860/810/760/710/610mm



35MM WPC DOOR



WPC DOOR PANEL TYPE

40MM WPC DOOR

Door panel Size



45MM WPC DOOR

Door panel Size



WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

FULLWPC DOOR

CS-002

CS-003

CS-004



100%
WATERPROOF

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

Liu Yi Xing

FULLWPC DOOR

CS-006

CS-007

CS-008

CS-009

CS-010

CS-011

CS-012

CS-013

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

FULLWPC DOOR

CS-015

CS-016

CS-017

CS-018

CS-019

CS-020

CS-021

CS-022

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 ℃ and extreme cold of -15 ℃, the material consistently maintains its unique stability and resistance to deformation;

jiu yi xin

FULLWPC DOOR
-Nano-agent coating series

CL-002

CL-003

CL-004

CL-005

CL-006

CL-007

Anti insect and anti termite: WPC material itself does not contain protein substances, so it will not reproduce insects and termites due to material denaturation during use. WPC material cannot provide a living environment for termites and termites, so its anti impact and anti termite performance is outstanding;

FULLWPC DOOR (5D Printing)

WPC DOOR FOUR Advantages

Anti insect and anti termite

Waterproof material

Strong expansion ability

More environmentally friendly and durable

CD-002

CD-003

CD-004

CD-005

CD-006

CD-007

CD-008

CD-009

5D
Printing

Yituo Exhibition Materials: WPC products rely heavily on production processes and molds, and are less limited by the physical properties of the materials themselves. During the initial processing and later reprocessing or assembly processes, the advantages and stability of the materials are very obvious.

FULLWPC DOOR (PET Series)

CTL-002

CTL-003

CTL-004

CTL-005

CTL-006

Waterproof and moisture-proof performance: WPC materials have natural hydrophobicity, which not only makes them particularly friendly to humid environments, but also has good performance in terms of water loss rate in dry environments;

Jiu Yi Xin

WPC DOOR FOUR Advantages

Anti insect and anti termite

Strong expansion ability

Waterproof material

More environmentally friendly and durable

FULLWPC DOOR
-PAINT DOOR

CK-002

CK-003

CK-004

CK-005

CK-006

CK-007

CK-008

CK-009

High level environmental protection/strong weather resistance: WPC wood plastic doors are made from resin, wood fibers, polymer materials, etc. through high-temperature and high-pressure extrusion molding processes. Due to the absence of harmful substances such as formaldehyde in the raw materials, the environmental performance is higher; In experiments with extreme heat of 50 ℃ and extreme cold of -15 ℃, the material consistently maintains its unique stability and resistance to deformation;

YINGKONG®

WPC Assembly Door

+4.17 Times

Environmentel protection ENF

+62.5 %

Deformation resistance

+19 %

Durability bending elasticity

- Formaldehyde emission ENF grade ≤0.025mg/m³, measured 0.006mg/m³, 4.17 times better than ENF grade environmental protection
- Water content national standard ≤2.0%, measured 0.7%, better than national standard 65%
- Water absorption expansion rate national standard ≤0.5%, measured 0.2%, better than national standard 60%
- Flexural elastic modulus national standard ≥1800MPa, measured 1998MPa, better than national standard 11%;
- Shore hardness ≥60HD, measured 76HD, better than national standard 27%

WPC ASSEMBLE DOOR
Sectional Drawing

Assembly method more ↓

BUILDING BLOCKS
SERIES 2.0

Freeform
styling

Multiple mold
specifications

3D structure diagram



Membrane
color system

Cross material
application

250/400mm
Full WPC Assembly panel

WPC PU foam panel

900*35mm
Full WPC panel

Jiu Yi Xing®

jiu yi

WPC ASSEMBLY DOOR



PB-001

PL-001



P-001X1

Xing ®



Multiple mold
specifications

Provide more mold specifications making sizes more optional free and accurate making sales simpler

PZ-007

PZ-001

CX One piece

PZ-001

Cx250 Horizontal Assembly

Freeform
styling

The material science design like LEGO blocks allows the facade to have almost infinite combinations and diverse styles

WPC ASSEMBLY DOOR

PL-002

YINGKONG
PZ-003

WPC ASSEMBLY DOOR

PL-003

PZ-004

PT-001

PZ-001

CX400 Horizontal Assembly

PZ-006

PZ-005

PB-002

PB-003

Providing a market tested membrane color system the best-selling ability of membrane color is a technology for Yingkang

PZ-013

Assembly method 1

Assembly method 2

WPC ASSEMBLY DOOR

PB-004



PZ-001
(primary-secondary door)

PT-002
(primary-secondary door)

YINGKONG®

Waterproof
–Waterproof
–Moistureproof

Anti -Termites
–Anti–Worm
–Anti Termite

Environmentally Friendly
–eco–friendly Material
–formaldehyde Levels:E1
–recycled Material

Customized
–Color and design
–Hinge hole
–Lock hole
–Carton box

Easy Installation
–4 screws connection
–Saving labor time
–Saving cost

Fast Delivery
–Faster than competitor

Better life
–The Noise Reduction

GREEN,
HEALTHY,
ENVIRONMENTAL PROTECTION
AND REST ASSURED

Top Panel

Aluminum Glass Door

Aluminum glass door, product advantages:

1. Light transmittance of 85%;
2. To ensure the advantages of aluminum glass products at the same time, to achieve the same color of the whole house;
3. A variety of glass combinations, more choices.

narrow aluminum alloy profile

wpc door frame

Perfect design | Level4 water proofness | Aluminum alloy material | Narrow style | 3C certificate

A TYPE

Door Frame

A40-1

100

120

140

180



200



240



G45-1

80



100



120

140



160

180



200

220

240



260



200（摇头）



E TYPE

E40-1

88

100

120

140

200

E45-1

100

120

140

E45-2

100



120



140



E45-15

100



120



140



Y TYPE

Y40-0

60

100



Y45-0

40



60



100



B TYPE

B40-1

100



120



130



180



200



220

240



180（摇头）



B45-1

100



140



180



B45-1

210

220

B42/B44-1

160

210



D TYPE

D35-1

100



D35-3

90

100



D40-3

90



D45-3

90

Assembly Type

Assembly Frame

90A40/45-1



210A-0(>135mm)

270A-0(≤135mm)

Install way

JYX-PZJ

UK-01(42*120MM)



UK-02(44*120MM)



BK(132MM边框)



UK04-1

UK05-1



CX(35*250MM)

CX(35*400MM)



ZD(80mm middle line)

PX(PU foam core)



CX(35*700MM)



CX(35*800MM)



CX(35*920MM)

CX(35*1000MM)



Decoration Lines

YX01

YX02

YX03



YX03



YX04

YX05

YX06

YX07

C03 Door stop

K40/K45 Door buckle

K40/K45 Door buckle

B01

B02



B03—35

B03—40



B03—45



JYX-XMS

L-30*60



L-38*60



L-50*60



L-73*60



L-30*80



L-34*80



L-65*80



L-60*100



L-80*100



L-100*80



T-30*90



T-30*100

JYX-XMS

R-36*100

R-65*100



R-85*100



C-50*100

H-40*100

H-80*100



L-33*70

L-37*97



L-38*100



TJ01-80



TJ01-120



TJ02



TJ03



TJ04-70



TJ04-100



TJ04-150



TJ05



MANIGLIE E ACCESSORI
HANDLES AND ACCESSORIES

Material:SUS201,SUS304 STAINLESS STEEL
Finish:SSS,PSS,PVD
Hollow Handle

	◎156-R01		◎S02-KEY HOLE★
	◎56-R01		◎5S02-WC★
	◎54001		◎SQ02-CY
	◎54001BLACK		◎SQ02-KEY HOLE
	◎54002		◎SQ02-WC
	◎54002BLACK		◎R01-CY
	◎54003		◎R01-KEY HOLE
	◎54004		◎R01-WC
	◎S52111★		◎R08-CY
	◎56		◎R08-KEY HOLE
	◎156		◎R08-WC
	◎S02-CY★		◎R42-CY
	◎R42-KEY HOLE		A: Sn B: Black C: Gold
	◎R42-WC		SIZE:52MM specifiction:zinc alloy rosette plastic part package:10 sets/cartom G.W/N.W:11/10 KGS/CTN MEAS:34*25*32.5CM

◎R01-WC-LIGHT

◎R42-WC-LIGHT

◎R08-WC-LIGHT

156-WPC HANDLE

Security Door Handle

56-WPC HANDLE



○8550-CY MIDDLE LATCH



○9050-WC MIDDLE LATCH



○9050-KEY HOLE MIDDLE LATCH

Item No.	8550-CY/9050-WC/9050-KEY
Size	8550/9050/9050
Specifiction	stainless steel/iron forend, plastic latch with magnetic ,cover with zinc finish
Package	50 sets/carton ; G.W/N.W: 23KG/CTN MEAS: 52*21*25CM

Size	4*3*2.5
Specifiction	stainless steel
Package	50sets/carton ; G.W/N.W: 15.5 /15 KGS /CTN MEAS:28*25*16.8CM

◎FLUSH HINGE 4X3X2.5mm

Size	4*3*2.5
Specifiction	Iron
Package	50 sets/carton ; G.W/N.W: 18.5/17.5 KGS /CTN MEAS:31*20*16CM

◎4x3x2.5mm

Size	100*93*2 mm
Specifiction	Iron / stainless steel
Package	50 sets/carton ; G.W/N.W: 18.5/17.5 KGS /CTN MEAS:31*20*16CM

◎100X93X2mm



8550-CY UPPER LATCH



9050-WC UPPER LATCH



9050-KEY HOLE UPPER LATCH

Item No.	8550-CY/9050-WC/9050-KEY
Size	8550/9050/9050
Specifiction	Magnetic lock body-top part
Package	60 sets/carton ; G.W/N.W: 15.3/14.8 KGS /CTN MEAS:46.5*24.5*17CM



8550-CY EURO PVC



9650-WC EURO PVC

9050-KEY HOLE EURO PVC

2 strike Avaible

Size	8550/9650/9050
Specifiction	Iron lock body with plastic latch
Package	60 sets/carton ; G.W/N.W: 15.3/14.8 KGS /CTN MEAS:46.5*24.5*17CM



9045-KEY HOLE



9045-WC



9045-CY

Item No.	9045 lock body
Size	9045
Specifiction	without magnetic : Iron plate ,iron latch& bolt
Package	30 sets/carton ; G.W/N.W: 15.5/14.5 KGS /CTN MEAS:51*26*14.3CM(大件包装)



9045-KEY HOLE MAGNET



9045-WC MAGNET



9045-CY MAGNET

Item No.	9045 lock body
Size	9045
Specifiction	Iron plate ,iron latch& bolt with magnetic :
Package	30 sets/carton ; G.W/N.W: 15.5/14.5 KGS /CTN MEAS:51*26*14.3CM(大件包装)

Color:SN

Color:Black

70mm(35-35)SINGLE OPEN CYLINDER NORMAL KEY

Color:SN

Color:Black

70mm(35-35)SINGLE OPEN CYLINDER COMPUTER KEY

Color:SN

70mm(35-35)DOUBLE OPEN CYLINDER

Color:SN

70mm(35-35) BATHROOM CYLINDER



3

探索收口系统是我们很擅长的一项研究

未来差异化设计的核心是收口系统达成施工与设计落地的关键。我们的同色系统满足您近乎完美的设计方案落地并大放异彩

The core of future differentiated design is the key to achieving construction and design implementation of the closure system. Our same color system meets your almost perfect design plan and shines brightly

Explore Our

探索 Construction system 我们的施工收口系统











Line type 线型名称	Model code 型号代码	homochromy 同 色	Naked color 裸 色	grey 灰 色	Matte black 哑 黑	Matte coffee 哑 咖 啡
Boundless light strip line 无界灯带线	P-101无界灯带线		○			
Dense stitching 密拼线	P-102密拼线		○			
	P-102A密拼线/阴阳角用		○			
Micro suture 微缝线	P-103微缝线			○	○	○
	T-103微缝线	○				
mini I-shaped 微型工字	P-104微型工字			○	○	○
	T-104微型工字	○				
Unilateral line 单边线	P-105单边线			○	○	○
	T-105单边线	○				
I-shaped 工字线	P-106工字线			○	○	○
	T-106工字线	○				
concave line 阴角线	P-107阴角线		○			
Leave stitching 留缝线	T-108留缝线	○				
skirting line 踢脚线	P-109踢脚线			哑灰	○	○
Staggered light strip 错层灯带	P-110错层灯带			○	○	○
Right angled corner 直角阳角	T-111直角阳角	○				
All aluminum grille 全铝格栅	T-112格栅	○				
Small convex angle 小阳角	T-113小阳角	○				
Inner arc convex angle 内弧阳角	T-114内弧阳角	○				
External arc corner 外弧阳角	T-115外弧阳角	○				

铝制同色收口线3.0系统

Aluminum Same Color Closing Wire 3.0 System