
Strongly Typing Actions with Action Creators



Deborah Kurata
CONSULTANT | SPEAKER | AUTHOR | MVP | GDE
@deborahkurata blogs.msmvps.com/deborahk/







The state of our actions



Module Overview



Build action creators to strongly type actions

Use action creators to create and dispatch actions

Use actions and selectors to communicate between our components

Define actions for more complex operations



Benefits of Strongly Typed Actions



Prevents hard to find errors



Improves the tooling experience



Documents the set of valid actions



Strongly Typing Actions with Action Creators


1. Define the action types as named constants

2. Build the action creators

Define a union type for those action creators



Defining Action Types




1. Toggle Product Code



Defining Action Types

```
export enum ProductActionTypes {
   ToggleProductCode = '[Product List Page] Toggle Product Code',
   SetCurrentProduct = '[Product List Page] Set Current Product',
   ClearCurrentProduct = '[Product Edit Page] Clear Current Product',
   InitializeCurrentProduct = '[Product List Page] Initialize Current Product',
   Load = '[Product List Page] Load',
   LoadSuccess = '[Product API] Load Success',
   LoadFail = '[Product API] Load Fail'
}
```





Building an Action Creator

```
export enum ProductActionTypes {
   ToggleProductCode = '[Product] Toggle Product Code',
   SetCurrentProduct = '[Product] Set Current Product',
   ClearCurrentProduct = '[Product] Clear Current Product',
   InitializeCurrentProduct = '[Product] Initialize Current Product'
}
```

```
export class ToggleProductCode implements Action {
  readonly type = ProductActionTypes.ToggleProductCode;

  constructor(public payload: boolean) {}
}
```


```
export class ToggleProductCode implements Action {
  readonly type = ProductActionTypes.ToggleProductCode;
  public payload: Boolean;
  constructor(payload: boolean) {
    this.payload = payload;
  }
}
```

Defining a Union Type for the Action Creators



Building action creators





Using Action Creators in the Reducer

```
export function reducer(state = initialState, action): ProductState {
    switch (action.type) {
        case 'TOGGLE_PRODUCT_CODE':
            return { ...state, showProductCode: action.payload };
        ...
    }
}
```

```
export function reducer(state = initialState, action: ProductActions): ProductState {
    switch (action.type) {
        case ProductActionTypes.ToggleProductCode:
            return { ...state, showProductCode: action.payload };
        ...
    }
}
```

Using Action Creators to Dispatch an Action

```
this.store.dispatch({
   type: 'TOGGLE_PRODUCT_CODE',
   payload: true
});
```

```
import * as productActions from './state/product.actions';
...
this.store.dispatch(new productActions.ToggleProductCode(true));


export class ToggleProductCode implements Action {
    readonly type = ProductActionTypes.ToggleProductCode;
```

constructor(public payload: boolean) {}





Using action creators

















Using actions and selectors for component communication






Using actions and selectors for component communication: Edit component





Defining Actions for Complex Operations

```
export enum ProductActionTypes {
   ToggleProductCode = '[Product] Toggle Product Code',
   ClearCurrentProduct = '[Product] Clear Current Product',
   SetCurrentProduct = '[Product] Set Current Product',
   InitializeCurrentProduct = '[Product] Initialize Current Product',
   Load = '[Product] Load'
}
```





Defining Actions for Complex Operations

```
export enum ProductActionTypes {
   ToggleProductCode = '[Product] Toggle Product Code',
   ClearCurrentProduct = '[Product] Clear Current Product',
   SetCurrentProduct = '[Product] Set Current Product',
   InitializeCurrentProduct = '[Product] Initialize Current Product',
   Load = '[Product] Load',
   LoadSuccess = '[Product] Load Success',
   LoadFail = '[Product] Load Fail'
}
```



Defining actions for complex operations



Checklist: Strongly Typing Actions - 1

Action

Define the action types

Use an enum to specify the set of named constants:

```
export enum ProductActionTypes {
  ToggleProductCode = '[Product] Toggle Product Code',
  SetCurrentProduct = '[Product] Set Current Product',
  ClearCurrentProduct = '[Product] Clear Current Product'
}
```

Specify clear action type strings



Checklist: Strongly Typing Actions - 2

Action

Build an action creator

Define a class with type and payload properties:

```
export class ToggleProductCode implements Action {
  readonly type = ProductActionTypes.ToggleProductCode;

constructor(public payload: boolean) {}
}
```

Use the action creator when dispatching the action:

```
this.store.dispatch(
  new productActions.ToggleProductCode(true)
);
```

Checklist: Strongly Typing Actions - 3

Action

Union the action creators

Define a union type of all action creators:

Use this union type in the reducer:




Checklist: Complex Operations

Action

Define multiple actions:

```
export enum ProductActionTypes {
    ...
Load = '[Product] Load',
    LoadSuccess = '[Product] Load Success',
    LoadFail = '[Product] Load Fail'
}
```

Homework



Create an user.actions.ts file

Add an enum for the action type (MaskUserName)

Build the associated action creator

Create a union type for the action creators

Modify the reducer to use the union type

Modify the login component to use the action creator

https://github.com/DeborahK/Angular-NgRx-GettingStarted/tree/master/APM-Demo2

