Building and Serving



John Papa
PRINCIPAL DEVELOPER ADVOCATE

@john_papa www.johnpapa.net

Building and Serving



Building with the Angular CLI

Build targets

Exploring the builds


Serving

Development cycle



Building Angular





Builds

Compile the app to an output directory

Build targets determine the output


All builds use bundling

Prod builds add uglification and tree-shaking




Getting Help

Add the --help flag







Development Builds

Ideal for development

Output to /dist/[your app] folder, by default (see angular.json)



Exploring the Build Bundles

File	Description
runtime.js	WebPack runtime
main.js	App code
polyfills.js	Platform polyfills
styles.s	Styles
vendor.js	Angular and other vendor files



Exploring the Source in the Output

```
$ npm install source-map-explorer --save-dev
$ ng build https://github.com/danvk/source-map-explorer/
$ npx source-map-explorer dist/my-app/main.js
```



Demo





Build Targets and Environments



Environment

Indicates which file to use between environment.prod.ts and environment.ts

Target

Defines how (and if) the files are optimized



Comparing Dev and Prod Build Targets

	ng build	ng buildprod
Environment	environment.ts	environment.prod.ts
Cache-busting	only images referenced in css	all build files
Source maps	generated	not generated
Extracted CSS	global CSS output to .js	yes, to css file(s)
Uglification	no	yes
Tree - Shaking	no	yes
AOT	no	yes
Bundling	yes	yes



Common ng build Options

Options	Alias	Description
source-map		Generate a source map
aot		Ahead of Time compilation
watch	-W	Watch and rebuild
prod	-е	Shortcut for prod env and target



Demo





Serving Angular





Serving


Compiled output is served from memory

Efficient for reloads



Getting Help

Add the --help flag





Common ng serve Options

All build options are available on serve, plus the following ...


Options	Alias	Description
open	-0	Opens in the default browser
port		Port to listen to when serving
live-reload		Reload when changes occur
ssl		Serve using HTTPS
proxy-config		Proxy configuration file



Demo







Adding New Capabilities

ng add <package>



```
$ ng add @angular/pwa
$ ng add @angular/material
$ ng add @angular/elements
$ ng add @ng-bootstrap/schematics
```

ng add package

Adds new capabilities

Downloads dependencies

Update a project configuration

Scaffold new capabilities






What Else

Building with external libraries

Angular Material





Remember These Commands

Fast development cycles with ng serve -o

When ready to promote your code, use ng build --prod



Building and Serving



Build to output the production files

Many customizations

Serve is intended for development

Build with external libraries

