



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66-2721-3510

Fax: +66-2721-3515

SAFETY DATA SHEET

Company Identification

Thep Watana Co., Ltd. Address: 382 Bangpoo Industrial Estate.

Sukhumvit Road, Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66(0)-2721-3510;

Fax: +66(0)-2721-3515

1. CHEMICAL IDENTIFICATION

Product Identification

Trade name: Menes

Product name: pretilachlor 30% W/V EC

Product use: Herbicide

Relevant identified uses of the substance/mixture and uses advised against:

Used to inhibit growth and reduces cell division. It offers reliable pre-emergence to early post-emergence control of annual grasses, some sedges and broadleaf weeds for high yield in transplanted and dry-sown rice cropping systems. It is especially designed for early season weed control in wet-sown rice and rice nursery beds.

2. HAZARD IDENTIFICATION

More important danger for the man: None

Dangers for the environment: Toxic to aquatic; low accumulation

Physical-chemical dangers: Can decompose at high temperatures forming toxic gases.


3. COMPOSITION/INFORMATION ON INGREDIENT

Chemical name: 2-chloro-*N*-(2,6-diethylphenyl)-*N*-(2propoxyethyl)acetamide

Common name: pretilachlor

Formula: $C_{17}H_{26}ClNO_2$

Molecular weight: 311.5 g/mol



Structural formula:



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66-2721-3510

Fax: +66-2721-3515

Ingredients and composition:

Component	CAS No.	%W/W
Active ingredient		
- Pretilachlor	51218-49-6	30
Solvent		
- Kerosene	8008-20-6	59
Emulsifier		11
(Mixture of Ethylene oxide condensate of Alkyl-phenol and Sulphonated alkyl benzene)		
- Emulsifiers A	68412-54-4	
- Emulsifiers B	26264-06-2	

4. FIRST AID MEASURES

Description of first aid measures

In case of swallowed:

Do not induce vomiting; drink plenty of water. Then see doctor immediately.

In case of eyes contact:

Flush with plenty of clear water for 1520 minutes.

In case of skin contact:

Remove contaminated clothing and shoes, flush with plenty of water and soap.

In case of Inhaled contact:

Move affect person to fresh air and keep at rest until recovered. If not breathing, give artificial respiration and get to a doctor.

5. FIRE FIGHTING MEASURES

Extinguishing Media:

Water spray, foam, dry chemical powder and carbon oxide.

Particular risk:

None

Measure of personal protection:

Safety glasses or goggles, rubber gloves, shoes plus socks, long-sleeved shirt, and long pants.



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66-2721-3510

Fax: +66-2721-3515

6. ACCIDENTAL RELEASE MEASURES (SPILLAGE)

Personal cautions:

The product is harmful if inhaled or swallowed. Will irritate the eyes, nose, throat and skin.

Avoid inhaling spray mist. Keep people and animals away and upwind.

Cleaning methods

EX: clear the liquid formation. Transfer to a properly labelled deposit that will be closed and sealed until the recovery of elimination of the product.

Environmental cautions

EX: prevent the contamination of the floor and of beds of water.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

Safe Handling:

Keep out of reach of children. Avoid contact with the eyes, skin and clothing and avoid inhalation of product or spray mist. If in eyes, wash it immediately with water. After handling and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. Do not contaminate food or use on household tanks.

Storage Conditions:

Store in the closed, original container in a dry, cool, well-ventilated area, secure area at minimum storage temperatures. Store in locked room or place away from children, animals, food, animal feed, seed and fertilizers.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Personal Protective Equipment

Full-length overalls

Eyes Protection: Safety goggles or face shield.

Skin Protection: Rubber gloves

Respiratory Protection: Approved respirator.

Industrial hygiene: Ventilation

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stage: Liquid

Color: Light yellow to Brown

Odor: With a faint, sweet odor

Melting/ Freezing Point: > 5 °C



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66-2721-3510

Fax: +66-2721-3515

Flash point:	> 53 °C (Tag closed cup)
Acidity (as H ₂ SO ₄):	0.2%
Vapor pressure:	0.6 mPa
Density:	1.070 (25 °C)
Solubility in water:	20 mg/l (20 °C)
	Soluble in most organic solvents, including diethyl ether, acetone, benzene, ethanol, ethyl acetate, and hexane

10. STABILITY AND REACTIVITY

Conditions to avoid:	Avoid heat and fire.
Products to avoid:	Not applicable
Thermal decomposition:	Not applicable
Hazardous decomposition products:	Toxic gases.
Hazardous reaction:	None

11. TOXICOLOGICAL INFORMATION

Information on Acute toxicity for end product, Pretilachlor:

LD50 (Oral, rat):	5,010 mg/kg
LD50 (Dermal, rat):	> 2,150 mg/kg
LC50 (Inhalation, rat, 4h):	Not applicable
Skin irritation (rabbit):	Moderate irritation to skin of rabbit
Eye irritation (rabbit):	Slight irritation to eyes
Skin sensitization:	No-sensitive

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Data referred to the mixture, pretilachlor:

Fish – Acute toxicity:

Rainbow trout,	
LC50 (96 h):	0.52 mg/L
Bluegill sunfish,	
LC50 (96 h):	0.44 mg/L



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND
Phone: +66-2721-3510 Fax: +66-2721-3515

Carb,

LC50 (96 h): 0.32 mg/L

Channel catfish,

LC50 (96 h): 0.10~0.14 mg/L

Fathead minnow,

LC50 (96 h): 0.31 mg/L

Crayfish,

LC50 (96 h): 26 mg/L

Invertebrates – Acute toxicity:

Water flea (Daphnia magna),

LC50 (48 h): 2.4 mg/L

Birds – Toxicity:

Bobwhite quail,

LC50 (5 days): > 6,597 mg/kg Dietary

Mallard ducks,

LD50: > 4,640 mg/kg

LC50 (5 days): > 10,000 mg/kg Dietary

Arthropod – Toxicity:

Bee,

LD50 (contact): > 100 ug/bee

13. DISPOSAL CONSIDERATIONS

Dispose of empty, used containers by:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state and environmental regulations.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

UN No: 1993

Dangerous Goods Class: 3

Packaging Group: III

15. REGULATORY INFORMATION

Not applicable



Thep Watana Co., Ltd.

382 Bangpoo Industrial Estate Sukhumvit Rd., Preaksa, Muang District, Samutprakarn 10280, THAILAND

Phone: +66-2721-3510

Fax: +66-2721-3515

16. OTHER INFORMATION

All information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the product as such. In case of formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons in receipt of this SDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces formulations containing this product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from this SDS to their own SDS.