

Wadi depth at the design points - SAK-CH1-FP (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SAKCH1-1 SAK-CH1-FP 0+000 wadi depth 0.00 m, none, raise 0.00 m (L bank 92.89, bed 92.26)
no wadi: undulating ground, a second low beyond both banks; benches skipped: 12 left, 0 right; second low beyond the left and right bank




SAKCH1-2 SAK-CH1-FP 0+672 wadi depth 0.50 m, shallow, raise 0.28 m (L bank 87.21, bed 86.71)
second low beyond the right bank




SAKCH1-3 SAK-CH1-FP 1+130 wadi depth 0.00 m, none, raise 0.00 m (R bank 83.27, bed 82.47)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SAKCH1-4 SAK-CH1-FP 1+996 wadi depth 0.56 m, shallow, raise 0.50 m (L bank 76.48, bed 75.92)
second low beyond the right bank




SAKCH1-5 SAK-CH1-FP 2+990 wadi depth 1.39 m, braided, raise 1.41 m (L bank 70.80, bed 69.41)
second low beyond the left and right bank




SAKCH1-6 SAK-CH1-FP 4+295 wadi depth 0.00 m, none, raise 0.00 m (L bank 62.50, bed 62.02)
no wadi: depth < 0.5 m; bed at the edge of the 30 m window; no left bank top within 300 m (max used)




SAKCH1-7 SAK-CH1-FP 6+164 wadi depth 4.60 m, braided, raise 4.54 m (L bank 52.13, bed 47.53)
second low beyond the right bank




SAKCH1-8 SAK-CH1-FP 7+461 wadi depth 0.00 m, none, raise 0.00 m (R bank 43.65, bed 43.14)
no wadi: no low at the centreline; bed at the edge of the 30 m window; second low beyond the right bank




SAKCH1-9 SAK-CH1-FP 8+574 wadi depth 0.50 m, shallow, raise 0.34 m (R bank 38.20, bed 37.70)
benches skipped: 2 left, 0 right




SAKCH1-10 SAK-CH1-FP 9+317 wadi depth 0.00 m, none, raise 0.00 m (R bank 35.94, bed 35.43)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank



SAKCH1-11 SAK-CH1-FP 10+404 wadi depth 0.00 m, none, raise 0.00 m (L bank 30.25, bed 29.45)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SAKCH1-12 SAK-CH1-FP 11+653 wadi depth 0.00 m, none, raise 0.00 m (L bank 26.83, bed 26.28)
no wadi: undulating ground, a second low beyond both banks; objects removed over 21 m; second low beyond the left and right bank




Wadi depth at the design points - SAK-CH2-FP (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SAKCH2-1 SAK-CH2-FP 0+000 wadi depth 0.00 m, none, raise 0.00 m (R bank 41.09, bed 40.16)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; second low beyond the left and right bank




SAKCH2-2 SAK-CH2-FP 0+901 wadi depth 1.08 m, braided, raise 1.04 m (R bank 34.66, bed 33.58)
objects removed over 5 m; bed at the edge of the 30 m window; second low beyond the left and right bank




SAKCH2-3 SAK-CH2-FP 2+357 wadi depth 0.00 m, none, raise 0.00 m (L bank 29.06, bed 28.55)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SAKCH2-4 SAK-CH2-FP 3+123 wadi depth 0.50 m, shallow, raise 2.50 m (R bank 24.31, bed 23.80)
second low beyond the right bank; fix point FIX47: raise = library depth 2.5 m above the GDP bed (bank +0.25 m vs GDP)




SAKCH2-5 SAK-CH2-FP 5+051 wadi depth 0.63 m, shallow, raise 0.46 m (R bank 14.59, bed 13.96)
second low beyond the right bank




SAKCH2-6 SAK-CH2-FP 7+550 wadi depth 0.93 m, shallow, raise 0.94 m (L bank 7.41, bed 6.48)
second low beyond the left bank



SAKCH2-7 SAK-CH2-FP 8+768 wadi depth 0.00 m, none, raise 2.50 m (L bank 5.39, bed 4.69)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank; fix point FIX48: raise = library depth 2.5 m above the GDP bed (bank +0.88 m vs GDP)




SAKCH2-8 SAK-CH2-FP 9+781 wadi depth 0.51 m, shallow, raise 2.50 m (L bank 1.91, bed 1.41)
second low beyond the right bank; fix point FIX49: raise = library depth 2.5 m above the GDP bed (bank +0.92 m vs GDP)




Wadi depth at the design points - SAK-CH3-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SAKCH3-1 SAK-CH3-SM 0+000 wadi depth 0.53 m, shallow, raise 0.37 m (L bank 20.45, bed 19.93)




SAKCH3-2 SAK-CH3-SM 1+858 wadi depth 1.44 m, clear, raise 1.46 m (L bank 15.03, bed 13.58)




SAKCH3-3 SAK-CH3-SM 3+720 wadi depth 1.50 m, clear, raise 2.50 m (L bank 10.15, bed 8.64)
benches skipped: 0 left, 13 right; fix point FIX46: raise = library depth 2.5 m above the GDP bed (bank +1.82 m vs GDP)




SAKCH3-4 SAK-CH3-SM 4+422 wadi depth 1.68 m, clear, raise 1.70 m (R bank 8.47, bed 6.79)




SAKCH3-5 SAK-CH3-SM 5+078 wadi depth 1.05 m, clear, raise 0.91 m (L bank 6.78, bed 5.73)



SAKCH3-6 SAK-CH3-SM 6+057 wadi depth 0.55 m, shallow, raise 0.19 m (L bank 2.57, bed 2.02)




SAKCH3-7 SAK-CH3-SM 6+473 wadi depth 0.74 m, shallow, raise 2.50 m (R bank 2.36, bed 1.62)
objects removed over 8 m; left bank top beyond the 100 m half-width, at 138 m; second low beyond the left bank; fix point FIX50: raise = library depth 2.5 m above the GDP bed (bank +0.65 m vs GDP)




Wadi depth at the design points - SAK-CH4-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SAKCH4-1 SAK-CH4-SS 0+000 wadi depth 0.00 m, none, raise 0.00 m (R bank 21.60, bed 21.10)
no wadi: no low at the centreline; bed at the edge of the 30 m window; right bank top beyond the 60 m half-width, at 51 m; second low beyond the right bank




SAKCH4-2 SAK-CH4-SS 1+348 wadi depth 0.51 m, shallow, raise 0.39 m (R bank 15.89, bed 15.38)




Wadi depth at the design points - SAK-CH5-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SAKCH5-1 SAK-CH5-SS 0+000 wadi depth 0.00 m, none, raise 0.00 m (L bank 11.32, bed 11.07)
no wadi: depth < 0.5 m; no left bank top within 300 m (max within 60 m used); right bank top beyond the 60 m half-width, at 60 m



SAKCH5-2 SAK-CH5-SS 1+677 wadi depth 0.50 m, shallow, raise 0.47 m (R bank 4.37, bed 3.87)
left bank top beyond the 60 m half-width, at 138 m; second low beyond the left bank



SAKCH5-3 SAK-CH5-SS 2+774 wadi depth 0.51 m, shallow, raise 2.50 m (R bank 2.42, bed 1.91)
left bank top beyond the 60 m half-width, at 64 m; second low beyond the left bank; GDP already 0.07 m above the lower bank; fix point FIX51: raise = library depth 2.5 m above the GDP bed (bank -0.07 m vs GDP)

