

Wadi depth at the design points - SAR-CH1-FP (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SARCH1-1 SAR-CH1-FP 0+000 wadi depth 1.01 m, clear, raise 0.71 m (L bank 110.98, bed 109.97)




SARCH1-2 SAR-CH1-FP 0+760 wadi depth 0.00 m, none, raise 0.00 m (L bank 106.14, bed 105.63)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; second low beyond the left and right bank




SARCH1-3 SAR-CH1-FP 2+082 wadi depth 0.00 m, none, raise 0.00 m (R bank 93.89, bed 93.38)
no wadi: no low at the centreline; bed at the edge of the 30 m window; second low beyond the right bank




SARCH1-4 SAR-CH1-FP 3+052 wadi depth 0.00 m, none, raise 0.00 m (R bank 86.16, bed 85.67)
no wadi: depth < 0.5 m; no right bank top within 300 m (max used)




SARCH1-5 SAR-CH1-FP 4+969 wadi depth 0.00 m, none, raise 0.00 m (R bank 70.72, bed 70.22)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SARCH1-6 SAR-CH1-FP 7+920 wadi depth 0.00 m, none, raise 0.00 m (L bank 50.08, bed 49.58)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SARCH1-7 SAR-CH1-FP 9+865 wadi depth 0.51 m, shallow, raise 0.14 m (R bank 37.89, bed 37.39)
second low beyond the left bank




SARCH1-8 SAR-CH1-FP 11+539 wadi depth 0.51 m, shallow, raise 2.50 m (R bank 27.42, bed 26.91)
fix point FIX41: raise = library depth 2.5 m above the GDP bed (bank +0.17 m vs GDP)




SARCH1-9 SAR-CH1-FP 12+283 wadi depth 0.00 m, none, raise 0.00 m (R bank 23.60, bed 23.03)
no wadi: no low at the centreline; bed at the edge of the 30 m window; benches skipped: 14 left, 0 right




SARCH1-10 SAR-CH1-FP 13+294 wadi depth 1.91 m, clear, raise 1.82 m (L bank 19.01, bed 17.10)




SARCH1-11 SAR-CH1-FP 14+007 wadi depth 0.70 m, shallow, raise 0.81 m (L bank 13.70, bed 13.00)




SARCH1-12 SAR-CH1-FP 15+097 wadi depth 0.82 m, shallow, raise 2.50 m (L bank 10.66, bed 9.84)
second low beyond the left bank; fix point FIX42: raise = library depth 2.5 m above the GDP bed (bank +0.60 m vs GDP)




SARCH1-13 SAR-CH1-FP 15+671 wadi depth 1.09 m, clear, raise 1.43 m (L bank 7.77, bed 6.67)



SARCH1-14 SAR-CH1-FP 17+269 wadi depth 1.07 m, clear, raise 0.64 m (R bank 2.88, bed 1.81)




SARCH1-15 SAR-CH1-FP 17+553 wadi depth 1.91 m, clear, raise 2.50 m (L bank 1.91, bed 0.00)
fix point FIX39: raise = library depth 2.5 m above the GDP bed (bank +0.40 m vs GDP)




Wadi depth at the design points - SAR-CH2-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SARCH2-1 SAR-CH2-SM 0+000 wadi depth 0.57 m, shallow, raise 0.35 m (L bank 27.47, bed 26.90)




SARCH2-2 SAR-CH2-SM 0+681 wadi depth 0.50 m, shallow, raise 0.42 m (R bank 25.25, bed 24.75)
right bank top beyond the 100 m half-width, at 204 m; second low beyond the right bank




SARCH2-3 SAR-CH2-SM 1+718 wadi depth 0.63 m, shallow, raise 0.63 m (L bank 20.01, bed 19.38)




SARCH2-4 SAR-CH2-SM 2+235 wadi depth 1.07 m, clear, raise 0.93 m (R bank 18.20, bed 17.13)




SARCH2-5 SAR-CH2-SM 3+034 wadi depth 0.96 m, shallow, raise 2.50 m (R bank 16.06, bed 15.10)
fix point FIX44: raise = library depth 2.5 m above the GDP bed (bank +1.53 m vs GDP)



SARCH2-6 SAR-CH2-SM 3+531 wadi depth 2.15 m, clear, raise 2.16 m (L bank 13.70, bed 11.55)




SARCH2-7 SAR-CH2-SM 6+142 wadi depth 0.00 m, none, raise 2.50 m (L bank 3.91, bed 3.40)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; right bank top beyond the 100 m half-width, at 82 m; second low beyond the left and right bank; fix point FIX45: raise = library depth 2.5 m above the GDP bed (bank +0.73 m vs GDP)




Wadi depth at the design points - SAR-CH3-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SARCH3-1 SAR-CH3-SS 0+000 wadi depth 0.00 m, none, raise 0.00 m (R bank 101.86, bed 101.35)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; right bank top beyond the 60 m half-width, at 54 m; second low beyond the right bank




SARCH3-2 SAR-CH3-SS 3+014 wadi depth 1.00 m, shallow, raise 0.74 m (L bank 75.70, bed 74.70)



SARCH3-3 SAR-CH3-SS 3+774 wadi depth 0.51 m, shallow, raise 0.00 m (R bank 70.72, bed 70.20)
second low beyond the right bank; GDP already 0.01 m above the lower bank




SARCH3-4 SAR-CH3-SS 5+953 wadi depth 0.51 m, shallow, raise 0.52 m (R bank 54.98, bed 54.47)
second low beyond the right bank



Wadi depth at the design points - SAR-CH4-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SARCH4-1 SAR-CH4-SS 0+000 wadi depth 0.52 m, shallow, raise 0.81 m (R bank 21.15, bed 20.64)
second low beyond the right bank



SARCH4-2 SAR-CH4-SS 2+374 wadi depth 0.53 m, shallow, raise 2.50 m (R bank 12.18, bed 11.65)
fix point FIX43: raise = library depth 2.5 m above the GDP bed (bank +0.55 m vs GDP)

