

Wadi depth at the design points - SHA-CH1-FP (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH1-1 SHA-CH1-FP 0+000 wadi depth 0.00 m, none, raise 0.00 m (L bank 37.97, bed 37.34)
no wadi: undulating ground, a second low beyond both banks; objects removed over 1 m; bed at the edge of the 30 m window; second low beyond the left and right bank




SHACH1-2 SHA-CH1-FP 0+720 wadi depth 0.00 m, none, raise 0.00 m (R bank 34.24, bed 33.74)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; second low beyond the left and right bank




SHACH1-3 SHA-CH1-FP 1+295 wadi depth 1.08 m, braided, raise 0.92 m (L bank 31.47, bed 30.39)
second low beyond the left and right bank




SHACH1-4 SHA-CH1-FP 1+910 wadi depth 0.00 m, none, raise 0.00 m (R bank 28.13, bed 27.63)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; second low beyond the left and right bank




SHACH1-5 SHA-CH1-FP 3+002 wadi depth 0.00 m, none, raise 2.50 m (R bank 22.58, bed 21.98)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank; fix point FIX14: raise = library depth 2.5 m above the GDP bed (bank +0.36 m vs GDP)




SHACH1-6 SHA-CH1-FP 3+502 wadi depth 0.62 m, shallow, raise 0.00 m (R bank 19.71, bed 19.09)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank; fix point FIX14: raise = library depth 2.5 m above the GDP bed (bank +0.36 m vs GDP) GDP already 0.17 m above the lower bank




SHACH1-7 SHA-CH1-FP 4+489 wadi depth 0.00 m, none, raise 0.00 m (R bank 15.39, bed 14.88)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SHACH1-8 SHA-CH1-FP 4+870 wadi depth 0.85 m, shallow, raise 1.04 m (R bank 13.21, bed 12.36)
benches skipped: 41 left, 0 right




SHACH1-9 SHA-CH1-FP 5+223 wadi depth 1.57 m, clear, raise 1.24 m (L bank 11.25, bed 9.67)




SHACH1-10 SHA-CH1-FP 5+616 wadi depth 1.83 m, clear, raise 1.63 m (R bank 9.23, bed 7.40)




SHACH1-11 SHA-CH1-FP 6+625 wadi depth 0.00 m, none, raise 2.50 m (L bank 6.68, bed 6.18)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank; fix point FIX16: raise = library depth 2.5 m above the GDP bed (bank +2.39 m vs GDP)



SHACH1-12 SHA-CH1-FP 7+124 wadi depth 3.27 m, clear, raise 3.26 m (L bank 5.81, bed 2.54)




SHACH1-13 SHA-CH1-FP 8+044 wadi depth 2.66 m, clear, raise 3.00 m (L bank 3.16, bed 0.49)
fix point FIX17: raise = library depth 3.0 m above the GDP bed (bank +2.66 m vs GDP)




Wadi depth at the design points - SHA-CH10-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH10-1 SHA-CH10-SS 0+000 wadi depth 0.70 m, shallow, raise 0.76 m (R bank 27.30, bed 26.60)
left bank top beyond the 60 m half-width, at 82 m; second low beyond the left bank




SHACH10-2 SHA-CH10-SS 1+941 wadi depth 0.51 m, shallow, raise 0.36 m (R bank 15.46, bed 14.94)




SHACH10-3 SHA-CH10-SS 2+945 wadi depth 0.57 m, shallow, raise 2.50 m (R bank 11.77, bed 11.20)
fix point FIX36: raise = library depth 2.5 m above the GDP bed (bank +0.45 m vs GDP)



SHACH10-4 SHA-CH10-SS 3+754 wadi depth 1.09 m, clear, raise 0.88 m (L bank 7.04, bed 5.95)




SHACH10-5 SHA-CH10-SS 4+798 wadi depth 0.00 m, none, raise 0.00 m (R bank 4.20, bed 3.70)
no wadi: undulating ground, a second low beyond both banks; right bank top beyond the 60 m half-width, at 64 m; second low beyond the left and right bank




Wadi depth at the design points - SHA-CH11-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SHACH11-1 SHA-CH11-SS 0+000 wadi depth 0.50 m, shallow, raise 0.24 m (L bank 30.84, bed 30.34)
second low beyond the left bank




SHACH11-2 SHA-CH11-SS 1+352 wadi depth 0.51 m, shallow, raise 2.50 m (L bank 23.93, bed 23.42)
GDP already 0.01 m above the lower bank; fix point FIX31: raise = library depth 2.5 m above the GDP bed (bank -0.01 m vs GDP)




Wadi depth at the design points - SHA-CH12-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH12-1 SHA-CH12-SS 0+000 wadi depth 0.59 m, shallow, raise 0.59 m (R bank 55.52, bed 54.93)
benches skipped: 6 left, 0 right




SHACH12-2 SHA-CH12-SS 0+649 wadi depth 0.88 m, shallow, raise 0.84 m (R bank 50.38, bed 49.49)
benches skipped: 36 left, 0 right




SHACH12-3 SHA-CH12-SS 1+449 wadi depth 0.00 m, none, raise 0.00 m (L bank 45.02, bed 44.17)
no wadi: undulating ground, a second low beyond both banks; right bank top beyond the 60 m half-width, at 82 m; benches skipped: 0 left, 10 right; second low beyond the left bank



SHACH12-4 SHA-CH12-SS 2+524 wadi depth 0.83 m, shallow, raise 0.82 m (L bank 36.19, bed 35.36)




SHACH12-5 SHA-CH12-SS 3+025 wadi depth 1.51 m, braided, raise 1.37 m (L bank 31.94, bed 30.44)
benches skipped: 6 left, 0 right; second low beyond the left bank




Wadi depth at the design points - SHA-CH13-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SHACH13-1 SHA-CH13-SS 0+000 wadi depth 2.74 m, clear, raise 2.50 m (R bank 58.01, bed 55.27)
left bank top beyond the 60 m half-width, at 107 m; fix point FIX53: raise = library depth 2.5 m above the GDP bed (bank +2.20 m vs GDP)




SHACH13-2 SHA-CH13-SS 1+642 wadi depth 0.62 m, shallow, raise 2.50 m (L bank 47.61, bed 46.99)
right bank top beyond the 60 m half-width, at 84 m; GDP already 0.00 m above the lower bank; fix point FIX52: raise = library depth 2.5 m above the GD




Wadi depth at the design points - SHA-CH14-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH14-1 SHA-CH14-SS 0+000 wadi depth 0.71 m, shallow, raise 0.70 m (L bank 25.83, bed 25.12)




SHACH14-2 SHA-CH14-SS 1+856 wadi depth 0.86 m, shallow, raise 0.73 m (L bank 14.52, bed 13.66)



SHACH14-3 SHA-CH14-SS 2+509 wadi depth 0.51 m, shallow, raise 2.50 m (L bank 12.51, bed 12.01)
left bank top beyond the 60 m half-width, at 83 m; fix point FIX28: raise = library depth 2.5 m above the GDP bed (bank +0.47 m vs GDP)




SHACH14-4 SHA-CH14-SS 3+009 wadi depth 1.27 m, clear, raise 1.13 m (R bank 10.21, bed 8.93)




Wadi depth at the design points - SHA-CH15-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH15-1 SHA-CH15-SS 0+000 wadi depth 0.52 m, shallow, raise 0.54 m (R bank 32.46, bed 31.94)
left bank top beyond the 60 m half-width, at 291 m; second low beyond the right bank




SHACH15-2 SHA-CH15-SS 0+821 wadi depth 0.52 m, shallow, raise 2.50 m (R bank 26.52, bed 26.00)
fix point FIX24: raise = library depth 2.5 m above the GDP bed (bank +0.10 m vs GDP)




SHACH15-3 SHA-CH15-SS 1+480 wadi depth 0.51 m, shallow, raise 0.27 m (L bank 21.15, bed 20.63)
right bank top beyond the 60 m half-width, at 100 m; second low beyond the left bank




SHACH15-4 SHA-CH15-SS 2+323 wadi depth 3.39 m, clear, raise 0.11 m (R bank 17.04, bed 13.65)
bed at the edge of the 30 m window; left bank top beyond the 60 m half-width, at 57 m




SHACH15-5 SHA-CH15-SS 2+882 wadi depth 0.52 m, shallow, raise 2.50 m (R bank 14.35, bed 13.84)
fix point FIX25: raise = library depth 2.5 m above the GDP bed (bank +0.25 m vs GDP)




SHACH15-6 SHA-CH15-SS 3+382 wadi depth 1.29 m, clear, raise 1.28 m (R bank 12.80, bed 11.51)



SHACH15-7 SHA-CH15-SS 4+587 wadi depth 0.00 m, none, raise 0.00 m (L bank 8.23, bed 8.22)
no wadi: depth < 0.5 m; bed at the edge of the 30 m window; no left bank top within 300 m (max within 60 m used)




SHACH15-8 SHA-CH15-SS 5+396 wadi depth 0.00 m, none, raise 0.00 m (R bank 4.43, bed 4.25)
no wadi: depth < 0.5 m; left bank top beyond the 60 m half-width, at 67 m; no right bank top within 300 m (max within 60 m used)




Wadi depth at the design points - SHA-CH16-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH16-1 SHA-CH16-SS 0+000 wadi depth 0.50 m, shallow, raise 0.01 m (L bank 34.53, bed 34.02)
second low beyond the left bank




SHACH16-2 SHA-CH16-SS 1+505 wadi depth 0.58 m, shallow, raise 2.50 m (L bank 24.73, bed 24.14)
second low beyond the right bank; fix point FIX21: raise = library depth 2.5 m above the GDP bed (bank +0.60 m vs GDP)




SHACH16-3 SHA-CH16-SS 2+005 wadi depth 0.53 m, shallow, raise 0.38 m (R bank 22.14, bed 21.61)




SHACH16-4 SHA-CH16-SS 2+672 wadi depth 1.31 m, clear, raise 1.30 m (L bank 19.29, bed 17.98)




SHACH16-5 SHA-CH16-SS 3+722 wadi depth 0.90 m, shallow, raise 2.50 m (R bank 15.31, bed 14.40)
fix point FIX22: raise = library depth 2.5 m above the GDP bed (bank +0.94 m vs GDP)




SHACH16-6 SHA-CH16-SS 4+222 wadi depth 0.51 m, shallow, raise 0.55 m (L bank 13.31, bed 12.80)
second low beyond the right bank



SHACH16-7 SHA-CH16-SS 6+108 wadi depth 0.51 m, shallow, raise 0.10 m (L bank 4.29, bed 3.79)
right bank top beyond the 60 m half-width, at 166 m




SHACH16-8 SHA-CH16-SS 6+425 wadi depth 1.61 m, clear, raise 2.50 m (L bank 3.26, bed 1.65)
bed at the edge of the 30 m window; right bank top beyond the 60 m half-width, at 157 m; fix point FIX23: raise = library depth 2.5 m above the GDP b




Wadi depth at the design points - SHA-CH17-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH17-1 SHA-CH17-SS 0+000 wadi depth 0.50 m, shallow, raise 0.07 m (R bank 39.68, bed 39.18)




SHACH17-2 SHA-CH17-SS 1+762 wadi depth 0.50 m, shallow, raise 0.48 m (R bank 27.57, bed 27.07)
second low beyond the right bank




SHACH17-3 SHA-CH17-SS 2+732 wadi depth 0.81 m, shallow, raise 2.50 m (R bank 22.25, bed 21.45)
fix point FIX15: raise = library depth 2.5 m above the GDP bed (bank +0.73 m vs GDP)



SHACH17-4 SHA-CH17-SS 3+232 wadi depth 0.51 m, shallow, raise 0.58 m (R bank 20.08, bed 19.57)
left bank top beyond the 60 m half-width, at 56 m; second low beyond the left bank




SHACH17-5 SHA-CH17-SS 4+404 wadi depth 1.07 m, clear, raise 0.65 m (R bank 15.38, bed 14.31)




Wadi depth at the design points - SHA-CH18-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH18-1 SHA-CH18-SS 0+000 wadi depth 0.00 m, none, raise 0.00 m (L bank 26.57, bed 26.05)
no wadi: undulating ground, a second low beyond both banks; right bank top beyond the 60 m half-width, at 69 m; second low beyond the left and right bank




SHACH18-2 SHA-CH18-SS 0+733 wadi depth 0.51 m, shallow, raise 2.50 m (L bank 22.40, bed 21.88)
GDP already 0.13 m above the lower bank; fix point FIX13: raise = library depth 2.5 m above the GDP bed (bank -0.13 m vs GDP)



SHACH18-3 SHA-CH18-SS 1+233 wadi depth 0.50 m, shallow, raise 0.00 m (R bank 19.11, bed 18.61)
GDP already 0.13 m above the lower bank




SHACH18-4 SHA-CH18-SS 1+769 wadi depth 0.00 m, none, raise 0.00 m (R bank 18.15, bed 17.65)
no wadi: no low at the centreline; bed at the edge of the 30 m window; left bank top beyond the 60 m half-width, at 140 m; second low beyond the left




Wadi depth at the design points - SHA-CH19-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)

SHACH19-1 SHA-CH19-SS 0+000 wadi depth 0.54 m, shallow, raise 0.24 m (L bank 12.28, bed 11.73)
second low beyond the right bank




SHACH19-2 SHA-CH19-SS 1+812 wadi depth 0.00 m, none, raise 2.50 m (R bank 5.77, bed 5.21)
no wadi: no low at the centreline; bed at the edge of the 30 m window; left bank top beyond the 60 m half-width, at 137 m; fix point FIX19: raise = librar




Wadi depth at the design points - SHA-CH2-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH2-1 SHA-CH2-SM 0+000 wadi depth 2.02 m, clear, raise 1.38 m (R bank 87.10, bed 85.09)
objects removed over 14 m




SHACH2-2 SHA-CH2-SM 1+649 wadi depth 0.00 m, none, raise 0.00 m (R bank 76.20, bed 75.69)
no wadi: no low at the centreline; bed at the edge of the 30 m window; second low beyond the right bank




SHACH2-3 SHA-CH2-SM 2+958 wadi depth 2.31 m, clear, raise 2.26 m (L bank 67.38, bed 65.06)




SHACH2-4 SHA-CH2-SM 3+923 wadi depth 0.50 m, shallow, raise 0.17 m (L bank 59.98, bed 59.47)
left bank top beyond the 100 m half-width, at 221 m; second low beyond the right bank




SHACH2-5 SHA-CH2-SM 6+187 wadi depth 0.51 m, shallow, raise 0.04 m (R bank 43.02, bed 42.51)
second low beyond the right bank




SHACH2-6 SHA-CH2-SM 8+971 wadi depth 0.00 m, none, raise 2.50 m (R bank 27.59, bed 27.13)
no wadi: depth < 0.5 m; no right bank top within 300 m (max within 100 m used); fix point FIX40: raise = library depth 2.5 m above the GDP bed (bank



SHACH2-7 SHA-CH2-SM 9+471 wadi depth 0.00 m, none, raise 0.00 m (R bank 23.97, bed 23.32)
no wadi: no low at the centreline; bed at the edge of the 30 m window




SHACH2-8 SHA-CH2-SM 10+184 wadi depth 0.50 m, shallow, raise 0.16 m (L bank 21.11, bed 20.61)




Wadi depth at the design points - SHA-CH20-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH20-1 SHA-CH20-SS 0+000 wadi depth 0.78 m, shallow, raise 1.10 m (R bank 22.30, bed 21.52)




SHACH20-2 SHA-CH20-SS 0+858 wadi depth 0.00 m, none, raise 0.00 m (L bank 17.69, bed 17.15)
no wadi: no low at the centreline; bed at the edge of the 30 m window; second low beyond the left bank




SHACH20-3 SHA-CH20-SS 2+101 wadi depth 0.54 m, shallow, raise 0.34 m (L bank 12.04, bed 11.50)
right bank top beyond the 60 m half-width, at 98 m



SHACH20-4 SHA-CH20-SS 3+141 wadi depth 1.41 m, clear, raise 1.20 m (R bank 9.29, bed 7.88)




H21-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; low




Wadi depth at the design points - SHA-CH3-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH3-1 SHA-CH3-SM 0+000 wadi depth 0.51 m, shallow, raise 0.52 m (L bank 81.64, bed 81.13)




SHACH3-2 SHA-CH3-SM 0+863 wadi depth 2.01 m, clear, raise 2.04 m (L bank 75.92, bed 73.91)




SHACH3-3 SHA-CH3-SM 1+693 wadi depth 1.20 m, clear, raise 1.02 m (L bank 70.04, bed 68.84)




SHACH3-4 SHA-CH3-SM 2+239 wadi depth 2.81 m, clear, raise 2.76 m (R bank 67.48, bed 64.67)




SHACH3-5 SHA-CH3-SM 4+269 wadi depth 0.00 m, none, raise 0.00 m (L bank 54.49, bed 53.99)
no wadi: no low at the centreline; bed at the edge of the 30 m window




SHACH3-6 SHA-CH3-SM 5+937 wadi depth 0.50 m, shallow, raise 0.19 m (R bank 40.45, bed 39.95)
second low beyond the right bank




SHACH3-7 SHA-CH3-SM 8+040 wadi depth 1.49 m, clear, raise 0.82 m (R bank 26.11, bed 24.62)




SHACH3-8 SHA-CH3-SM 8+494 wadi depth 1.06 m, clear, raise 2.50 m (R bank 23.29, bed 22.24)
fix point FIX26: raise = library depth 2.5 m above the GDP bed (bank +1.07 m vs GDP)




SHACH3-9 SHA-CH3-SM 8+994 wadi depth 1.10 m, clear, raise 1.08 m (R bank 20.62, bed 19.52)




SHACH3-10 SHA-CH3-SM 10+300 wadi depth 1.17 m, clear, raise 1.18 m (R bank 13.73, bed 12.57)




SHACH3-11 SHA-CH3-SM 10+803 wadi depth 0.57 m, shallow, raise 2.50 m (R bank 11.66, bed 11.09)
fix point FIX29: raise = library depth 2.5 m above the GDP bed (bank +0.57 m vs GDP)




SHACH3-12 SHA-CH3-SM 11+288 wadi depth 0.90 m, shallow, raise 0.87 m (R bank 9.52, bed 8.62)




SHACH3-13 SHA-CH3-SM 12+178 wadi depth 0.00 m, none, raise 0.00 m (L bank 6.92, bed 6.09)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SHACH3-14 SHA-CH3-SM 12+622 wadi depth 0.52 m, shallow, raise 0.27 m (R bank 5.19, bed 4.67)
second low beyond the right bank




SHACH3-15 SHA-CH3-SM 13+064 wadi depth 0.61 m, shallow, raise 0.46 m (L bank 3.34, bed 2.74)
left bank top beyond the 100 m half-width, at 201 m; second low beyond the left bank



SHACH3-16 SHA-CH3-SM 13+793 wadi depth 0.00 m, none, raise 0.00 m (R bank 1.45, bed 0.87)
no wadi: undulating ground, a second low beyond both banks; left bank top beyond the 100 m half-width, at 141 m; benches skipped: 18 left, 0 right; se




SHACH3-17 SHA-CH3-SM 13+878 wadi depth 0.57 m, shallow, raise 2.50 m (L bank 1.47, bed 0.90)
fix point FIX27: raise = library depth 2.5 m above the GDP bed (bank +0.57 m vs GDP)




Wadi depth at the design points - SHA-CH4-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH4-1 SHA-CH4-SM 0+000 wadi depth 0.52 m, shallow, raise 0.00 m (R bank 37.58, bed 37.06)
benches skipped: 22 left, 0 right; second low beyond the right bank; GDP already 0.61 m above the lower bank




SHACH4-2 SHA-CH4-SM 0+781 wadi depth 0.00 m, none, raise 0.00 m (R bank 35.24, bed 34.74)
no wadi: depth < 0.5 m; bed at the edge of the 30 m window; no right bank top within 300 m (max within 100 m used)




SHACH4-3 SHA-CH4-SM 1+969 wadi depth 0.64 m, shallow, raise 0.53 m (L bank 28.78, bed 28.13)




SHACH4-4 SHA-CH4-SM 2+931 wadi depth 0.00 m, none, raise 2.50 m (L bank 23.77, bed 23.27)
no wadi: undulating ground, a second low beyond both banks; bed at the edge of the 30 m window; right bank top beyond the 100 m half-width, at 149 m; second low




SHACH4-5 SHA-CH4-SM 3+802 wadi depth 3.04 m, clear, raise 3.29 m (L bank 19.64, bed 16.60)




SHACH4-6 SHA-CH4-SM 5+381 wadi depth 0.69 m, shallow, raise 2.50 m (R bank 12.12, bed 11.43)
fix point FIX35: raise = library depth 2.5 m above the GDP bed (bank +0.79 m vs GDP)




SHACH4-7 SHA-CH4-SM 5+881 wadi depth 1.14 m, clear, raise 0.77 m (R bank 10.52, bed 9.37)
objects removed over 3 m




SHACH4-8 SHA-CH4-SM 6+718 wadi depth 0.53 m, shallow, raise 0.42 m (R bank 7.50, bed 6.97)
objects removed over 9 m; second low beyond the left bank




SHACH4-9 SHA-CH4-SM 7+307 wadi depth 0.52 m, shallow, raise 0.60 m (L bank 4.32, bed 3.80)
second low beyond the left bank



SHACH4-10 SHA-CH4-SM 8+168 wadi depth 0.50 m, shallow, raise 0.35 m (L bank 2.06, bed 1.55)




SHACH4-11 SHA-CH4-SM 8+277 wadi depth 0.51 m, shallow, raise 2.50 m (R bank 1.73, bed 1.22)
second low beyond the right bank; fix point FIX34: raise = library depth 2.5 m above the GDP bed (bank +0.28 m vs GDP)




Wadi depth at the design points - SHA-CH5-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH5-1 SHA-CH5-SM 0+000 wadi depth 2.15 m, clear, raise 2.13 m (L bank 53.26, bed 51.11)




SHACH5-2 SHA-CH5-SM 4+768 wadi depth 0.51 m, shallow, raise 2.50 m (R bank 24.45, bed 23.94)
second low beyond the right bank; fix point FIX30: raise = library depth 2.5 m above the GDP bed (bank +0.10 m vs GDP)




SHACH5-3 SHA-CH5-SM 5+785 wadi depth 1.14 m, clear, raise 0.00 m (L bank 18.44, bed 17.29)
objects removed over 6 m; GDP already 0.20 m above the lower bank




SHACH5-4 SHA-CH5-SM 7+183 wadi depth 1.57 m, clear, raise 2.50 m (R bank 13.01, bed 11.43)
fix point FIX32: raise = library depth 2.5 m above the GDP bed (bank +1.55 m vs GDP)



SHACH5-5 SHA-CH5-SM 7+683 wadi depth 0.52 m, shallow, raise 1.21 m (R bank 10.66, bed 10.15)




SHACH5-6 SHA-CH5-SM 8+232 wadi depth 1.21 m, clear, raise 1.23 m (R bank 8.48, bed 7.27)




Wadi depth at the design points - SHA-CH6-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH6-1 SHA-CH6-SM 0+000 wadi depth 0.51 m, shallow, raise 0.86 m (L bank 23.68, bed 23.16)




SHACH6-2 SHA-CH6-SM 1+717 wadi depth 0.50 m, shallow, raise 0.43 m (L bank 16.76, bed 16.25)




SHACH6-3 SHA-CH6-SM 3+023 wadi depth 0.50 m, shallow, raise 2.50 m (L bank 12.51, bed 12.01)
fix point FIX18: raise = library depth 2.5 m above the GDP bed (bank +0.06 m vs GDP)




SHACH6-4 SHA-CH6-SM 3+523 wadi depth 0.50 m, shallow, raise 0.00 m (R bank 10.80, bed 10.30)
second low beyond the right bank; GDP already 0.18 m above the lower bank




SHACH6-5 SHA-CH6-SM 4+406 wadi depth 0.00 m, none, raise 0.00 m (L bank 8.37, bed 8.11)
no wadi: depth < 0.5 m; no left bank top within 300 m (max within 100 m used); right bank top beyond the 100 m half-width, at 236 m



SHACH6-6 SHA-CH6-SM 4+757 wadi depth 0.50 m, shallow, raise 0.11 m (L bank 6.25, bed 5.75)
right bank top beyond the 100 m half-width, at 179 m




SHACH6-7 SHA-CH6-SM 5+159 wadi depth 3.67 m, clear, raise 2.50 m (R bank 3.67, bed 0.00)
benches skipped: 39 left, 0 right; fix point FIX20: raise = library depth 2.5 m above the GDP bed (bank +3.23 m vs GDP)




Wadi depth at the design points - SHA-CH7-SM (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH7-1 SHA-CH7-SM 0+000 wadi depth 1.11 m, braided, raise 0.46 m (R bank 35.04, bed 33.93)
second low beyond the left bank




SHACH7-2 SHA-CH7-SM 0+698 wadi depth 0.00 m, none, raise 0.00 m (L bank 30.35, bed 29.85)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SHACH7-3 SHA-CH7-SM 1+868 wadi depth 1.09 m, clear, raise 2.50 m (R bank 23.90, bed 22.81)
fix point FIX10: raise = library depth 2.5 m above the GDP bed (bank +1.17 m vs GDP)




SHACH7-4 SHA-CH7-SM 2+694 wadi depth 0.50 m, shallow, raise 0.41 m (R bank 19.06, bed 18.56)
objects removed over 3 m




SHACH7-5 SHA-CH7-SM 3+702 wadi depth 1.44 m, clear, raise 1.43 m (L bank 15.99, bed 14.54)




SHACH7-6 SHA-CH7-SM 4+377 wadi depth 1.34 m, clear, raise 1.20 m (R bank 13.58, bed 12.24)




SHACH7-7 SHA-CH7-SM 5+038 wadi depth 1.18 m, braided, raise 0.95 m (L bank 12.44, bed 11.26)
objects removed over 4 m; second low beyond the right bank




SHACH7-8 SHA-CH7-SM 5+737 wadi depth 0.55 m, shallow, raise 2.50 m (L bank 9.71, bed 9.16)
fix point FIX11: raise = library depth 2.5 m above the GDP bed (bank +0.45 m vs GDP)



SHACH7-9 SHA-CH7-SM 6+430 wadi depth 0.00 m, none, raise 0.00 m (R bank 7.46, bed 7.46)
no wadi: depth < 0.5 m; bed at the edge of the 30 m window; no right bank top within 300 m (max within 100 m used)




SHACH7-10 SHA-CH7-SM 7+406 wadi depth 1.94 m, clear, raise 2.50 m (L bank 4.08, bed 2.13)
fix point FIX12: raise = library depth 2.5 m above the GDP bed (bank +1.41 m vs GDP)




Wadi depth at the design points - SHA-CH8-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH8-1 SHA-CH8-SS 0+000 wadi depth 0.52 m, shallow, raise 0.00 m (R bank 26.93, bed 26.41)
GDP already 0.24 m above the lower bank




SHACH8-2 SHA-CH8-SS 1+392 wadi depth 0.51 m, shallow, raise 0.53 m (R bank 19.06, bed 18.55)
left bank top beyond the 60 m half-width, at 60 m; benches skipped: 9 left, 0 right




SHACH8-3 SHA-CH8-SS 3+291 wadi depth 1.32 m, clear, raise 2.50 m (R bank 12.10, bed 10.77)
fix point FIX38: raise = library depth 2.5 m above the GDP bed (bank +1.32 m vs GDP)



SHACH8-4 SHA-CH8-SS 3+880 wadi depth 1.13 m, clear, raise 0.62 m (L bank 9.59, bed 8.45)




SHACH8-5 SHA-CH8-SS 4+527 wadi depth 0.00 m, none, raise 0.00 m (R bank 8.27, bed 7.96)
no wadi: depth < 0.5 m; left bank top beyond the 60 m half-width, at 251 m; no right bank top within 300 m (max within 60 m used)




Wadi depth at the design points - SHA-CH9-SS (GGC4_DTM_GMAP_NSA.tif; objects narrower than 30 m removed, pink; bank top = end of the first rise >= 0.5 m, benches skipped; lower bank dashed, dotted where no wadi)


SHACH9-1 SHA-CH9-SS 0+000 wadi depth 0.00 m, none, raise 0.00 m (L bank 27.70, bed 27.18)
no wadi: undulating ground, a second low beyond both banks; second low beyond the left and right bank




SHACH9-2 SHA-CH9-SS 2+230 wadi depth 0.51 m, shallow, raise 0.00 m (R bank 14.92, bed 14.40)
GDP already 0.03 m above the lower bank




SHACH9-3 SHA-CH9-SS 2+629 wadi depth 0.93 m, shallow, raise 0.92 m (R bank 12.87, bed 11.94)



SHACH9-4 SHA-CH9-SS 3+332 wadi depth 0.98 m, shallow, raise 2.50 m (R bank 11.35, bed 10.37)
fix point FIX37: raise = library depth 2.5 m above the GDP bed (bank +0.96 m vs GDP)



SHACH9-5 SHA-CH9-SS 3+900 wadi depth 1.11 m, clear, raise 1.14 m (R bank 8.11, bed 7.00)



SHACH9-6 SHA-CH9-SS 4+695 wadi depth 0.00 m, none, raise 0.00 m (R bank 4.89, bed 4.35)
no wadi: undulating ground, a second low beyond both banks; left bank top beyond the 60 m half-width, at 83 m; right bank top beyond the 60 m half-

