

VR Session #1

Virtual Reality 101

Slides by Mollie Johnson

A crash course in the fundamentals of the Meta Quest 3S

Download the CAD2VR template on GitHub while we set up the headsets

GitHub Template:


<https://github.com/mojohn23/CAD2VR>

What's included


3S Headset



Left and Right
Controllers



USB-C Charging
Cable




Glasses Spacer




Unboxing

Do not lose any
pieces!



Headset



Controllers

CYBERSICKNESS

VR MOTION SICKNESS

Symptoms



For some users, prolonged usage of VR can lead to headaches, eye strain dizziness, disorientation, or nausea.

If you start to exhibit any of these symptoms, consider taking the headset off and taking a quick break. If symptoms persist, please notify a TA.



CYBERSICKNESS PREVENTION

1

ADJUST THE HEADSET

Adjust the top and back straps so that the headset is snug on your face. Push the lenses closer or farther depending on the width of your eyes. Do not touch the glass.

2

TURN YOUR HEAD TO LOOK

Avoid looking out of your peripheral vision. Stare straight ahead, and physically turn your head to look around.

3

AVOID SUDDEN MOVEMENTS

Avoid jerking your head around or turning around too fast.

4

TAKE BREAKS

Take off the headset to fill out the worksheet.



SET UP YOUR STATIONARY BOUNDARY

Find an empty space away from other classmates. Keep your space clear of things that could be knocked over or damaged.

When prompted, choose "**Stationary Boundary**." To set the floor level, touch your controller to the ground.

