
STUDENT HANDOUT

Guide for Preparing

SHIPPING PAPERS

One of the most frequently cited safety violations of the Hazardous Materials Regulations (HMR), Title 49 CFR Parts 100-185, is the failure of the shipper to properly describe the hazardous material on their shipping paper.



The proper shipping description of a hazardous material consists of:

a **Basic Description**,
additional information (depending on materials and mode of transport),
quantity of hazardous material, and
type of packaging used.

The **Basic Description** of a hazardous material includes the **Identification Number**, the **Proper Shipping Name**, **Hazard Class**, and **Packing Group** (when applicable). This information must be placed on the shipping paper in the specific order required in Part 172, Subpart C of the HMR. By failing to follow these requirements, shippers of hazardous materials not only put themselves at risk of being cited, but more importantly, they put others at risk should an incident or spill occur.

The HMR do not require a shipper to use a special form—it requires the proper information be placed on the shipping papers in the proper sequence. Types of shipping papers used to describe hazardous materials may be bills of lading, invoices, manifests, or plain paper. They may or may not have specific columns identifying the hazardous material, but they must all meet HMR requirements describing the hazardous material.

Hazardous materials must be listed first on a shipping paper that also lists non-hazardous materials, or be written/highlighted in a clearly contrasting color. Alternatively, when a shipping paper has a column captioned "HM" for "hazardous materials," the letter "X" may be placed in that column indicating the hazardous material's description will follow.

Consistent with the requirements of the HMR, this Guide: (1) explains the shipping paper requirements; (2) provides examples of shipping paper entries and formats, including the emergency response telephone number; (3) provides guidance regarding emergency response information; and (4) provides general procedures for retaining shipping papers. Section 172.200 may be checked to identify instances when shipping papers are not required.

Throughout this Guide, "bold" characters are used to highlight required information for the Basic Description. Also, the acronym "**ISHP**" is used to show the proper sequence of information required with the Basic Description.

NOTE: This document is for general guidance only and should not be used to determine compliance with 49 CFR, Parts100-185.

1 SHIPPING PAPER CHECKLIST

STUDENT HANDOUT

You should always check the HMR, Part 172, Subpart C, for specific Shipping paper requirements that may pertain to the materials you are shipping.

Use the following as a guide; additional information may be required.

Shipping Description (§172.202)

The acronym "**ISHP**" spells out the proper sequence of the **Basic Description,** as shown:

Basic Description (proper sequence §172.202(b))

Use the Hazardous Materials Table (HMT) (§172.101)

- I ☐ **I**dentification Number (HMT Column 4)
- S ☐ Proper **S**hipping Name (HMT Column 2)
- H ☐ **H**azard Class (HMT Column 3)
- P ☐ **P**acking Group (HMT Column 5)

Other Information (§172.202)

① ☐ Technical name ("G" in HMT Column 1). See HMR §172.203(k) for specific requirements.

② ☐ Subsidiary hazard(s) (HMT Column 6)

③ ☐ Number and type of packages (i.e., "12 drums" or "12 1A1 drums")

④ ☐ Total quantity (by mass or volume, i.e., "200 kgs" or "50 L")

CONVERSION TABLE
1 lb = .454 kg; 1 gal = 3.785 L

⑤ ☐ "Net Explosive Mass" for Class 1. See HMR §172.202(a)(5)(i) for specific requirements.

⑥ ☐ "EX-xxxx" for Class 1 materials when required. See HMR §172.320(d) for specific requirements.

Additional Descriptions – as applicable (§172.203)

☐ "DOT-SPxxxxx" Special Permit

☐ "Ltd Qty" or "Limited Quantity"

⑦ ☐ "RQ" for Reportable Quantity. See Table 1 to Appendix A of the HMT for specific requirements.

☐ "RESIDUE: LAST CONTAINED***" (Required for tank car with residue)

⑧ ☐ "Marine Pollutant" (for non-bulk by vessel and bulk in all modes). See Appendix B of the HMT for specific requirements.

⑨ ☐ "Poison-Inhalation Hazard" or "Toxic-Inhalation Hazard" and applicable Hazard Zone, e.g., "Zone A," "Zone B,", etc., (HMT Column 7 and §172.102)

☐ "HOT" for liquid elevated temperature materials, when molten or elevated temperature is not part of proper shipping name. See HMR §172.203(n) for specific requirements.

☐ "Organic Peroxides" See HMR §172.203(o) for specific requirements.

☐ "Waste" See HMR §172.102 for specific requirements.

☐ "Radioactive Material" See HMR §172.203(d) for specific requirements.

⑩ ☐ Mode Requirements - Additional information may be required depending on specific mode(s) of transport. See HMR §172.203 for specific requirements.

Emergency Response Telephone Number (§172.201(d), §172.604)

⑪ ☐ "EMERGENCY CONTACT: xxx-xxx-xxxx" (include international access code, if applicable). Offeror's name must appear directly before, after, above, or below the ER number unless clearly visible elsewhere.

⑫ ☐ If the ER number has been contracted with a capable agency, you must include the offeror's name or the contract number.

Shipper's Certification (§172.204)

⑬ ☐ Signed statement: "This is to certify that the above-mentioned materials..." See HMR §172.204 for specific certification statements.

2 §172.101 HAZARDOUS MATERIALS TABLE EXCERPTS

Symbols (1)	Hazardous Materials Descriptions and Proper Shipping Names (2)	Hazard Class or Division (3)	Identification Numbers (4)	PG (5)	Label Codes (6)	Special Provisions (§172.102) (7)	(8) Packaging (§173.***) Exceptions (8A)	Non-bulk (8B)	Bulk (8C)	(9) Quantity Limitations Passenger aircraft/rail (9A)	Cargo aircraft only (9B)
	Acrolein, stabilized	6.1	UN1092	I	6.1, 3	1, B9, B14, B30, B42, B77, T22, TP2, TP7, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden
	Copper cyanide	6.1	UN1587	II	6.1	IB8, IP2, IP4 T3, TP33	153	204	242	25kg	100kg
G	Flammable liquids, n.o.s	3	UN1993	I II III	3 3 3	T11, TP1, TP27 IB2, T7, TP1,TP8, TP28 B1, B52, IB3, T4, TP1, TP29	150 150 150	201 202 203	243 242 242	1L 5L 60L	30L 60L 220L
	Phosphoric acid solution	8	UN1805	III	8	A7, IB3, N34, T4, TP1	154	203	241	5L	60L

SHIPPING DESCRIPTIONS

Hazardous and Non-hazardous Materials*

No. of Units & Container Type ③	HM	BASIC DESCRIPTION Identification Number (UN or NA), Proper Shipping Name, Hazard Class, Packing Group, per 172.101, 172.202, 172.203	TOTAL QUANTITY (Weight, Volume, Gallons, etc.) ④
1 Box		Carriage Bolts	1000 lbs
4 Drums	X	UN1805, Phosphoric acid solution, 8, PGIII	4 gal
1 Drum	X	UN1993, Flammable liquids, n.o.s.	18 gal
		(contains methanol), 3, PGIII ①	
		⑩ This shipment is within limitations for cargo aircraft only.	

*When not listed first, use a contrasting color or highlight the **Basic Description**, and/or place an "X" in the "HM" column when provided.

Toxic Inhalation and Subsidiary Risk

No. of Units & Container Type	BASIC DESCRIPTION Identification Number (UN or NA), Proper Shipping Name, Hazard Class, Packing Group, per 172.101, 172.202, 172.203	TOTAL QUANTITY (Weight, Volume, Gallons, etc.)
③ 10 drums	② UN1092, Acrolein, stabilized, 6.1(3), PGI, Toxic-Inhalation Hazard, Zone A ⑨	④ 1 gal

Reportable Quantity and Marine Pollutant

No. of Units & Container Type	HM	BASIC DESCRIPTION Identification Number (UN or NA), Proper Shipping Name, Hazard Class, Packing Group, per 172.101, 172.202, 172.203	TOTAL QUANTITY (Weight, Volume, Gallons, etc.)
③		⑦	④
1 Box	X	RQ, UN1587, Copper Cyanide, 6.1, PGII, Marine Pollutant	10 lbs
	⑦	⑧ OR	
1 Box	RQ	UN1587, Copper Cyanide, 6.1, PGII, Marine Pollutant	10 lbs
		⑧	

Explosives

No. of Units & Container Type	BASIC DESCRIPTION Identification Number (UN or NA), Proper Shipping Name, Hazard Class, Packing Group, per 172.101, 172.202, 172.203	TOTAL QUANTITY (Weight, Volume, Gallons, etc.)
③ 1 Box	UN0030, Detonators, electric, 1.1B, PGII, EX-number (as applicable) ⑥	⑤ .008 Net Explosive Mass

Hazardous Materials Table

The first step in filling out a shipping paper correctly is to refer to the Hazardous Materials Table (HMT) §172.101 and find the entry that most appropriately describes the hazardous material(s) you are shipping. This information, known as the Basic Description, will include the **I**dentification Number in Column 4, Proper **S**hipping Name in Column 2, **H**azard Class or Division in Column 3, and **P**acking Group in Column 5. If a material has one or more subsidiary hazards, they are identified in Column 6. Subsidiary hazards must be listed with the Basic Description.

Codes listed in columns 1 and 7 indicate there is additional information regarding the hazardous material being shipped—some of which may be required to be entered with the Basic Description. For example, a "G" in Column 1 indicates that the Proper Shipping Name listed must be further identified by the addition of a "technical name" placed in parentheses. The chemical manufacturer or the material safety data sheet should provide this information. Special provision codes listed in Column 7 are defined in §172.102.

After the material is identified in the HMT, Appendices A and B also must be checked. Appendix A is a List of Hazardous Substances and Reportable Quantities (RQ). If the material is listed in Appendix A, you must determine if it meets the definition of the hazardous substance(s) prescribed in §171.8. If it does, and the quantity per package meets or exceeds the RQ amount listed, an additional step must be taken to identify it as a reportable quantity on the shipping paper. (See HMR §172.203(c) for specific requirements.)

Appendix B lists Marine Pollutants. *Non-bulk* packages of hazardous materials that meet the definition of marine pollutant must be marked as such when transported by vessel. When transported by any mode, marine pollutant *bulk* packages must be identified on the shipping papers. (See HMR §172.203(l) for specific requirements.)

Shipping Description

A correct shipping description includes many components, including the Basic Description, which must be placed on a shipping paper in the sequence required in §172.202(b) of the HMR. An easy way to remember this sequence is to refer to the acronym "ISHP": Identification Number, Shipping Name, Hazard Class or Division, and Packing Group.

If a technical name is required, it must be placed in parentheses and listed after the Proper Shipping Name or Basic Description. If applicable, a subsidiary hazard class(es) must be placed in parentheses immediately following the primary hazard class.

The total amount of hazardous materials covered by each description must be indicated by mass or volume with the applicable unit of measure. For example: "200 kgs" or "50 L." The number and type of packages also must be indicated and may include the packaging specification, for example: "12 drums," "12 1H1 drums," or "12 drums (UN 1A1)." The total quantity and types of packagings may be entered before, after, or both before and after the Basic Description.

Additional Description

When additional information is required or provided it must be listed after the Basic Description, unless the HMR states otherwise. Looking at the "Check List" in this guide, you will see many of these identified under Additional Descriptions. Always check §172.203 of the HMR to ensure you have identified all the requirements that pertain to your shipment.

Two exceptions to the regulation for placing additional information after the Basic Description pertain to the "Technical name" and the letters "RQ." The "Technical name" may be placed in parentheses after the Proper Shipping Name or after the Basic Description. The "RQ" may be entered either before or after the Basic Description. On a shipping paper with columns specifically identifying hazardous materials, the "RQ" may replace the "X" normally placed in that column.

Some hazardous materials, such as radioactive materials, require much more specific information than is covered here. Always use Part 172, Subpart C, of the HMR for specific details and other information pertaining to your shipment.

SAMPLE SHIPPING PAPER

STRAIGHT BILL OF LADING

Shipper No. _____

Carrier No. _____

Date _____

Page ____ of ____ (Name of carrier) (SCAC)

TO: Consignee

Street

City State Zip Code

FROM: Shipper **Offeror's Name**

Street

City ⑫ State Zip Code

CONTRACT # 24 hr. Emergency Contact Tel. No. ⑪ **800-555-1234**

Route Vehicle Number

No. of Units & Container Type	HM	BASIC DESCRIPTION Proper Shipping Name, Hazard Class, Identification Number (UN or NA), Packing Group, per 172.101, 172.202, 172.203	TOTAL QUANTITY (Weight, Volume, Gallons, etc.)	WEIGHT (Subject to Correction)	RATE	CHARGES (For Carrier Use Only)
③		I S H P	④			
4 Drums	X	UN1805, Phosphoric acid solution, 8, PGIII	4 gal			
		EMERGENCY CONTACT: 1-800-555-1234 ⑪				
		OR				
		S H I P				
4 Drums	X	Phosphoric acid solution, 8, UN1805, PGIII	4 gal			
		EMERGENCY CONTACT: 1-800-555-4321 Offeror's name or contract# ⑫				

Basic Description sequence and UN Harmonization. The examples shown above are currently allowed in § 172.202(b). Mandatory compliance for the **ISHP** sequence begins January 1, 2013. This guide provides examples using the **ISHP** sequence.

PLACARDS TENDERED: YES ☐ NO ☐

Note – (1) Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property, as follows: "The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding _____ per _____."
(2) Where the applicable tariff provisions specify a limitation of the carrier's liability, absent a release or a value declaration by the shipper and the shipper does not release the carrier's liability or declare a value, the carrier's liability shall be limited to the extent provided by such provisions. See NMFC Item 172.
(3)Commodities requiring special or additional care or attention in handling or stowing must be so marked and packaged as to ensure safe transportation. See section 2(e) of Item 360, Bills of Lading, Freight Bills and Statements of Charges and Section 1(a) of the Contract Terms and Conditions for a list of such articles.

I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packed, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

⑬ Signature

REMIT C.O.D. TO: ADDRESS

COD Amt: $

C.O.D. FEE: PREPAID ☐ COLLECT ☐ $

TOTAL CHARGES: $

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

(Signature of Consignor)

FREIGHT CHARGES

FREIGHT PREPAID (to be prepaid when box at right is checked) ☐ Check box if charges are to be collected

RECEIVED, subject to classifications and tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment.
Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER	CARRIER
PER	PER
	DATE

Permanent post-office address of shipper

PRINTED ON RECYCLED PAPER USING SOYBEAN INK — PRINTED WITH SOY INK

Shipper's Certification

Persons offering hazardous materials for transportation shall certify their shipment is offered in accordance with the HMR. Several options for certification statements are listed in §172.204. Specific statements are required for air shipments. The following is an example of one certification statement: "This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation." These certifications must be signed by a principal, officer, partner, or employee of the shipper or his agent. They may be signed manually, by typewriter, or by other mechanical means.

Retention

The person providing the shipping paper shall record the date the hazardous material is accepted by the carrier (this may vary for rail, vessel, or air), and maintain a copy or electronic image of this shipping paper for two years. The copies must be accessible at or through the

principal place of business; and must be made available if requested by an authorized official of a Federal, State, or local government agency at reasonable times and locations. See HMR §172.201 for specific requirements.

Emergency Response Telephone Number

Shipping papers must contain an emergency response telephone number unless specifically excepted in HMR §172.604(c). This number must include the area code or international access code and be monitored at all times while the material is in transit or in storage incidental to transportation. The person answering must be knowledgeable of the hazardous materials being shipped, or must allow immediate access to a person with that knowledge. This person must be able to assist first responders at the scene of an incident involving the hazardous material, e.g., fire or explosion hazards, protective clothing required, and evacuation distance, etc. Answering services, answering machines, or beepers are not permitted.

The emergency response telephone number may be entered after the shipping description or located in a designated area on the shipping paper clearly visible and easily identified, for example: "EMERGENCY CONTACT: xxx-xxx-xxxx." If the number is placed in one location, it must apply to all hazardous materials described on the shipping paper. If separate emergency numbers are needed for different materials, the corresponding emergency response number must be entered after the shipping description to which it applies. The telephone number may be the number of the person offering the shipment or the number of a hired agency or organization as long as the person monitoring it has the most current information on the material and accepts responsibility for providing this information in an emergency. (Many agencies require a fee to provide this service.)

NOTE: As of October 1, 2010, mandatory compliance with final rule HM-206F, amends the HMR as follows:

- Emergency response (ER) numbers outside the United States must contain the international access code, i.e., "+" (plus sign), country code, and city code as appropriate.
- When entered only once on the shipping paper, the ER number must be prominent, clearly visible, and easily found. Highlighting with larger font or contrasting color may be used.
- If the ER number is the number of the offeror (shipper), the offeror's name must appear directly before, after, above, or below the ER number unless the offeror's name is entered elsewhere on the shipping paper—clearly visible and easily located.
- If the ER number corresponds to a capable agency or organization hired to provide the required emergency information services, they must be given the appropriate emergency information by the offeror. The offeror's name or contract number must appear directly before, after, above, or below the ER number so it is prominent, clearly visible, and easily found.
- A person preparing shipping papers for continued transportation in commerce must include the information identified above as outlined in §172.604. If they assume responsibility for providing the ER number, they must ensure all requirements are met.

Emergency Response Information

The HMR requires that a shipment of hazardous materials includes "emergency response information" on the shipping paper itself or attached to it. This emergency response information would be used in the event of an incident involving hazardous materials to assist emergency responders at the scene. At a minimum, this information must include: (1) the Basic Description (including technical name, if applicable), (2) immediate hazards to health, (3) risks of fire or explosion, (4) immediate precautions to be taken in the event of an accident or incident, (5) immediate methods for handling fires, (6) initial methods for handling spills or leaks in the absence of fire, and (7) preliminary first aid measures. For additional and specific requirements, check Part 172, Subpart G of the HMR.

RIG RUNNER

CONTRACTOR TONY MONTANA

TRACTOR # 4279
4279 T

PERIOD COVERED					
FROM			TO		
MONTH	DAY	YEAR	MONTH	DAY	YEAR
01	01	2018	01	31	2018

ITEM	DATE OF WORK PERFORMED	ODOMETER READING	PARTS PURCHASED	NATURE OF WORK PERFORMED (REPAIRS-OIL CHANGE LUBE-TIRES-BRAKES & ETC.)	PERSON OR FIRM PERFORMING WORK	LOCATION (MACHINE WORK PERFORMED)
1	1/5/18	923,865		OIL, FILTER & LUBE	BEE LINE	
2	1/12/18	927,001	BULBS & FUSES	USE FOR SPARES	UTILITY TRAILER	
3	1/23/18	929,893	STEER TIRES	REPLACE WORN TIRES	SOUTHER TIRE MART	
4	1/25/18	930,245		TRUCK & TRAILER WASH	BLUE BEACON	
5						
6						
7						
8						
9						
10						
11						
12						

ENCLOSE COPY OF RECEIPTS

I CERTIFY THAT THE ABOVE ENTRIES ARE TRUE AND CORRECT

PART 396 of THE DEPARTMENT OF TRANSPORTATION REGULATIONS REQUIRES the carrier to maintain a record of all maintenance.

Tony Montana 1/31/2018

CONTRACTORS SIGNATURE

IF NOT THE CONTRACTOR

RIG RUNNER
519 N. SAM HOUSTON PARKWAY E., SUITE 600 HOUSTON, TEXAS 77060
832-871-4900 FAX 713-675-0077

MAINTENANCE REPORT

OWNER OPERATOR	UNIT NUMBER	MILEAGE	DATE
TONY MONTANA	4279 / 4279T	933,463	1/23/2018

YEAR 2003 MAKE PETE/FONT VIN NO. _____ MONTH OF JANUARY 2018

OK	NEED REPAIR		OK	NEED REPAIR	
☑	☐	PARKING BRAKE	☑	☐	FRAME
☑	☐	AIR PRESSURE READING	☑	☐	FUEL TANK
☑	☐	LEAKAGE TEST	☑	☐	BATTERY
☑	☐	WARNING DEVICE	☑	☐	EXHAUST SYSTEM
☑	☐	SPEEDOMETER/ODOMETER	☑	☐	CONTROL (SERVICE) AND SUPPLY (EMERGENCY) HOSES & CONN.
☑	☐	HORN	☑	☐	DETACHABLE ELECTRIC CONN.
☑	☐	WINDSHIELD WIPERS	☑	☐	HEAD LAMPS
☑	☐	WINDSHIELD AND WINDOWS	☑	☐	CLEARANCE LAMPS
☑	☐	REAR VISION MIRRORS/ SPOT MIRRORS	☐	☒	LAMPS AND REFLECTORS REPLACED MARKER LAMP
☑	☐	PROTECTIVE VALVE	☑	☐	WIRING
☑	☐	CAB	☑	☐	SUSPENSION SYSTEM
☑	☐	EMERGENCY EQUIPMENT FIRE EXT./FUSES/TRIANGLES	☑	☐	FIFTH WHEEL
☑	☐	DOORS	☐	☒	TIRES REPLACED STEER TIRES
☑	☐	CAB STEPS	☑	☐	WHEELS
☑	☐	HOOD HINGES	☑	☐	BRAKE TUBING AND HOSES
☑	☐	MOTOR VEHICLE INSPEC. (EXPIRATION DATE)	☑	☐	BRAKES
☑	☐	PROOF OF INSURANCE ACCIDENT REPORT KIT	☑	☐	STEERING
☑	☐	FLUID LEAKS	☐	☐	FHWA EXPIRES:

TRUCK: REPLACED STEER TIRES 1/23/2018

TRAILER: REPLACED MARKER LAMP - REAR MIDDLE
USED SPARE BULB

DRIVER ACKNOWLEDGMENT: SIGNED Tony Montana

STUDENT HANDOUT

☐ PRE-LEASE SAFETY INSPECTION ☐ QTRLY SAFETY/MAINT. INSPECTION

Date	Truck /Tractor		Trailer		✓	Truck Book Documents Checklist
Terminal	Unit #	Year	Unit #	Year		Current DOT/Annual Inspections
						Current Vehicle Registrations
Inspection Location	Make	Model	Make	Model		Liability Insurance Cab Card
						UCR Registration
Inspector Name	License Plate		License Plate			Hazmat Registration Certificate
						TXDMV Certificate & Cab Card Listing Tractor
Driver Name	VIN		VIN			IFTA License Certificate
						Accident Reporting Kit
Odometer Reading	Tire Size		Tire Size			Copy of Driver's Medical Certificate
						Copy of DOT Operating Authority
	INSP EXP	REG EXP	INSP EXP	REG EXP		Copy of Lease

Truck/Tractor

Item	✓	X	Corrected
CAB BODY & HOOD CONDITION			
INSPECT ALL STEPS & HANDRAILS			
AIR LINES & 7 WAY PLUGS/CORD			
MIRRORS & MIRROR MOUNTS			
REFLECTIVE CONSPICUITY TEST (WHITE)			
5TH WHEEL PLATE & JOWLS			
FRONT BUMPER & MOUNTS			
FUEL LEAKS, FUEL TANKS & MOUNTINGS			
BATTERY BOX MOUNTING & COVER			
MOTOR, TRANSMISSION, OTHER OIL LEAKS			
CARRIER BEARING - NO SLACK			
EXHAUST LEAKS, EXHAUST MOUNTING			
FRAME, CROSS MEMBERS			
STEERING LASH, STEERING COMPONENTS			
SUSPENSION, SPRINGS, SHOCKS, BUSHINGS			
ALL GLASS , PROPER TINT, NOT BROKEN			
WIPER & WASHER OPERATION			
FIRE EXTINGUISHER CHARGED & MOUNTED			
EMERGENCY TRIANGLES KIT			
SPARE BULBS & FUSES			
AIR HORN & STREET HORN			
WHEELS/RIMS/LUG NUTS			
AIR LOSS RATE TEST			
TRACTOR PROTECTION VALVE TEST			
HEAD LIGHTS- HIGH & LOW BEAM			
CAB MARKER & CLEARANCE LAMPS			
TURN SIGNALS & 4 WAY FLASHERS			
TAIL LIGHTS			
REVERSE LIGHT			
BRAKE LIGHTS			
MUD FLAPS & MUD FLAP HANGERS			
REAR REFLECTIVE DOT TAPE (RED/WHITE)			
LICENSE PLATE LAMP			
ABS INDICATOR LAMP ON DASH			
LOW AIR WARNING LAMP & ALARM			
SERVICE BRAKE OPERATION			
PARKING BRAKE OPERATION			
BRAKE COMPONENTS & DRUMS			
AIR LINES PROTECTION - NO RUBBING			
AIR LINE LEAKS & SECUREMENT			
BRAKE SHOES & WHEEL SEALS			
BRAKE SLACK ADJ. & CLEVIS PIN			
BRAKE PODS & MOUNTING			
TIRE TREAD & SIDEWALL CONDITION			

Tire Tread	Brake Adj.	Tire Tread
	FRONT	
	1	
	2	
	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	11	
	12	

* Chains must be 3/8 or 1/2 inch

* Lever Type Binders Not Allowed



* Steer Tires Greater than 4/32"
* All Other Tires Greater than 2/32" Tread

Corrected	X	✓	Truck/Tractor Item
			CRADLE FOR DEVICE RUNNING ELD
			TRUCK SIGNS
			STORAGE BOXES & MOUNTING
			HEADACHE RACK & DECK PLATES
			Trailer
			GLAD HANDS AND SEALS
			7 WAY PLUGS & CORDS
			KING PIN
			COUPLER PLATE
			SAFETY CHAINS/CABLES
			LANDING GEAR & SHOES
			REFLECTIVE TAPE & REFLECTORS
			MUD FLAPS/ MUD FLAP HANGERS
			UNDER CARRIAGE CLEAN/SECURE
			CHECK ALL WELDS FOR CRACKS
			SOLID FRAME CONDITION - NO ROT
			ICC BUMPER CONDITION - DOT TAPE
			TRAILER DECK - NO HOLES, NO DEBRIS
			RUB RAIL CONDITION
			SUSPENSION - SHOCKS, BUSHINGS
			AIR SYSTEM - NO LEAKS
			HUB SEALS- NO LEAKS
			AIR TANK/AIR VALVE/MOUNTING
			TIRE TREAD & SIDEWALL CONDITION
			WHEELS/RIMS/LUG NUTS
			TAIL LIGHTS
			TURN SIGNALS
			MARKER LIGHTS
			BRAKE LIGHTS
			SERVICE BRAKE OPERATION
			PARKING BRAKE OPERATION
			BRAKE COMPONENTS & DRUMS
			AIR LINES PROTECTION - NO RUBBING
			AIR LINE LEAKS & SECUREMENT
			BRAKE SHOES & WHEEL SEALS
			BRAKE SLACK ADJ. & CLEVIS PIN
			BRAKE PODS & MOUNTING
			LICENSE PLATE LAMP
			ABS INDICATOR LAMP
			GN ONLY- TRAILER BREAKAWAY SWITCH
			GN ONLY- TRAILER BRAKE BATTERY
			15- 3/8 OR 1/2" CHAINS
			15 - 4" STRAPS
			4- 4"X4"X4' PIPE STAKES
			15- 4'X4'X8.5' HARDWOOD BOARDS
			MEASURING TAPE- measure load dimensions
			PPE

Notes:

INSPECTOR'S CERTIFICATION

Signature Date

Follow-up Signature Date

DRIVER'S SIGNATURE

Signature Date:

Owner Operator must correct any defects previously noted on DVIR and/or Roadside Insp. Rpt. prior to Leasing with Rig Runner*

MECHANIC'S REPAIR CERTIFICATION

I certify that repairs have been completed as required.

Signature Date

Attach completed work orders and/or receipts for parts & repairs completed for any defects found with this inspection*

SAFETY BULLETIN

Roadside Inspections—Vehicle Maintenance Violations Documentation Procedures

All Roadside Inspection with supporting documents for repairs are to be turned in by the driver to their Terminal the week of the occurrence of the roadside inspection. Supporting documents include the Driver's Vehicle Inspection Report (DVIR), receipts for parts or/and repairs and the Driver's Record of Duty Status for the day of the inspection. Dates for supporting documents such as receipts for parts and repairs for Vehicle Maintenance out of service violations should coincide with the dates the vehicles were placed out of service and should never be for a date after the vehicle has already returned to service.

1. ***All out of service violations must be repaired before a vehicle can be moved!***

2. The person completing repairs on vehicle defects found during a roadside inspection can be either the driver himself or a repairman and should sign for repairs completed on the Roadside Inspection Document

3. A company official should verify repairs were completed, sign the certification statement on the Roadside Inspection Document and follow instruction on emailing, faxing or mailing in.

4. The DVIR or Driver's Vehicle Inspection report that is completed for the date of the inspection should list all of the defects if any found by the driver and any defects pointed out to the driver by the inspecting officer.

    a. Driver Signs DVIR

    b. Repairman or Driver, whoever completes repair, checks off the repairs completed and enters a second signature

    c. A Company official must certify that the repair was completed and sign the DVIR.

5. The Roadside Inspection, the DVIR and supporting documents for repairs (receipts for parts or repair receipts) are to be Certified by local Terminal Management. Local Terminal Management will make sure the Roadside Inspection Certification is faxed or emailed to the appropriate enforcement agency. Terminal Management will scan and email a copy of all Roadside Inspections and supporting documents to Safety.

Federal Register / Vol. 79, No. 243 / Thursday, December 18, 2014 / Rules and Regulations

- PART 396—INSPECTION, REPAIR, AND MAINTENANCE ■ ■ b. Revise paragraph (a)(2) to read as follows: § 396.11 Driver vehicle inspection report(s). * * * * * (2) Report content. (i) The report must identify the vehicle and list any defect or deficiency discovered by ***or reported to the driver*** which would affect the safety of operation of the vehicle or result in its mechanical breakdown. If a driver operates more than one vehicle during the day, a report must be prepared for each vehicle operated. The driver of a passenger-carrying CMV subject to this regulation must prepare and submit a report even if no defect or deficiency is discovered by or reported to the driver; **the drivers of all other commercial motor vehicles are not required to prepare or submit a report if no defect or deficiency is discovered by or reported to the driver.** (ii) The driver must sign the report. On two-driver operations, only one driver needs to sign the driver vehicle inspection report, provided both drivers agree as to the defects or deficiencies identified.

STUDENT HANDOUT

STUDENT HANDOUT

Post Trip Inspection DVIR

- The form requires three signatures
  - Driver Signature when vehicle is discovered to have a defect
  - Signature certifying the repairs have been made
  - Driver Acknowledgement that repairs have been made prior to operation



SOUND EDGE

DRIVER'S VEHICLE INSPECTION REPORT

CARRIER: _____

ADDRESS: _____

DATE: _____ TIME: _____ A.M. _____ P.M.

CHECK ANY DEFECTIVE ITEM AND GIVE DETAILS UNDER "REMARKS"

TRACTOR/ TRUCK NO. _____ ODOMETER READING _____

- ☐ Air Compressor
- ☐ Air Lines
- ☐ Battery
- ☐ Belts and Hoses
- ☐ Body
- ☐ Brake Accessories
- ☐ Brakes, Parking
- ☐ Brakes, Service
- ☐ Clutch
- ☐ Coupling Devices
- ☐ Defroster/Heater
- ☐ Drive Line
- ☐ Engine
- ☐ Exhaust
- ☐ Fifth Wheel
- ☐ Fluid Levels
- ☐ Frame and Assembly
- ☐ Front Axle
- ☐ Fuel Tanks
- ☐ Horn
- ☐ Lights
  - Head/Stop
  - Tail/Dash
  - Turn Indicators
  - Clearance/Marker
- ☐ Mirrors
- ☐ Muffler
- ☐ Oil Pressure
- ☐ Radiator
- ☐ Rear End
- ☐ Reflectors
- ☐ Safety Equipment
  - Fire Extinguisher
  - Flags/Flares/Fusees
  - Reflective Triangles
  - Spare Bulbs and Fuses
  - Spare Seal Beam
- ☐ Starter
- ☐ Steering
- ☐ Suspension System
- ☐ Tire Chains
- ☐ Tires
- ☐ Transmission
- ☐ Trip Recorder
- ☐ Wheels and Rims
- ☐ Windows
- ☐ Windshield Wipers
- ☐ Other

TRAILER(S) NO.(S) _____

- ☐ Brake Connections
- ☐ Brakes
- ☐ Coupling Devices
- ☐ Coupling (King) Pin
- ☐ Doors
- ☐ Hitch
- ☐ Landing Gear
- ☐ Lights - All
- ☐ Reflectors/Reflective Tape
- ☐ Roof
- ☐ Suspension System
- ☐ Tarpaulin
- ☐ Tires
- ☐ Wheels and Rims
- ☐ Other

Remarks: _____

☐ CONDITION OF THE ABOVE VEHICLE IS SATISFACTORY

DRIVER'S SIGNATURE: _____

☐ ABOVE DEFECTS CORRECTED

☐ ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE

MECHANIC'S SIGNATURE: _____ DATE: _____

Post Trip Inspection
DVIR

- 396.11

"(c) **Corrective action.** Prior to requiring or permitting a driver to operate a vehicle, every motor carrier or its agent shall repair any defect or deficiency listed on the driver vehicle inspection report which would be likely to affect the safety of operation of the vehicle.


(1) Every motor carrier or its agent shall certify on the original driver vehicle inspection report which lists any defect or deficiency that the defect or deficiency has been repaired or that repair is unnecessary before the vehicle is operated again."

Always record your total miles driven today

Remember, you must take a minimum 30 minute before you exceed 8 hrs. of On-Duty and Driving combined

Always enter a shipping document number or empty, if you are loaded and do not have a shipping document number, you may record the name of the Shipper and the Commodity you are hauling

STUDENT HANDOUT



DRIVER'S DAILY LOG
(ONE CALENDAR DAY - 24 HOURS)
ORIGINAL - File each day at home terminal
DUPLICATE - Driver retains in his possession for eight days
I certify these entries are true and correct:

06 / 23 / 20 (MONTH / DAY / YEAR)
615 (TOTAL MILEAGE DRIVING TODAY)
4279-4279T (VEHICLE NUMBERS - SHOW EACH UNIT)
1806 (ASSIGNED DRIVER ID)

615 (TOTAL MILES DRIVING TODAY)
Tony Montana (DRIVER'S SIGNATURE IN FULL)
RIG RUNNER (NAME OF CARRIER OR CARRIERS)
NONE (NAME OF CO-DRIVER)
519 N. Sam Houston Parkway E., Suite 600 - Houston TX 77060 (MAIN OFFICE ADDRESS)
8808 ½ LIBERTY Rd, Houston, TX (HOME TERMINAL ADDRESS)

1: OFF DUTY
2: SLEEPER BERTH
3: DRIVING
4: ON DUTY (NOT DRIVING)

TOTAL HOURS: 06 00 / 05 00 / 10 00 / 03 00 = 24 (MUST TOTAL 24 HOURS)

REMARKS
PRETRIP INSP. OKLAHOMA CITY, OK
LOADCHECK PAUL'S VALLEY, OK
LOAD CHECK FT. WORTH, TX
LOAD CHECK GEORGETOWN, TX
30 MIN. BRK. FUEL SAN ANTONIO, TX
UNLOAD LAREDO, TX
LAREDO, TX
POST TRIP INSP.

SHIPPING DOCUMENTS: 802447
B/L or Manifest No.
Shipper & Commodity
Shipping document, manifest number, or name of a shipper and commodity.
Check the time and enter name of place you reported and where released from work and when and where each change of duty occurred. Explain excess hours.

NOTE: ¼ = .25 ½ = .5 ¾ = .75

FROM: OKLAHOMA CITY, OK (STARTING POINT OR PLACE)
TO: LAREDO, TX (DESTINATION OR TURN AROUND POINT OR PLACE)
USE TIME STANDARD AT HOME TERMINAL
21964

DRIVER'S VEHICLE INSPECTION REPORT
AS REQUIRED BY THE D.O.T. FEDERAL MOTOR CARRIER SAFETY REGULATIONS, I SUBMIT THE FOLLOWING:
DATE: 6/23/2020 TRACTOR/TRUCK NO.: 4279 TRAILER(S) NO.(S): 4279T
☑ I DETECT NO DEFECT OR DEFICIENCY IN THIS MOTOR VEHICLE AS WOULD BE LIKELY TO AFFECT THE SAFETY OF ITS OPERATION OR RESULT IN ITS MECHANICAL BREAKDOWN
☐ I DETECT THE FOLLOWING DEFECTS OR DEFICIENCIES IN THIS MOTOR VEHICLE AS WOULD BE LIKELY TO AFFECT THE SAFETY OF ITS OPERATION OR RESULT IN ITS MECHANICAL BREAKDOWN
INDICATE WHETHER DEFECTS ARE ON TRACTOR/TRUCK OR TRAILER - DESCRIBE DEFECT IN DETAIL, USE BACK SIDE IF NECESSARY.
DRIVERS SIGNATURE: Tony Montana
☐ ABOVE DEFECTS CORRECTED
☐ ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE
MECHANIC'S SIGNATURE: DRIVERS SIGNATURE: DATE:

Always enter the DRIVER ID that you were issued


Your Driver's Log should not be signed until completion of you day

Always enter hours totals and your totals need to match the graph and total up to 24 hrs.

Always flag any duty status change with a short description and closest City and State where it occurred

Even though you are required to perform a Pre-trip Inspection, it is your Post-trip Inspection that is to be records at the end of the day

STUDENT HANDOUT



DRIVER'S DAILY LOG
(ONE CALENDAR DAY - 24 HOURS)
ORIGINAL - File each day at home terminal
DUPLICATE - Driver retains in his possession for eight days
I certify these entries are true and correct:

05 / 09 / 20
(MONTH) (DAY) (YEAR)

(TOTAL MILEAGE DRIVING TODAY)

(VEHICLE NUMBERS - (SHOW EACH UNIT))

1806
ASSIGNED DRIVER ID

(TOTAL MILES DRIVING TODAY)

Tony Montana
(DRIVER'S SIGNATURE IN FULL)

RIG RUNNER
(NAME OF CARRIER OR CARRIERS)

N/A
(NAME OF CO-DRIVER)

519 N. Sam Houston Parkway E., Suite 600 - Houston TX 77060
(MAIN OFFICE ADDRESS)

(HOME TERMINAL ADDRESS)

MID-NIGHT 1 2 3 4 5 6 7 8 9 10 11 NOON 1 2 3 4 5 6 7 8 9 10 11 MID-NIGHT

TOTAL HOURS

1: OFF DUTY — 24 00
2: SLEEPER BERTH — 00
3: DRIVING — 00
4: ON DUTY (NOT DRIVING) — 00

24
MUST TOTAL 24 HOURS

NOTE:
¼ = .25
½ = .5
¾ = .75

REMARKS

SHIPPING DOCUMENTS:

OFF DUTY 5/9/2020

B/L or Manifest No.
or
Shipper & Commodity

Shipping document, manifest number, or name of a shipper and commodity
Check the time and enter name of place you reported and where released from work and when and where each change of duty occurred. Explain excess hours.

FROM: (STARTING POINT OR PLACE) TO: (DESTINATION OR TURN AROUND POINT OR PLACE)

USE TIME STANDARD AT HOME TERMINAL

21964

DRIVER'S VEHICLE INSPECTION REPORT
AS REQUIRED BY THE D.O.T. FEDERAL MOTOR CARRIER SAFETY REGULATIONS, I SUBMIT THE FOLLOWING:

DATE: TRACTOR/TRUCK NO.: TRAILER(S) NO.(S):

☐ I DETECT NO DEFECT OR DEFICIENCY IN THIS MOTOR VEHICLE AS WOULD BE LIKELY TO AFFECT THE SAFETY OF ITS OPERATION OR RESULT IN ITS MECHANICAL BREAKDOWN

☐ I DETECT THE FOLLOWING DEFECTS OR DEFICIENCIES IN THIS MOTOR VEHICLE AS WOULD BE LIKELY TO AFFECT THE SAFETY OF ITS OPERATION OR RESULT IN ITS MECHANICAL BREAKDOWN
INDICATE WHETHER DEFECTS ARE ON TRACTOR/TRUCK OR TRAILER - DESCRIBE DEFECT IN DETAIL, USE BACK SIDE IF NECESSARY.

DRIVERS SIGNATURE:

☐ ABOVE DEFECTS CORRECTED
☐ ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE

MECHANIC'S SIGNATURE: DRIVERS SIGNATURE: DATE:

Always enter the DRIVER ID that you were issued

Your Off Duty Driver's Log must be signed

Always complete the graph and enter hours

Multiple off duty days may be recorded on one log form, but you must not cross over into the next month

You do not need to complete or fill in anything on the DVIR for an Off Duty Log

§395.3 Maximum driving time for property-carrying vehicles.

(a) Except as otherwise provided in §395.1, no motor carrier shall permit or require any driver used by it to drive a property-carrying commercial motor vehicle, nor shall any such driver drive a property-carrying commercial motor vehicle, regardless of the number of motor carriers using the driver's services, unless the driver complies with the following requirements:

(1) *Start of work shift.* A driver may not drive without first taking 10 consecutive hours off duty;

(2) *14-hour period.* A driver may drive only during a period of 14 consecutive hours after coming on duty following 10 consecutive hours off duty. The driver may not drive after the end of the 14-consecutive-hour period without first taking 10 consecutive hours off duty.

(3) *Driving time and rest breaks.* (i) *Driving time.* A driver may drive a total of 11 hours during the 14-hour period specified in paragraph (a)(2) of this section.

(ii) *Rest breaks.* Except for drivers who qualify for either of the short-haul exceptions in §395.1(e)(1) or (2), driving is not permitted if more than 8 hours have passed since the end of the driver's last off-duty or sleeper-berth period of at least 30 minutes.

(b) No motor carrier shall permit or require a driver of a property-carrying commercial motor vehicle to drive, nor shall any driver drive a property-carrying commercial motor vehicle, regardless of the number of motor carriers using the driver's services, for any period after—

(1) Having been on duty 60 hours in any period of 7 consecutive days if the employing motor carrier does not operate commercial motor vehicles every day of the week; or

(2) Having been on duty 70 hours in any period of 8 consecutive days if the employing motor carrier operates commercial motor vehicles every day of the week.

(c)(1) Any period of 7 consecutive days may end with the beginning of an off-duty period of 34 or more consecutive hours that includes two periods from 1:00 a.m. to 5:00 a.m.

(2) Any period of 8 consecutive days may end with the beginning of an off-duty period of 34 or more consecutive hours that includes two periods from 1:00 a.m. to 5:00 a.m.

(d) A driver may not take an off-duty period allowed by paragraph (c) of this section to restart the calculation of 60 hours in 7 consecutive days or 70 hours in 8 consecutive days until 168 or more consecutive hours have passed since the beginning of the last such off-duty period. When a driver takes more than one off-duty period of 34 or more consecutive hours within a period of 168 consecutive hours, he or she must indicate in the Remarks section of the record of duty status which such off-duty period is being used to restart the calculation of 60 hours in 7 consecutive days or 70 hours in 8 consecutive days.

[76 FR 81188, Dec. 27, 2011, as amended at 78 FR 58485, Sept. 24, 2013; 78 FR 64181, Oct. 28, 2013]

March 14, 2006

Former Owner and Dispatcher for Pennsylvania Trucking Company Sentenced in Logbook Falsification Case

A U.S. District Court judge in Williamsport, PA sentenced Ronald Wolf, the former owner/operator of RBL Enterprises, Inc. (RBL), Port Treverton, PA, on March 14 and Kenneth Heneisen, an RBL driver/dispatcher, on March 10 for misprision of a felony related to falsification of commercial truck drivers' logbooks. Wolf was sentenced to three years probation and a $2,500 fine, and Heneisen was sentenced with two years probation. Both men admitted to aiding and abetting the falsification of commercial truck drivers' logbooks on a daily basis between 2001 and 2004, thereby causing RBL drivers to exceed the maximum daily driving hours prescribed by law and FMCSA regulation. Wolf also admitted to instructing RBL drivers to destroy supporting documents that contradicted the false logbooks. A primary objective of the FMCSA 'hours-of-service' regulation is to promote public safety through reducing the risk of fatigue-related commercial vehicle accidents. Eight other RBL drivers have been sentenced on related charges. RBL is no longer in business. The investigation was conducted jointly with FMCSA.

January 18, 2006

Former Executive, Dispatcher, and Two Drivers of Virginia Trucking Company Sentenced for Their Roles in Falsifying Drivers' Logbooks

Sentenced for Their Roles in Falsifying Drivers' Logbooks

On January 18, a U.S. District Court judge in Lynchburg VA ordered Norvell Preston, former president of K&C Trucking Co., Inc. (K&C), Rustburg, VA to pay a $10,000 fine and serve 30 days in jail for his role in falsifying driver logbooks to conceal violations of FMCSA 'hours-of-service' regulations. Dispatcher David Martin was fined $3,400 and was placed on three months home confinement. Former K&C drivers Harold Burnett and Grover Adkins were fined $2,000 and $500 respectively by the same judge on January 18, and five other former K&C drivers were sentenced in November 2005 to home confinement or to fines ranging from $500 to $1,500 each. All those sentenced had previously pled guilty to charges of false statements and/or conspiracy related to the logbook falsifications. FMCSA assisted with this investigation.

March 25, 2002

Trucking Company Dispatcher Fined in Hours-of-Service Case

Gary Chamberlain, the chief dispatcher and a driver for Northern Gas Transport, Inc. (NGT), of Lyndonville, VT, was fined $1,000 by a U.S. District Court judge in Burlington, VT, for helping NGT conceal records which disclosed that NGT drivers were driving in excess of hours permitted. As a truck driver, Chamberlain falsified his own logs and as dispatcher, forced drivers to drive beyond the permissible time limits. The remaining defendants in this case, NGT and two of its other officials, will be sentenced April 19, 2002.

April 19, 2002

Northern Gas Transport Fined $75,000, Given 5 Years Probation in Hours-of-Service Scheme

Northern Gas Transport, Inc. (NGT) of Lyndonville, VT, a hauler of propane gas and other hazardous and volatile materials, was fined $75,000 and given 5 years probation by a U.S. District Court judge in Rutland, VT, for falsifying drivers' logs and obstruction of justice. NGT president Bruce Grant was fined $5,000 fine and placed on 2 years probation on the same charges for systemically requiring NGT truckers to drive more than the number of hours permitted by Federal regulations and for hiding documents showing that NGT regularly omitted trips from drivers' logs. NGT's Safety Manager, Bradley Grant, received 2 years probation for concealing documents during the course of a FMCSA compliance review. Last month NGT Dispatcher Gary Chamberlain was fined $1,000 on related charges. The case was investigated by the OIG, with assistance from FMCSA.

November 28, 2017

Virginia Trucking Companies and Four Corporate Officers Sentenced for Violating FMCSA Safety Regulations

USAO, Western District of Virginia - Press Release

On November 28, 2017, Beam Bros Trucking, Inc. (BBT) and Beam Bros Holding Corporation LLC (Beam Holding) were sentenced in U.S. District Court, Harrisonburg, Virginia, and ordered to pay $3.25 million, which includes a $2 million forfeiture, a $250,000 fine, and approximately $1 million in restitution to drivers defrauded of their pay. Gerald Beam, president and chief executive officer, and Garland Beam, vice president, were both sentenced to a 6-month home confinement, 2 years of probation, 100 hours of community service, and a $5,000 fine. Shaun Beam, operations manager, and Nickolas Kozel, chief financial officer, were sentenced to a 3-month home confinement, 2 years of probation, 100 hours of community service, and a $2,000 fine.

On May 16, 2017, BBT and Beam Holding pleaded guilty to conspiracy to commit wire fraud and conspiracy to commit an offense against the United States. Specifically, they were charged with falsification of records in contemplation of a Federal matter, which include drivers' records of duty status (RODs) and timesheets. Gerald Beam, Garland Beam, Shaun Beam, and Nickolas Kozel each pleaded guilty to a misdemeanor charge of conspiracy to commit an offense against the United States, i.e., that they knowingly violated FMCSA's highway safety regulations.

BBT was one of the Nation's largest contract carriers of mail for the U.S. Postal Service (USPS). Over the last 10 years, USPS paid BBT more than $500 million. Between 1999 and 2017, BBT knowingly encouraged, permitted, caused, or required BBT drivers to make trips in violation of FMCSA safety regulations designed to prevent commercial motor vehicle crashes caused by fatigued drivers. Those violations included creating routes that could not be completed within the hours of service (HOS) regulations and causing drivers to falsely record their duty statuses. FMCSA conducted five previous compliance investigations; in two of them, enforcement action was taken and a civil fine was assessed due to hours-of-service violations that endangered the traveling public.

DOT-OIG conducted this investigation jointly with the Department of Labor OIG, USPS-OIG, and Internal Revenue Service Criminal Investigation, and with assistance from FMCSA.

January 17, 2014

Connecticut Company Sentenced in Falsification of Logbooks Scheme

On January 17, 2014, Wisla Express, LLC (Wisla), New Britain, Connecticut, was sentenced in United States District Court, Hartford, Connecticut, to 5 years' probation and a $75,000 fine in connection with its role in presenting falsified documents to the Federal Motor Carrier Safety Administration (FMCSA). Wisla's owner Elzbieta Szteborowski and manager Dariusz Szteborowski were ordered to divest themselves of all ownership interests in Wisla and may not reacquire any ownership interests during the duration of Wisla's probation. Dariusz Szteborowski is not permitted to work for Wisla during the probation period.

Wisla is a commercial passenger carrier operating vans, mini-buses, and tour buses. Wisla's office Manager, Dariusz Szteborowski, of Rocky Hill, Connecticut, previously entered a guilty plea in connection with the scheme.

The investigation disclosed that Szteborowski created and maintained false and fraudulent driver time records or caused others to create false and fraudulent driver logs in order to meet the prescribed reporting requirements. Szteborowski and others working with and for Szteborowski and Wisla often assigned drivers to trips knowing that the drivers would be exceeding the regulated limits of on-duty driving time. In order to hide these violations from FMCSA inspectors, Szteborowski instructed the drivers and/or other Wisla employees to record falsely in the logs that the driver was off-duty during those times, and then Szteborowski submitted the falsified logs to FMCSA during its inspection.

The investigation was conducted with assistance from FMCSA.

February 3, 2011

Federal Charges in Fraudulent Driver's Logbook Case Involving Fatality

On February 3, 2011, a federal grand jury in Philadelphia, Pennsylvania, indicted Valerjis Belovs and charged him with 15-counts of making false statements to the U.S. Department of Transportation. The indictment alleges that Mr. Belovs falsified his driver daily logbooks to conceal the fact that he drove in excess of the allowable driving hours without the required period of rest.

The federal charges are related to a fatality accident on US-76 in Philadelphia, Pennsylvania, in which one person died and five others were seriously injured when a truck operated by Mr. Belovs plowed into stopped traffic.

Mr. Belovs previously pled guilty to various state charges including one count of vehicular homicide. OIG analysis of Mr. Belovs' regulated driver logbooks revealed that he was driving in excess of the maximum allowable hours of operating a commercial vehicle at the time of the accident. According to the indictment, Mr. Belovs made fifteen false entries in his logbooks. In one example, Mr. Belovs recorded that he was in a sleeper berth in Wyethville, Virginia, when he was actually driving in Pennsylvania.

This is a joint investigation with the Montgomery County District Attorney's Office and the Pennsylvania State Police. FMSCA assisted with the investigation.

Note: Indictments, informations, and criminal complaints are only accusations by the government, all defendants are presumed innocent unless and until proven guilty.

Oversize / Overweight Load JSA

LOAD PICKUP		EXPECTED LOAD DELIVERY DATE	
Date:	Start Time:	Date: Time:	
Driver Name:		Salesman:	
Swamper Name:		Pickup Location:	Delivery Location:
Escort 1 Name:			
Escort 2 Name:		Load Description/Scope of work:	
Escort 3 Name:			
Escort 4 Name:			

_____ Check if Route Survey Conducted

Pre-job JSA Meetings

Start: Finish:

Safety topic:

Sequence of Job Steps	Potential Accident or Hazards	Safety Procedures
Inspect Truck&Trailer - **COMPLETE WALK AROUND INSPECTION**	Motor Vehicle Accident	Use spotters for any turns and backing procedures
Inspect Cargo for Pre-existing Damage - Take pictures	Load Securement Failure	Check load securement equipment
Load Cargo	Pinch Points when loading	Ensure proper load securement
Measure / Weigh Cargo - record on Waybill	Overhead obstructions- power lines, trees, overpasses	Break down complex turns- reposition before step 2
Acquire Permit- Hard copy in Driver and Escort's hands	Width obstructions- narrow roads, narrow bridges, poles, trees	Check Overhead Clearances- proceed slowly
Review and Ensure Permit meets or exceeds weight and dimensions of load	Roll-over obstructions- curbs, bollards	Review Permit prior to Trip/ Review prior to all Restarts
Route Survey Review	Wet roads- soft shoulders	STOP WORK AUTHORITY
Follow Permit Instructions and Route		NO DISTRACTED DRIVING
Perform Truck&Trailer WALK AROUND INSPECTION prior to all restarts		
Unload Cargo		

Safety Equipment		Vehicle Safety		Safety Planning/Field ergonomics	
Personal Protective Equipment		Vehicle movement and placement		Safety in motion techniques discussed/	
Site Specific PPE/FRC's/H2S Monitor/Safety Harness		(360 degrees, first move forward, chocks, brakes set		applied to task	
Ladder(s) inspected		Doors closed, engine off, in gear / park, cones, spotter		Stop work authority understood	
Oversize Banners, flags, strobes		First aid kit available		Meet & greet sign in place	
Height Poles		Fire extinguisher		Size&Weight permits in place	
Hazard Cones		Overhead power line clearance		Size&Weight Permits reviewed and understood	
		Straps/chains/binders inspected			
		Driver/Spotter communication method			

Signatures:

Unload OSOW JSA

LOAD PICKUP		EXPECTED LOAD DELIVERY DATE	
Date:	Start Time:	Date:	Time:
Driver Name:		Salesman:	
Swamper Name:		Pickup Location:	Delivery Location:
Lift Operator Name:			
Rigger Name:		Load Description/Scope of work:	
Other:			
Other:			

Pre-job JSA Meetings Start: Finish:	Safety topic:	
Sequence of Job Steps	Potential Accident or Hazards	Safety Procedures
Position Truck & Trailer for Unloading	Motor Vehicle Accident	Use spotters
Rig Up Lift Equipment	Rigging failure	Check rigging
Attach Rigging to Cargo - Taught Lines	Overhead loads	Use tag lines
Remove Load Securement from Cargo	Pinch Points	Check before you work/minimum clearance
Pick and set	Improperly sized spreader bar	Stay off back side of the load
Secure Dunnage and Load Securement Equipment	Touching Power Lines	**KEEP OUT!!** from under a suspended load
Rig Down Lift Equipment		Watch out for each other
		STOP WORK AUTHORITY

PPE/Safety Equipment		Vehicle & Crane Safety		Safety Planning/Field ergonomics	
Personal Protective Equipment		Vehicle movement and placement		Safety in motion techniques discussed/	
Site Specific PPE/FRC's		(360 degrees, first move forward, chocks, brakes set		applied to task	
H2S Monitors/Multi Gas Monitor		Doors closed, engine off, in gear / park, cones, spotter		Stop work authority understood	
Hear / Illness-Water and shade		First aid kit available		Meet & greet sign in place	
Dust Masks		Fire extinguisher		Work permits in place	
Safety Harness / Lanyard		Overhead power line delineation		Clean up work area (trash, etc)	
Ladder(s) inspected		Slings/chains/binders inspected		Hazard recognition tool reviewed	
		Operator/Spotter communication method			


Signatures:

Enter Complete Shipper and Bill To Information including Name, Street Address, City and State

Enter Truck and Trailer Numbers

Enter a Complete Description of the Cargo:
1. Quantity
2. Description
3. Weight
4. Dimensions- Height, Width and Length
5. Indicate if load includes Hazmat

Printed Name & Signatures Required:
1. Shipper
2. Driver
3. Consignee
4. Receiver at Extra Stops



RIG RUNNER

PPE REQUIRED — NO DRIVER WILL BE PAID UNLESS THIS FORM IS COMPLETE, WITH NECESSARY SIGNATURES AND SUPPORTING DOCUMENTATION ATTACHED

519 N SAM HOUSTON PKWY E, Suite 600
Houston, TX 77060
Corporate 832-871-4900
Fax 713-675-0077

BILL OF LADING
NON-NEGOTIABLE
THIS IS NOT AN INVOICE

REMIT TO:
P. O. Box 206546
Dallas, TX 75320-6546

0061860
LOAD NUMBER
459777

Shipper's Order # (Job #): Po ff 459893

BILL TO INFORMATION MUST BE COMPLETED

Bill To: INDEPENDENCE CONTRACT DRILLING
11616 GANAYDA ST.
City: HOUSTON State: TX Zip Code: 77086

Date: 12/18/2019
Freight Payment Terms: ☐ Prepaid ☐ Collect ☐ Third Party ☐ C. O. D.

Co./ Shipper: INDEPENDENCE CONTRACT DRILLING
Rig #
Oil Co.
Well #
City or Town: HOUSTON State: TX Zip Code: 77086

Co./ Consignee: CONCHO - ICD FZ04
Rig #
Oil Co.
Well #: WANDA - 531 H CR 111 @ HWY 349
City or Town: RANKIN State: TX Zip Code:

TRUCK NO.: 5100
TRAILER NO.: 5100 T
OPERATOR/DRIVER NAME: PETER GRIFFIN
SWAMPER NAME: NONE
START TIME: 8:00 AM
AUTHORIZED SIGNATURE
END TIME:
AUTHORIZED SIGNATURE

HazMat Emergency Contact No. | Hazmat Name Or Contract No. | EQUIPMENT TYPE: | EQUIPMENT ORDERED BY: SID SMITH

QTY	ID NUMBER, DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	WEIGHT	LENGTH	WIDTH	HEIGHT	HOURS/ MILES	EQUIP/ RATE	AMOUNT
1	SHAKER SKID	70,000	51'	13'	13'	501M		
TOTAL	OSOW JSA REQUIRED FOR ALL PERMIT LOADS	TOTAL					Permits	

Extra Stop 1: Log Detention Time Here — Loading / Unloading
Shipped/ Rec'd by: In: Out: In: Out: — Line Haul
Extra Stop 2: In: Out: In: Out: — Insurance Surcharge
Shipped/ Rec'd by: Permit Numbers: 38483975683 — Detention Time
DECLARED VALUATION: — Extra Stops
Maximum Liability of $2.00 per pound ($4.41 per kilogram) computed on the total weight of the shipment, unless declared valuation states otherwise. — Total

SHIPPER AND RECEIVER AGREE TO ALL THE TERMS AND CONDITIONS LISTED ON THE REVERSE SIDE OF THIS BILL OF LADING, LIABILITY LIMITATIONS MAY APPLY AS PER 49 USC., SUBS (c)(1)(A) and (B)

Stamp/ Label:

I certify that the above articles are properly classified, described, packaged, marked and labeled and in proper condition for transportation according to applicable standards and regulations.
Shipper Signature: Bourdis Jones
Print Name: BOURDIS JONES Date: 12/18/2019
Received from Shipper in good order, except as noted herein
Driver Signature: PETER GRIFFIN
Print Name: Peter Griffin Date: 12/18/2019
Received in good order, except as noted herein
Consignee Signature: Juan Ramirez
Print Name: JUAN RAMIREZ Date: 12/19/2019

Enter Shipment Destination address completely

If trip destination is a well, enter Operating Co., County, well name & number, rig name and number and location

Enter Permit Number for all loads where a permit is utilized

Have Receiver Stamp or Adhere Sticker in this area for Delivery Verification

UNIT # 4279

TRAILER # 4279T

RIG RUNNER

TRIP # 643011

OVERSIZE: YES ☐ NO ☑

HOT SHOT: YES ☐ NO ☑

LOCAL: YES ☐ NO ☑

Start Date: 1/2/2018 End Date: 1/3/2018

Origin: HOUSTON, TX Stop 1: _____ Stop 2: _____ Destination: MERIDIAN, MS

Driver's Name: TONY MONTANA Co-Driver: _____

BEGINNING MILEAGE: 112,101 ENDING MILEAGE: 112,910 TOTAL MILEAGE: 809

(Same as End Mileage from last Trip)

DATE	STATE OR PROVINCE	HIGHWAYS TRAVELED	INDIVIDUAL STATE MILES
1/2/18	TX	I45, I10	112
1/2/18	LA	I10, I12	251
1/2/18	MS	I10	39
1/3/18	MS	I10	39
1/3/18	LA	I10	255
1/3/18	TX	I10, I45	113

FUEL PURCHASES

COMPLETE ALL SECTIONS FOR EACH PURCHASE

IMPORTANT:

AUDIT OF THIS RECORD WILL REQUIRE THAT ALL PURCHASES USED TO CLAIM CREDIT TO BE VERIFIED BY ORIGINAL VENDOR ISSUED RECEIPT.

	DATE	CITY	STATE	VENDOR	COST PER GAL.	TOTAL GAL.	TOTAL AMOUNT
1	1/2/18	BATON ROUGE	LA	PILOT	249.9	200	499.80
2							
3							
4							
5							
6							

STUDENT HANDOUT

HSE BEHAVIOR BASED SAFETY INTERVENTION FORM

OPERATOR -- DRIVER -- CONTRACTOR

Driver/
Contractor Name: _____

Date: _____ Terminal: _____

ITEM

☐ Equipment Inspection	☐ Equipment Cleanliness	☐ Missing/Incomplete Vehicle Maint.
☐ JSA Completion	☐ Vehicle Maintenance Violations	☐ Missing/Incomplete Trip Reports
☐ PPE	☐ Load Securement Violations	☐ HOS 14 Hour Rule
☐ H2S Monitor	☐ Driver Fitness Violations	☐ HOS 11 Hour Rule
☐ Cell Phone Use	☐ Unsafe Driving Violations	☐ HOS 30 Minute Break
☐ In Line of Fire -- PINCH POINTS	☐ Hazmat Violations	☐ HOS 60/70 Hour Rule
☐ Personal Appearance	☐ OSOW/Permit Violations	☐ HOS Missing Logs
☐ Other _____	☐ Other _____	☐ Other _____

Description: _____

Driver/Contractor Comments: _____

CORRECTIVE ACTION TAKEN

☐ Re-training ☐ Verbal Warning ☐ Written Warning ☐ Probation ☐ Termination

_____ _____
Driver/Contractor Signature Date

_____ _____
Safety Representative Signature Date

]