

# EA-0059 - AQELYN Engineering Archive

## EA-0059 — AQELYN Design System

**Brand:** AQELYN

**Subtitle:** Visual, interaction, accessibility, and product experience system

**Status:** FULL\_COMPLETE

**Date:** 2026-07-09

### Executive Summary

Define the user experience foundation that makes AQELYN simple for non-experts while preserving expert depth on demand.

This document is part of the AQELYN / AQELYN Architecture Baseline v1.0 and is normative for implementation. It supports the product principles: Explain Before You Recommend, Simplicity First, Evidence Before Opinion, Human-Centered Security, and Expert Depth on Demand.

### Scope Domains

- Brand system
- Color and typography
- Layout and grids
- Dashboard components
- Risk cards and findings
- AI explanation interface
- Reports and PDF outputs
- Accessibility and responsive behavior

### 01. Design Philosophy

This section defines the mandatory rules, constraints, and implementation expectations for **Design Philosophy** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-01-01:** The implementation shall apply design philosophy consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-01-02:** The implementation shall apply design philosophy consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-01-03:** The implementation shall apply design philosophy consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-01-04:** The implementation shall apply design philosophy consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-01-05:** The implementation shall apply design philosophy consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Design Philosophy is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Design Philosophy is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Design Philosophy is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Design Philosophy is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Design Philosophy, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 02. Brand Identity

This section defines the mandatory rules, constraints, and implementation expectations for **Brand Identity** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-02-01:** The implementation shall apply brand identity consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-02-02:** The implementation shall apply brand identity consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-02-03:** The implementation shall apply brand identity consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-02-04:** The implementation shall apply brand identity consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-02-05:** The implementation shall apply brand identity consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Brand Identity is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Brand Identity is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Brand Identity is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Brand Identity is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Brand Identity, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 03. Logo Usage

This section defines the mandatory rules, constraints, and implementation expectations for **Logo Usage** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-03-01:** The implementation shall apply logo usage consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-03-02:** The implementation shall apply logo usage consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-03-03:** The implementation shall apply logo usage consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-03-04:** The implementation shall apply logo usage consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-03-05:** The implementation shall apply logo usage consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

### Acceptance Criteria

- Acceptance item 1: Logo Usage is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Logo Usage is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Logo Usage is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Logo Usage is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Logo Usage, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 04. Color System

This section defines the mandatory rules, constraints, and implementation expectations for **Color System** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-04-01:** The implementation shall apply color system consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-04-02:** The implementation shall apply color system consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-04-03:** The implementation shall apply color system consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-04-04:** The implementation shall apply color system consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-04-05:** The implementation shall apply color system consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Color System is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Color System is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Color System is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Color System is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Color System, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 05. Typography

This section defines the mandatory rules, constraints, and implementation expectations for **Typography** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-05-01:** The implementation shall apply typography consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-05-02:** The implementation shall apply typography consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-05-03:** The implementation shall apply typography consistently across all affected modules and maintain traceability to source requirements.

- **\*\*EA-0059-REQ-05-04:\*\*** The implementation shall apply typography consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-05-05:\*\*** The implementation shall apply typography consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Typography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Typography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Typography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Typography is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Typography, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 06. Iconography

This section defines the mandatory rules, constraints, and implementation expectations for **\*\*Iconography\*\*** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **\*\*EA-0059-REQ-06-01:\*\*** The implementation shall apply iconography consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-06-02:\*\*** The implementation shall apply iconography consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-06-03:\*\*** The implementation shall apply iconography consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-06-04:\*\*** The implementation shall apply iconography consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-06-05:\*\*** The implementation shall apply iconography consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.

- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Iconography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Iconography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Iconography is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Iconography is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Iconography, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 07. Spacing and Grid

This section defines the mandatory rules, constraints, and implementation expectations for **Spacing and Grid** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-07-01:** The implementation shall apply spacing and grid consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-07-02:** The implementation shall apply spacing and grid consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-07-03:** The implementation shall apply spacing and grid consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-07-04:** The implementation shall apply spacing and grid consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-07-05:** The implementation shall apply spacing and grid consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Spacing and Grid is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Spacing and Grid is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Spacing and Grid is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Spacing and Grid is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Spacing and Grid, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 08. Navigation

This section defines the mandatory rules, constraints, and implementation expectations for **Navigation** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-08-01:** The implementation shall apply navigation consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-08-02:** The implementation shall apply navigation consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-08-03:** The implementation shall apply navigation consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-08-04:** The implementation shall apply navigation consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-08-05:** The implementation shall apply navigation consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

### Acceptance Criteria

- Acceptance item 1: Navigation is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Navigation is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Navigation is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Navigation is implemented, tested, documented, and linked to the traceability matrix.

### Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Navigation, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 09. Dashboard Layouts

This section defines the mandatory rules, constraints, and implementation expectations for **Dashboard Layouts** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-09-01:** The implementation shall apply dashboard layouts consistently across all affected modules and maintain traceability to source requirements.

- **\*\*EA-0059-REQ-09-02:\*\*** The implementation shall apply dashboard layouts consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-09-03:\*\*** The implementation shall apply dashboard layouts consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-09-04:\*\*** The implementation shall apply dashboard layouts consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-09-05:\*\*** The implementation shall apply dashboard layouts consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Dashboard Layouts is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Dashboard Layouts is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Dashboard Layouts is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Dashboard Layouts is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Dashboard Layouts, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 10. Finding Cards

This section defines the mandatory rules, constraints, and implementation expectations for **\*\*Finding Cards\*\*** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **\*\*EA-0059-REQ-10-01:\*\*** The implementation shall apply finding cards consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-10-02:\*\*** The implementation shall apply finding cards consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-10-03:\*\*** The implementation shall apply finding cards consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-10-04:\*\*** The implementation shall apply finding cards consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-10-05:\*\*** The implementation shall apply finding cards consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules



- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Finding Cards is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Finding Cards is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Finding Cards is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Finding Cards is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Finding Cards, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 11. Evidence Panels

This section defines the mandatory rules, constraints, and implementation expectations for **Evidence Panels** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-11-01:** The implementation shall apply evidence panels consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-11-02:** The implementation shall apply evidence panels consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-11-03:** The implementation shall apply evidence panels consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-11-04:** The implementation shall apply evidence panels consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-11-05:** The implementation shall apply evidence panels consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Evidence Panels is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Evidence Panels is implemented, tested, documented, and linked to the traceability matrix.

- Acceptance item 3: Evidence Panels is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Evidence Panels is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Evidence Panels, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 12. Recommendation Flows

This section defines the mandatory rules, constraints, and implementation expectations for **Recommendation Flows** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-12-01:** The implementation shall apply recommendation flows consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-12-02:** The implementation shall apply recommendation flows consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-12-03:** The implementation shall apply recommendation flows consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-12-04:** The implementation shall apply recommendation flows consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-12-05:** The implementation shall apply recommendation flows consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

### Acceptance Criteria

- Acceptance item 1: Recommendation Flows is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Recommendation Flows is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Recommendation Flows is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Recommendation Flows is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Recommendation Flows, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 13. AI Assistant UI

This section defines the mandatory rules, constraints, and implementation expectations for **AI Assistant UI** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-13-01:** The implementation shall apply ai assistant ui consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-13-02:** The implementation shall apply ai assistant ui consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-13-03:** The implementation shall apply ai assistant ui consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-13-04:** The implementation shall apply ai assistant ui consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-13-05:** The implementation shall apply ai assistant ui consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: AI Assistant UI is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: AI Assistant UI is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: AI Assistant UI is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: AI Assistant UI is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to AI Assistant UI, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 14. Tables and Data Views

This section defines the mandatory rules, constraints, and implementation expectations for **Tables and Data Views** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-14-01:** The implementation shall apply tables and data views consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-14-02:** The implementation shall apply tables and data views consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-14-03:** The implementation shall apply tables and data views consistently across all affected modules and maintain traceability to source requirements.

- **\*\*EA-0059-REQ-14-04:\*\*** The implementation shall apply tables and data views consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-14-05:\*\*** The implementation shall apply tables and data views consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Tables and Data Views is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Tables and Data Views is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Tables and Data Views is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Tables and Data Views is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Tables and Data Views, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 15. Charts and Risk Visuals

This section defines the mandatory rules, constraints, and implementation expectations for **\*\*Charts and Risk Visuals\*\*** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **\*\*EA-0059-REQ-15-01:\*\*** The implementation shall apply charts and risk visuals consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-15-02:\*\*** The implementation shall apply charts and risk visuals consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-15-03:\*\*** The implementation shall apply charts and risk visuals consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-15-04:\*\*** The implementation shall apply charts and risk visuals consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-15-05:\*\*** The implementation shall apply charts and risk visuals consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.

- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Charts and Risk Visuals is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Charts and Risk Visuals is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Charts and Risk Visuals is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Charts and Risk Visuals is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Charts and Risk Visuals, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 16. Reports

This section defines the mandatory rules, constraints, and implementation expectations for **Reports** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **EA-0059-REQ-16-01:** The implementation shall apply reports consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-16-02:** The implementation shall apply reports consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-16-03:** The implementation shall apply reports consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-16-04:** The implementation shall apply reports consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-16-05:** The implementation shall apply reports consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Reports is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Reports is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Reports is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Reports is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Reports, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 17. Notifications

This section defines the mandatory rules, constraints, and implementation expectations for **Notifications** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-17-01:** The implementation shall apply notifications consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-17-02:** The implementation shall apply notifications consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-17-03:** The implementation shall apply notifications consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-17-04:** The implementation shall apply notifications consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-17-05:** The implementation shall apply notifications consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

### Acceptance Criteria

- Acceptance item 1: Notifications is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Notifications is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Notifications is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Notifications is implemented, tested, documented, and linked to the traceability matrix.

### Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Notifications, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 18. Responsive Design

This section defines the mandatory rules, constraints, and implementation expectations for **Responsive Design** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-18-01:** The implementation shall apply responsive design consistently across all affected modules and maintain traceability to source requirements.

- **\*\*EA-0059-REQ-18-02:\*\*** The implementation shall apply responsive design consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-18-03:\*\*** The implementation shall apply responsive design consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-18-04:\*\*** The implementation shall apply responsive design consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-18-05:\*\*** The implementation shall apply responsive design consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Responsive Design is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Responsive Design is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Responsive Design is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Responsive Design is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Responsive Design, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 19. Accessibility

This section defines the mandatory rules, constraints, and implementation expectations for **\*\*Accessibility\*\*** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

## Requirements

- **\*\*EA-0059-REQ-19-01:\*\*** The implementation shall apply accessibility consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-19-02:\*\*** The implementation shall apply accessibility consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-19-03:\*\*** The implementation shall apply accessibility consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-19-04:\*\*** The implementation shall apply accessibility consistently across all affected modules and maintain traceability to source requirements.
- **\*\*EA-0059-REQ-19-05:\*\*** The implementation shall apply accessibility consistently across all affected modules and maintain traceability to source requirements.

## Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Accessibility is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Accessibility is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 3: Accessibility is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Accessibility is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Accessibility, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## 20. Design Tokens

This section defines the mandatory rules, constraints, and implementation expectations for **Design Tokens** within the AQELYN Platform. The guidance is designed to be directly actionable by Codex and human engineers.

### Requirements

- **EA-0059-REQ-20-01:** The implementation shall apply design tokens consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-20-02:** The implementation shall apply design tokens consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-20-03:** The implementation shall apply design tokens consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-20-04:** The implementation shall apply design tokens consistently across all affected modules and maintain traceability to source requirements.
- **EA-0059-REQ-20-05:** The implementation shall apply design tokens consistently across all affected modules and maintain traceability to source requirements.

### Implementation Rules

- All code and configuration must be deterministic, reviewable, and testable.
- All external inputs must be validated before processing.
- All user-facing outputs must be understandable by non-experts and expandable for experts.
- All security decisions must include evidence references and audit metadata.
- All deviations require an Architecture Decision Record and engineering review.

## Acceptance Criteria

- Acceptance item 1: Design Tokens is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 2: Design Tokens is implemented, tested, documented, and linked to the traceability matrix.



- Acceptance item 3: Design Tokens is implemented, tested, documented, and linked to the traceability matrix.
- Acceptance item 4: Design Tokens is implemented, tested, documented, and linked to the traceability matrix.

## Codex Implementation Notes

Codex shall treat this section as binding. When implementing features related to Design Tokens, it shall generate unit tests, integration tests where applicable, and update documentation artifacts in the same pull request.

## Requirements Matrix

| Requirement ID | Requirement                                | Priority  | Verification   |
|----------------|--------------------------------------------|-----------|----------------|
| EA-0059-REQ-01 | Implement Design Philosophy controls       | Mandatory | Review + Tests |
| EA-0059-REQ-02 | Implement Brand Identity controls          | Mandatory | Review + Tests |
| EA-0059-REQ-03 | Implement Logo Usage controls              | Mandatory | Review + Tests |
| EA-0059-REQ-04 | Implement Color System controls            | Mandatory | Review + Tests |
| EA-0059-REQ-05 | Implement Typography controls              | Mandatory | Review + Tests |
| EA-0059-REQ-06 | Implement Iconography controls             | Mandatory | Review + Tests |
| EA-0059-REQ-07 | Implement Spacing and Grid controls        | Mandatory | Review + Tests |
| EA-0059-REQ-08 | Implement Navigation controls              | Mandatory | Review + Tests |
| EA-0059-REQ-09 | Implement Dashboard Layouts controls       | Mandatory | Review + Tests |
| EA-0059-REQ-10 | Implement Finding Cards controls           | Mandatory | Review + Tests |
| EA-0059-REQ-11 | Implement Evidence Panels controls         | Mandatory | Review + Tests |
| EA-0059-REQ-12 | Implement Recommendation Flows controls    | Mandatory | Review + Tests |
| EA-0059-REQ-13 | Implement AI Assistant UI controls         | Mandatory | Review + Tests |
| EA-0059-REQ-14 | Implement Tables and Data Views controls   | Mandatory | Review + Tests |
| EA-0059-REQ-15 | Implement Charts and Risk Visuals controls | Mandatory | Review + Tests |
| EA-0059-REQ-16 | Implement Reports controls                 | Mandatory | Review + Tests |
| EA-0059-REQ-17 | Implement Notifications controls           | Mandatory | Review + Tests |
| EA-0059-REQ-18 | Implement Responsive Design controls       | Mandatory | Review + Tests |
| EA-0059-REQ-19 | Implement Accessibility controls           | Mandatory | Review + Tests |
| EA-0059-REQ-20 | Implement Design Tokens controls           | Mandatory | Review + Tests |

## Traceability Matrix

| Requirement    | Source             | Implementation Target                  | Verification Evidence                 |
|----------------|--------------------|----------------------------------------|---------------------------------------|
| EA-0059-REQ-01 | EA-0059 Section 01 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-02 | EA-0059 Section 02 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-03 | EA-0059 Section 03 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-04 | EA-0059 Section 04 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-05 | EA-0059 Section 05 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-06 | EA-0059 Section 06 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-07 | EA-0059 Section 07 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-08 | EA-0059 Section 08 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-09 | EA-0059 Section 09 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-10 | EA-0059 Section 10 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |
| EA-0059-REQ-11 | EA-0059 Section 11 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |

| EA-0059-REQ-12 | EA-0059 Section 12 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-13 | EA-0059 Section 13 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-14 | EA-0059 Section 14 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-15 | EA-0059 Section 15 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-16 | EA-0059 Section 16 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-17 | EA-0059 Section 17 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-18 | EA-0059 Section 18 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-19 | EA-0059 Section 19 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |  
| EA-0059-REQ-20 | EA-0059 Section 20 | src/, tests/, api/, sdk/ as applicable | CI logs, unit tests, review checklist |

## Engineering Journal

- 2026-07-09: EA-0059 created as part of the final architecture completion set EA-0058 through EA-0061.
- Decision: AQELYN branding is applied while AQELYN remains the internal engineering codename.
- Decision: this package is normative for coding readiness and Codex execution.

## Final Review

The package is approved for implementation baseline use when all files are present, hashes are generated, diagrams render, and PDF/HTML outputs correspond to the Master Markdown.