



# DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

CHANDIGARH  
UNIVERSITY

Discover. Learn. Empower.

## Experiment 5

**Student Name:** Anuj Mehta

**UID:** 23BCS13459

**Branch:** CSE

**Section/Group:** KRG 3-B

**Semester:** 6th

**Date of Performance:** 17/02/2026

**Subject Name:** Full Stack Development – II

**Subject Code:** 23CSH-309

**1. Aim:** To verify the correctness and reliability of the EcoTrack React application by writing automated tests using Jest and React Testing Library, and by analyzing application behavior using debugging tools.

### **2. Objective:**

- Understand the purpose of automated testing in frontend applications
- Write unit tests for JavaScript utility functions using Jest
- Use different Jest matchers to validate expected outputs and behaviors
- Test React components using React Testing Library
- Verify UI rendering by querying elements from the DOM
- Implement asynchronous testing using findBy and waitFor methods
- Apply mocking to simulate API or external data responses in tests
- Perform snapshot testing to detect unintended UI changes
- Debug failing tests and application logic using browser Developer Tools and breakpoints
- Analyze application behavior and errors systematically rather than manual checking

### **3. Implementation / Code:**

#### ▪ **Tools & Technologies Used:-**

- React.js
- JavaScript (ES6)
- Jest Testing Framework
- React Testing Library
- VS Code
- Node.js & npm
- Web Browser (Chrome DevTools)

#### ▪ **Implementation Description:-**

- The EcoTrack application is tested to ensure correctness of both logic and UI behavior.
- Unit testing is performed on utility functions (e.g., calculator function) using Jest.
- React Testing Library is used to render components and verify UI structure.
- Snapshot testing is applied to detect unintended UI changes over time.



- Automated tests improve application reliability and maintainability.
- Debugging tools such as browser DevTools and breakpoints help identify errors in logic or rendering.

▪ **Sample Code Snippet:-**

```
JS Tracker.test.js ×

src > components > JS Tracker.test.js > ...
1  // import { render, screen } from "@testing-library/react";
2  // import Tracker from "./Tracker";
3
4  // test("loads async data", async () => {
5  //   render(<Tracker />);
6
7  //   const text = await screen.findByText(/Eco data loaded/i, {}, { timeout: 3000 });
8
9  //   expect(text).toBeInTheDocument();
10 // });
11
12 import { render } from "@testing-library/react";
13 import Tracker from "./Tracker";
14
15 test("matches snapshot", () => {
16   const { asFragment } = render(<Tracker />);
17   expect(asFragment()).toMatchSnapshot();
18 }) ;
```

JS calc.test.js ×

src > utils > JS calc.test.js > ...

```
1  import { add } from "./calc";
2
3  test("adds two numbers", () => {
4    expect(add(2, 3)).toBe(5);
5  }) ;
```



