## **Details for Parcel Company API**

## TRUCKS: - GET /trucks Params: -**Response:** This endpoint returns all trucks' information. - POST /trucks Params: name(required) **Response:** This endpoint adds a new truck. - GET /trucks/:id Params: id(required) **Response:** This endpoint returns the truck found by id. - PUT /trucks/:id Params: name(required) **Response:** This endpoint allows to update truck name. - DELETE /trucks/:id Params: id(required) **Response:** This endpoint deletes the truck found by id. **PARCELS:** - GET /parcels Params: -**Response:** This endpoint returns all parcels' information. - POST /parcels Params: name(required), weight(required)

**Response:** This endpoint adds a new parcel.

**Routes & Explanation:** 

- GET /parcels/:id

Params: id(required)

Response: This endpoint returns the parcel found by id.

- PUT /parcels/:id

Params: name(required/optional), weight(required/optional)

**Response:** This endpoint allows to update parcel name/weight.

- DELETE /parcels/:id

Params: id(required)

Response: This endpoint deletes the parcel found by id.

## LOADS:

- GET /loads

Params: -

**Response:** This endpoint returns all loads' information.

- POST /loads

Params: truck\_id(required), parcel\_id(required)

**Response:** This endpoint loads the truck with parcel.

- GET /loads/:id

Params: id(required)

**Response:** This endpoint returns the load found by id.

- PUT /loads/:id

Params: truck\_id(required), parcel\_id(required)

**Response:** This endpoint unloads the truck by parcel.