PLAN 1 · BC + DEC · ORIGINAL SYNTHETIC STUDY

Baseline blood-pressure study
血圧研究・ベースライン

Annotated Case Report Form (CRF) · Study Data Tabulation Model (SDTM)

Experimental custom authoring annotations; not standard JASPEHR or a finalized Fast Healthcare Interoperability Resources (FHIR) extension. All fields are blank regardless of entered answers. No real patient data. * Required field.

Plan 1 / 案 1 : Biomedical Concept (BC) + Data Element Concept (DEC) authoring. Official concept codes do not uniquely select an SDTM variable. The separate crfMapping below is an explicit experimental presentation map. Concept-only metadata remains unresolved without it; ID and date-role exceptions are labeled.

Study and participant / 研究・参加者

Study identifier / 研究ID *

study-id · string

BC/DEC exception: Official Identifier BCs exist, but no study-specific BC + DEC to DM.STUDYID correspondence was verified in the pinned COSMoS catalog. This is a catalog/context gap, not a BC modeling limitation; the independent CRF map supplies DM.STUDYID.

Direct → DM.STUDYID (Study Identifier; base SDTM variable, no specialization ID asserted) (separate experimental CRF mapping; not inferred from BC/DEC)

Study-local subject identifier / 研究内参加者ID *

participant-id · string

BC/DEC exception: Official Identifier BCs exist, but no study-local subject BC + DEC to DM.SUBJID correspondence was verified in the pinned catalog. The independent CRF map supplies DM.SUBJID, not USUBJID; this does not mean identifiers cannot be modeled with BCs.

Direct → DM.SUBJID (Subject Identifier for the Study; base SDTM variable, no specialization ID asserted) (separate experimental CRF mapping; not inferred from BC/DEC)

Mapping note: Unique within this study only. DM.USUBJID (Unique Subject Identifier across studies) requires sponsor-managed identity resolution; this demo does not derive it.

Demographics / 人口統計

Birth date / 生年月日 *

birth-date · date

> Input birth-date [birthDate] → used to derive DM.AGE (AGE specialization) (separate experimental CRF mapping; not inferred from BC/DEC); concept output: CDISC concept {"bc":"C69260","dec":"C170981"} (domain unresolved); not a direct mapping.

> Biomedical Concept (BC) + Data Element Concept (DEC): {"bc":"C83217","dec":"C82515"}; domain unresolved from this pair alone.

> Direct → DM.BRTHDTC (BRTHDTC specialization; Date/Time of Birth) (separate experimental CRF mapping; not inferred from BC/DEC)

Age reference date / 年齢基準日 *

reference-date · date

> Input reference-date [referenceDate] → used to derive DM.AGE (AGE specialization) (separate experimental CRF mapping; not inferred from BC/DEC); concept output: CDISC concept {"bc":"C69260","dec":"C170981"} (domain unresolved); not a direct mapping.

> BC/DEC exception: No separate BC + DEC asserted for this study-specific age-reference date; referenceDate is an input role, not a collection-date concept.

> Mapping note: Age-reference input only; not DM.RFSTDTC (Subject Reference Start Date/Time) or VS.VSDTC (vital signs collection date/time).

Sex as collected / 性別

sex · choice · F / Female · INTERSEX / Intersex · M / Male · U / Unknown

> Contained ValueSet: #demo-sex-values · ValueSet version 2025-03-28-demo-1 · 4 permitted codes (complete offline expansion). https://example.org/jaspehr-demo/CodeSystem/cdisc-sex | CodeSystem version 2025-03-28

> Biomedical Concept (BC) + Data Element Concept (DEC): {"bc":"C28421","dec":"C28421"}; domain unresolved from this pair alone.

> Direct → DM.SEX (SEX specialization; Sex; codelist C66731) (separate experimental CRF mapping; not inferred from BC/DEC)

Seated baseline vitals / 座位バイタル

Systolic blood pressure (mmHg) / 収縮期血圧 *

systolic-bp · integer

> Biomedical Concept (BC) + Data Element Concept (DEC): {"bc":"C25298","dec":"C70856"}; domain unresolved from this pair alone.

> Direct → VS.VSORRES (SYSBP specialization; VSTESTCD=SYSBP) (separate experimental CRF mapping; not inferred from BC/DEC)

Diastolic blood pressure (mmHg) / 拡張期血圧

diastolic-bp · integer

> Biomedical Concept (BC) + Data Element Concept (DEC): {"bc":"C25299","dec":"C70856"}; domain unresolved from this pair alone.

> Direct → VS.VSORRES (DIABP specialization; VSTESTCD=DIABP) (separate experimental CRF mapping; not inferred from BC/DEC)

Pulse (beats/min) / 脈拍

pulse · integer

> Biomedical Concept (BC) + Data Element Concept (DEC): {"bc":"C49676","dec":"C70856"}; domain unresolved from this pair alone.

> Direct → VS.VSORRES (PULSE specialization; VSTESTCD=PULSE) (separate experimental CRF mapping; not inferred from BC/DEC)

Measurement notes / 測定メモ

notes · text

> BC/DEC exception: Demonstration-only free text; no BC + DEC pair or SDTM submission mapping specified.

> Not mapped / demonstration-only: Demonstration-only free text; no submission variable or link to an individual vital signs record has been specified.

Mapping intent and review boundaries

Clinical Data Interchange Standards Consortium (CDISC) Dataset Specialization targets: VS = Vital Signs; DM = Demographics; STUDYID = Study Identifier; SUBJID = Subject Identifier for the Study; USUBJID = Unique Subject Identifier across studies; BRTHDTC = Date/Time of Birth; SEX = Sex; PULSE = Pulse Rate; DIABP = diastolic blood pressure; VSORRES = original result; VSTESTCD = vital signs test short name; SYSBP = systolic blood pressure; AGE = age.

> Derived is this demo's intent. The official AGE specialization declares Collected. This demo does not claim full specialization compliance, execute derivations, or generate an SDTM dataset.

Derived direction

birth-date [birthDate] + reference-date [referenceDate] → CDISC concept {"bc":"C69260","dec":"C170981"} (domain unresolved) · see separate explicit CRF mapping

Intent: 生年月日と研究基準日から、基準日時点の年齢を年単位で導出する

Optional derivation description (inert text): referenceDateからbirthDateを差し引いた期間を、基準日時点の年齢として年単位で表す。満年齢か小数年齢か、部分日付・閏日・丸め等の扱いは下流仕様で明示的に決定する。

Unresolved downstream decisions: completed years versus fractional age; partial or missing dates; leap-day birthdays; timezone/date boundaries; invalid date order; rounding. No age is calculated in this demonstration.

Raw authoring metadata

The original attributes and unknown metadata are preserved in the downloadable Questionnaire JSON. This display never evaluates annotation content.

Mapping intents


```
{"inputs":[{"linkId":"birth-date","role":"birthDate"},{"linkId":"reference-
date","role":"referenceDate"}],"output":{"cdiscConcept":{"bc":"C69260","dec":"C170981"}},"intent":"生年月日と研究基準日から、基準日時点の年齢を年単位で導出する","derivationDescription":"referenceDateからbirthDateを差し引いた期間を、基準日時点の年齢として年単位で表す。満年齢か小数年齢か、部分日付・閏日・丸め等の扱いは下流仕様で明示的に決定する。"}
```


Separate explicit CRF mapping (experimental)

These author-selected entries are not standard CDISC mappings and are not inferred from BC/DEC.


```
{"status":"Experimental explicit CRF annotation mapping; never inferred from BC/DEC","direct":
[{"linkId":"study-id","target":{"sdtmVariableTarget":{"domain":"DM","variable":"STUDYID"}}},
{"linkId":"participant-id","target":{"sdtmVariableTarget":{"domain":"DM","variable":"SUBJID"}}},
{"linkId":"birth-date","target":{"sdtmTarget":"BRTHDTC.BRTHDTC"}},{"linkId":"sex","target":
{"sdtmTarget":"SEX.SEX"}},{"linkId":"systolic-bp","target":{"sdtmTarget":"SYSBP.VSORRES"}},
{"linkId":"diastolic-bp","target":{"sdtmTarget":"DIABP.VSORRES"}},{"linkId":"pulse","target":
{"sdtmTarget":"PULSE.VSORRES"}}],"derived":[{"linkId":"demographics","target":{"sdtmTarget":"AGE.AGE"}}]}
```

Independent synthetic layout inspired only by the baseline blood-pressure research context of the Systolic Blood Pressure Intervention Trial (SPRINT). No original form, logo, or affiliation. Source design: author-supplied revision 4 examples.