PureDevs Customer History for WooCommerce 3.1.2 — Feature Reference for the Content Team

> **Part 1 of 2 — front matter, admin map and screens A1–A8. Part 2 holds A9–A18, Part B, §C–§F and the appendix (including the mandatory §D do-not-claim list).**

Who this is for. The content and video team. It is the single source of truth for *what the plugin does and where each thing lives in wp-admin* at version **3.1.2**. Use it to plan demo videos, screen recordings, listing copy and documentation. Every statement is verified against the shipped 3.1.2 code (the "Source" line under each entry points at the file and lines that render it).

What this document is not. It contains no taglines, hooks, video titles, FAQ copy, competitor angles or content ideas. Ideas are produced separately, from the features documented here.

Product	PureDevs Customer History for WooCommerce
Version documented	**3.1.2** (Release 1.5, "See the Whole Customer")
Model	Freemius freemium, product **7511**: a free plugin on WordPress.org plus an optional **Pro** licence that switches the premium features on in place. One plugin, one install, no second download.
Requirements	WordPress 6.0+, WooCommerce 7.0+ (header declares "tested up to 11.0"), PHP 7.4+. HPOS (High-Performance Order Storage) compatible.
Public references	Live demo `https://ch.puredevs.com/wp-admin` (user `demo`, password `demo1234`, read-only) · existing walkthrough video `https://www.youtube.com/watch?v=anFJa63GnfI`. Both are listed in `readme.txt`. Treat them as references, not as sources: the demo may lag the version documented here.
Pricing	Placeholder only; see §E. Never quote a price that is not configured in the Freemius dashboard.
Prepared	2026-09-19, from the `release` branch at 3.1.2 (commit `9899dd1`).

How to use this document

1. **Start with §3 (Admin map)** to learn the menu, the tab bar and every URL slug.
2. **Part A** walks the admin exactly as a user meets it: page by page, and inside each page widget by widget, top to bottom. Every widget, card, table, filter and setting field has its own numbered entry (for example `DASH-14`, `PROF-07`, `STAT-08`). Use the ID when you brief a shot or a scene.
3. **Part B** covers what has no single screen: what is tracked on the storefront, the email digest, the Free limits, the exact definitions behind every score and segment, the nightly schedule, privacy and compatibility.
4. **§C** lists what changed between 3.0.0 and 3.1.2, mapped to entry IDs.
5. **§D is mandatory reading before any copy or script is written.** It is the do-not-claim list.
6. **§F** indexes every screenshot and explains how to re-shoot on another store.

The entry template

Every entry in Part A uses the same shape so it can be scanned quickly:

```
### DASH-07 · "Most viewed products" — FREE
| Where      | Dashboard, last widget of the free grid                                  |
| Screenshot | DASH-07.png · ① heading ② table/chart toggle ③ View All ④ collapse ⑤ table |
What it shows.        Columns, chart type, row count, where links go.
How it's computed.    Data source, order statuses counted, time window, live vs nightly, caching.
Interactions.         Each control, keyed to the callout numbers on the screenshot.
Empty state.          The exact string shown when there is no data (or "none").
Demo prerequisites.   What the demo store must contain so the widget looks good on camera.
Accuracy notes.       ⛔ things you must not claim about it · ⚑ content rule flags.
Source.               file:line that renders it.
```

Legend

Mark	Meaning
FREE	Available in the free build on WordPress.org.
PRO	Requires an active Pro licence or trial. On Free the feature is absent or shown as a locked preview (see A18).
FREE + PRO	Present on Free; Pro adds to it (the entry says what).
⛔ **Do not claim**	A limit on what may be said. The full list is in §D.
⚑ **Content rule**	The feature is on the never-pitch list in `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5 (RFM segments, churn scores, health scores, behavioral tags). Document and film it if needed, but do not lead a piece with it without a decision from the owner.
① ② ③	Numbered callouts drawn on the screenshot. The entry's text uses the same numbers.

Screenshots were captured on a local demo store seeded with synthetic data (60 customers, about 400 orders over 14 months). Names, amounts and dates are fictional. Images live in `docs/marketing/screenshots/`.

---

§1 · Product facts

What it is. A self-hosted customer-intelligence plugin for WooCommerce. It records what shoppers search for, view, add to cart and buy, joins that to WooCommerce orders and customers, and reports it inside wp-admin: a customer-first dashboard, a customer list with filters and saved segments, per-customer profiles with order history, notes and (on Pro) intelligence cards, search and product-view analytics, a revenue snapshot, and an admin-only email digest. Pro adds the intelligence layer (RFM segments, health scores, lifecycle stages, behavioral tags, churn prediction), abandoned-cart observation, a full revenue and product analytics suite, cohort retention, geographic performance, an activity timeline, manual tags, session tooling and the removal of the Free limits.

Where the data lives. Entirely in the store's own WordPress database. There is no external service, API, account or key. Nothing is sent anywhere. The bundled charting library (Chart.js 4.4.1) is served from the plugin folder, not a CDN.

Zero setup. Tracking starts on activation. There is no wizard. Scores and segments on Pro are computed by nightly jobs (see B5), so they appear the day after activation, not instantly.

What the plugin is NOT (from the project's own rules in `CLAUDE.md`, enforced in code):

- It does NOT send marketing emails to customers.
- It does NOT generate or manage coupons.
- It does NOT modify orders, products, or WooCommerce settings.
- It does NOT run automation workflows or campaigns.
- It does NOT connect to external SaaS services or APIs.
- It does NOT manage loyalty points, referral programs, or tier rewards.
- It does NOT provide product recommendation widgets or interest scoring.

- All "action" features belong in a separate Automation Add-on plugin (a different product; this document does not cover it).
- It OBSERVES and REPORTS only. The one outbound action is a manual, one-to-one email the store owner composes and sends from a customer's profile (A4), plus admin-only report emails (B2).

---

§2 · Free vs Pro at a glance (3.1.2)

Capability	FREE	PRO
Customers in the list	Most recent **100**	**Unlimited**
Analytics read window	Most recent **90 days** (collection is never windowed)	**Full history**
Saved custom segments	**1**	**Unlimited** + 5 ready-made intelligence segments
Dashboard widgets	**6**: Top Customers, Latest Orders, Top Selling Products by This Month, Top Searches, Latest Searches, Most viewed products	+ "Most viewed {taxonomy}" widgets (categories, brands) + 12 more: Revenue Analytics with data-integrity check, Retention, LTV distribution, Abandoned Carts, RFM Segments, Health Distribution, Declining Health, Lifecycle Funnel, At Risk, Behavioral Segments, Churn Risk Overview, RFM matrix
Customer list filters	No. of orders, total spent, product purchased	+ Role, country, refund rate, RFM segment, health score, health trend, behavior, manual tag, keyword search, rows per page, lifecycle stage / days
Customer list columns	User, role, orders, pending, refunded, average, total, actions	+ RFM Segment, Health Score, Lifecycle Stage, Behaviors, Refund Rate, Avg Order Gap
Customer profile	Order history by status, Financial Summary, Personal Information, **Notes**	+ Activity Timeline, RFM, Health, Lifecycle, Behavioral, Churn cards, Manual Tags
Order History filters	Date range	+ Total amount, payment method, status, keyword search, rows per page
Revenue	5 KPI cards incl. **Repeat Purchase Rate** + net-revenue trend (90 days)	+ the Dashboard revenue set (time-series, new/returning/guest, data integrity, retention and expected CLV, LTV distribution), Product Revenue, Frequently Bought Together, Revenue Patterns, Geographic Performance, Cohort Retention
Search and discovery	Search Analytics page: top searches, last searches, **Zero-Result Searches**, most viewed products	Statistics suite: Site Pages, Keywords, Zero-Result Searches page, Viewed vs Purchased, Top Selling, category and brand views, Total Spent; Live Sessions / Live Searches / Trash
Customer intelligence (RFM, health, lifecycle, behavioral, churn)	Locked previews	✅ Full, with a Churn Prediction page (at-risk list, alerts, analytics, settings)
Abandoned-cart tracking	—	✅ Observe, detect abandonment and recovery, cart detail (insight only)
Aggregate conversion funnel	—	✅
Guest-to-customer merge	—	✅ automatic, with a one-time backfill
WooCommerce order screen	—	✅ Customer Intelligence meta box

Capability	FREE	PRO
Email digest (admin-only)	Orders + Top customers, **weekly or monthly**	+ Search, Most viewed products, Most viewed categories, + a saved-segment CSV attachment
Segment CSV export	Standard columns	+ Klaviyo and Mailchimp column presets (files only, no API)
Manual tags and notes	Notes	Notes + Manual Tags (page, profile panel, filter, segment condition)
Session data tools	—	Export / import CSV, delete by date range, delete all, show bot sessions, record admin sessions
Self-hosted, HPOS-compatible, no external calls	✅	✅

Correction to earlier material. `readme.txt` and the 3.0.0 brief describe seven Free dashboard widgets including "top categories". In 3.1.2 the category/brand widget and the category panel on Search Analytics only render when Pro is active; Free shows six widgets (see FREE-01). Category and brand view analytics are Pro.


The upgrade story in one line (factual): all data is collected from day one on Free, for every customer and session; activating Pro unlocks the full view and the intelligence layer in place. Nothing is migrated or re-tracked.

---

§3 · Admin map

Everything lives under one top-level menu, **Customer History** (icon: analytics, position 55.5), capability `manage_woocommerce`. Every plugin page also carries a **top tab bar**.

NAV-01.png ▼



NAV-01.png

① admin menu ② top tab bar ③ Sessions tab (Pro) ④ Statistics tab (Pro)

3.1 Menu items and URL slugs

Menu label	Tier	Slug (`admin.php?page=`)	Documented in
Dashboard	FREE	`pd-woo-dashboard`	A1
Customers & Users	FREE	`pd-woo-customers`	A2
Abandoned Carts	PRO	`pd-woo-abandoned-carts`	A11
Segments	FREE	`pd-woo-segments`	A7

Menu label	Tier	Slug (`admin.php?page=`)	Documented in
Order History	FREE	`pd-woo-order-history`	A5
Revenue	FREE	`pd-woo-revenue`	A6
Search Analytics	FREE only (hidden when Pro is active)	`pd-woo-search-analytics`	A8
Cohorts	PRO	`pd-woo-cohorts`	A14 → STAT-08
Churn Prediction	PRO	`pd-woo-churn-prediction`	A12
Sessions	PRO	`pd-woo-sessions`	A9
Statistics	PRO	`pd-woo-stats`	A10
Manual Tags	PRO	`pd-woo-manual-tags`	A13
Settings	FREE	`pd-woo-settings`	A15
Contact Us / Upgrade ➤	Freemius	`pd-woo-dashboard-contact` , `pd-woo-dashboard-pricing`	A17

Pro items are inserted at two seams, one before Segments and one before Settings; the screenshot above shows the resulting order.

3.2 Hidden pages (no menu entry, reached by link)

Page title	Tier	Slug	Reached from
Customer Details	FREE	`pd-woo-customer&user_id=N`	Customers list "View", Top Customers widget, any linked customer name
Send Email to Customer	FREE	`pd-woo-customer-email&user_id=N`	Customers list "Email" button; Churn card "Email this customer"
Cart Detail	PRO	`pd-woo-abandoned-carts&cart_id=N`	Abandoned Carts "View Detail"
Live Searches / Trash	PRO	`pd-woo-searches` , `pd-woo-trash`	Sessions sub-navigation
Statistics reports	PRO	`pd-woo-search-stats` , `pd-woo-zero-result-searches` , `pd-woo-product-view-stats` , `pd-woo-top-selling-stats` , `pd-woo-product-revenue` , `pd-woo-conversion-funnel-stats` , `pd-woo-product-correlations` , `pd-woo-geographic` , `pd-woo-{taxonomy}-stats&pd_taxonomy=…` , `pd-woo-revenue-patterns` , `pd-woo-stats-spent`	Statistics sub-navigation

3.3 Top tab bar

Rendered on every plugin page except the two hidden customer pages. Free: Dashboard · Customers & Users · Order History · Revenue · Segments · **Search Analytics** · Settings. Pro: the Search Analytics tab is removed and **Sessions** and **Statistics** are added before Settings.


3.4 Sub-navigation

- **Statistics**: Site Pages · Keywords · Zero-Result Searches · Viewed vs Purchased Ratio · Top Selling Products by This Month · Product Revenue · Conversion Funnel · Cohort Retention · Frequently Bought Together · Geographic

Performance · one "{Taxonomy} View" tab per eligible product taxonomy (Brand View, Category View on the demo store) · Revenue Patterns · Total Spent.


- **Sessions**: Live Sessions · Live Searches · Trash (count).
- **Churn Prediction**: At-Risk Customers · Alerts (badge with the active count) · Analytics · Settings.

NAV-02.png ▼



NAV-02.png

NAV-03.png ▼



NAV-03.png


Part A · Screen by screen

Sections follow the menu order a user meets on Pro. Every page section opens with a summary table (menu, URL, tier, full-page screenshot) and then lists one entry per widget, card, table, filter or setting field, top to bottom. Pro-only pages are marked PRO in the section title; on Free those menu items do not exist. A18 describes what a Free user sees instead.


Section	Page	Tier	Entry IDs
A1	Dashboard	FREE + PRO	DASH-01 … DASH-21, DASH-B
A2	Customers & Users	FREE + PRO	CUST-01 … CUST-05
A3	Customer Details (profile)	FREE + PRO	PROF-01 … PROF-11, PROF-L
A4	Send Email to Customer	FREE	MAIL-01
A5	Order History	FREE + PRO	ORD-01
A6	Revenue	FREE	REV-01 … REV-03
A7	Segments	FREE + PRO	SEG-01 … SEG-04
A8	Search Analytics	FREE only	SA-01 … SA-06
A9	Sessions	PRO	SESS-01 … SESS-03
A10	Statistics	PRO	STAT-01 … STAT-13
A11	Abandoned Carts	PRO	CART-01, CART-02, CART-L
A12	Churn Prediction	PRO	CHURN-01 … CHURN-04
A13	Manual Tags	PRO	TAGS-01
A14	Cohorts (menu item)	PRO	→ STAT-08
A15	Settings	FREE + PRO	SET-01 … SET-05
A16	WooCommerce order screen	PRO	WC-01
A17	WordPress system surfaces	FREE + PRO	SYS-01 … SYS-04
A18	The Free-tier experience	FREE	FREE-A … FREE-D

A1 · Dashboard


Menu	Customer History → Dashboard (first tab of the top tab bar)
URL	`admin.php?page=pd-woo-dashboard`
Tier	FREE page. Free renders **six** widgets plus at most one upsell banner. Pro adds the taxonomy widgets (DASH-05, DASH-08) and twelve full-width widgets below the grid.
Full-page shot	**`DASH-00.png` ▼** (Pro) · **`FREE-00.png` ▼** (Free)
Entries	DASH-01 … DASH-08, DASH-10 … DASH-21, DASH-B




DASH-00.png (section 1 of 5, top to bottom)




DASH-00.png (section 2 of 5, top to bottom)




DASH-00.png (section 3 of 5, top to bottom)



DASH-00.png (section 4 of 5, top to bottom)



DASH-00.png (section 5 of 5, top to bottom)



FREE-00.png

The page title is "Dashboard". The free widgets sit in a two-column grid (each panel 48 % wide, stacking to one column under 768 px) in a fixed order: Top Customers, Latest Orders, Top Selling Products by This Month, Top Searches, the taxonomy widgets, Latest Searches, Most viewed products. Pro widgets are appended below through the `pdwchs_dashboard_widgets` hook and are full width, in this order: Revenue Analytics, Retention, Lifetime value distribution, Abandoned Carts, Customer Segments (RFM Analysis), Customer Health Distribution, Declining Health Alert, Customer Lifecycle Funnel, At Risk Customers, Behavioral Segments, Churn Risk Overview, RFM matrix. Free widgets are live queries (cached for 30 minutes, limited to the most recent 90 days on Free). Pro intelligence widgets read scores that are recalculated nightly (Part B5). Charts use Chart.js 4.4.1 served from the plugin folder.


Shared widget header (free widgets). Every free widget has the same header: an icon and heading on the left, and on the right a control cluster with a **table-view icon** (title "Table View"), a **chart-view icon** (title "Chart View"), a **"View All"** link and a **collapse caret** (title "Click to Expend", a typo in the source). Table is the default view. The chart view is always

a doughnut chart, 280 px tall, legend at the bottom, fixed ten-color palette. Latest Orders and Latest Searches have no chart toggle.


Readme discrepancy. `readme.txt` and the old 3.0.0 brief count seven free widgets including "top categories". The taxonomy widget renders nothing on Free (see DASH-05), so a Free dashboard shows six.

DASH-01 · "Top Customers" — FREE

Where	Dashboard, first widget (top-left)
Screenshot	`DASH-01.png` ▼ · ① heading ② table / chart toggle ③ View All ④ collapse / expand ⑤ data table. Chart view: `DASH-01-chart.png` ▼



DASH-01.png



DASH-01-chart.png

What it shows. The five highest-spending users. Columns: `Customer` (links to the customer profile, opens in a new tab), `Total Amount`, `Total Orders`.

How it's computed. All users with the administrator, customer or subscriber role, sorted by WooCommerce total spent, top 5. Respects the "Hide users with no orders" setting (SET-01). Lifetime figures, not limited by the 90-day window.

Interactions. ② switches between the table and a doughnut of spend share. ③ opens Customers & Users (A2). ④ collapses the panel.

Empty state. None. With no data the table shows only its header row.


Demo prerequisites. At least five registered customers with completed orders and clearly different totals.

Accuracy notes. Guests are not included; the ranking covers registered users only.

Source. `admin/partials/templates/dashboard/top-customers.php:5–128`

DASH-02 · "Latest Orders" — FREE

Where	Dashboard, top-right
Screenshot	`DASH-02.png` ▼ · ① heading ② View All ③ collapse / expand ④ data table



DASH-02.png

What it shows. The five most recent orders in any status. Columns: `Date`, `Order ID` (links to the WooCommerce order editor), `Customer Name` (guests shown as "Guest"), `Amount`, `Status` (colored pill).

How it's computed. `wc_get_orders()`, newest first, limit 5. No status filter, so pending, cancelled and failed orders appear too.

Interactions. ② opens Order History (A5). ③ collapses. There is no chart view.

Empty state. None (header row only).


Demo prerequisites. A few recent orders in mixed statuses, including one guest order, so the status pills and the "Guest" label are visible.

Accuracy notes. The plugin has no order screen of its own; every order link goes to WooCommerce's editor.


Source. `admin/partials/templates/dashboard/last-orders.php:5–81`

DASH-03 · "Top Selling Products by This Month" — FREE

Where	Dashboard, second row, left
Screenshot	`DASH-03.png` ▼ · ① heading ② table / chart toggle ③ View All (Pro only) ④ collapse / expand ⑤ data table. Chart view: `DASH-03-chart.png` ▼



DASH-03.png



DASH-03-chart.png

What it shows. Top five products for the current calendar month. Columns: `Product Name` (links to the product page), `Purchase Count`.

How it's computed. Orders created this calendar month in on-hold, processing or completed status, counted by line item, top 5.

Interactions. ② doughnut of purchase share. ③ "View All" is rendered only when Pro is active and opens the Statistics report of the same name (STAT-05). ④ collapses.

Empty state. None (header row only). Early in a month the widget can be nearly empty.


Demo prerequisites. Orders dated in the current month across at least five products. Film later in the month.

Accuracy notes. ⛔ The window is fixed to "this month"; there is no date picker. It counts on-hold orders, whereas the revenue cards count completed and processing only, so do not present the two as the same figure.


Source. `admin/partials/templates/dashboard/top-selling-products.php:5-21` ; query `includes/class-pd-customer-history.php:1064-1092`

DASH-04 · "Top Searches" — FREE

Where	Dashboard, second row, right
Screenshot	`DASH-04.png` ▼ · ① heading ② table / chart toggle ③ View All ④ collapse / expand ⑤ data table. Chart view: `DASH-04-chart.png` ▼



DASH-04.png



DASH-04-chart.png

What it shows. The five most-searched storefront keywords. Columns: `Keyword` , `Count` .

How it's computed. `PDWCHS_Search_Stats_Data::get_keyword_counts()` with limit 5, reading `ACTION::search::{term}` rows from the tracking table. Most recent 90 days on Free, full history on Pro.

Interactions. ② doughnut. ③ opens Search Analytics on Free (A8) or Live Searches on Pro (SESS-02). ④ collapses.

Empty state. None (header row only).


Demo prerequisites. Storefront searches made while logged out or as a customer. Admin activity is not tracked by default (Part B1).

Accuracy notes. Counts are raw searches, not unique visitors.


Source. `admin/partials/templates/dashboard/top-searches.php:5-76`

DASH-05 · "Most viewed Product categories" — PRO

Where	Dashboard, third row. One widget per eligible product taxonomy; the heading pattern is "Most viewed {Taxonomy plural}".
Screenshot	`DASH-05.png` ▼ · ① heading ② table / chart toggle ③ View All ④ collapse / expand ⑤ data table. Chart view: `DASH-05-chart.png` ▼



DASH-05.png



DASH-05-chart.png

What it shows. The most viewed terms of a product taxonomy. Columns: `{Taxonomy singular}` (here "Category"), `Count`.

How it's computed. Page views of taxonomy archive URLs (for example `product-category/hoodies`) counted per term. The taxonomy list comes from `PDWCHS_Pro_Helpers::pdwchs_get_product_taxonomies()`: public product taxonomies with an admin UI, excluding product type, visibility, tags, shipping classes and all `pa_*` attributes.

Interactions. ② doughnut. ③ opens the matching "{Singular} View" Statistics tab (STAT-11). ④ collapses.

Empty state. None (header row only).


Demo prerequisites. Category archive visits by non-admin visitors.

Accuracy notes. ⛔ **Renders nothing on Free.** The template lives in the free build, but the taxonomy list falls back to an empty array when the Pro helper class is absent, so no taxonomy widget appears (confirmed on FREE-01). Category views are still recorded on Free; they are just not reported. Do not list category analytics as a Free feature.

Source. `admin/partials/templates/dashboard/top-taxonomy.php:4-58` ; taxonomy list `pro/Helpers/Pro-Helpers.php:75-93`

DASH-06 · "Latest Searches" — FREE

Where	Dashboard, left of the last free row
Screenshot	`DASH-06.png` ▼ · ① heading ② View All ③ collapse / expand ④ data table



DASH-06.png

What it shows. The five most recent storefront searches. Columns: `Keyword` , `Date` .

How it's computed. `get_last_searches( 5 )` on the tracking table, newest first. 90-day window on Free.

Interactions. ② opens Search Analytics (Free) or Live Searches (Pro). ③ collapses. No chart view.

Empty state. None (header row only).


Demo prerequisites. Recent searches, ideally including one term the catalog does not carry.

Accuracy notes. Shows the term and time only, not who searched. Per-customer search history is part of the Pro Activity Timeline (PROF-02).


Source. `admin/partials/templates/dashboard/last-searches.php:5-44`

DASH-07 · "Most viewed products" — FREE

Where	Dashboard, right of the last free row
Screenshot	`DASH-07.png` ▼ · ① heading ② table / chart toggle ③ View All ④ collapse / expand ⑤ data table. Chart view: `DASH-07-chart.png` ▼



DASH-07.png



DASH-07-chart.png

What it shows. Top five products by page views. Columns: `Product Name` (links to the product page), `View count`.

How it's computed. Tracked URLs that start with `product/`, resolved from slug to product, counted, top 5. 90-day window on Free.

Interactions. ② doughnut. ③ opens Search Analytics on Free, or the Statistics product-view report on Pro (STAT-04). ④ collapses.

Empty state. None (header row only).

Demo prerequisites. Product page visits by non-admin visitors spread over several products.


Accuracy notes. Views are page loads, not unique visitors. Bots are only filtered on Pro.

Source. `admin/partials/templates/dashboard/most-viewed-products.php:21-101`


DASH-08 · "Most viewed Brands" — PRO

Where	Dashboard, third row, next to DASH-05. Appears only when the store uses WooCommerce brands (`product_brand`).

Screenshot	`DASH-08.png` ▼ · ① heading ② table / chart toggle ③ View All ④ collapse / expand ⑤ data table. Chart view: `DASH-08-chart.png` ▼



DASH-08.png



DASH-08-chart.png

What it shows. The same widget as DASH-05 for the brand taxonomy. Columns: `Brand`, `Count`.

How it's computed. See DASH-05. One widget is produced per eligible taxonomy, so a store with custom product taxonomies gets more of them.

Interactions. ③ opens "Brand View" under Statistics (STAT-11).

Empty state. None (header row only).


Demo prerequisites. Brands assigned to products and visits to brand archive pages. On the demo store this widget has few rows because brand archives received little traffic.

Accuracy notes. ⛔ The set of taxonomy widgets varies per store. Do not promise a fixed list.

Source. `admin/partials/templates/dashboard/top-taxonomy.php:4-58`

DASH-10 · "Revenue Analytics" — PRO

Where	First Pro widget, full width, below the free grid
Screenshot	`DASH-10.png` ▼ · ① heading ② date-range picker ③ data-integrity badge ④ four KPI cards ⑤ Daily / Weekly / Monthly ⑥ Revenue Over Time chart ⑦ Revenue by Customer Type



DASH-10.png

What it shows. Four KPI cards, each with a change versus the previous period: `Net Revenue`, `Total Orders`, `Avg. Order Value`, `Total Customers`. A line chart headed "Revenue Over Time". A section headed "Revenue by Customer Type" with three cards: `New Customers`, `Returning Customers`, `Guest Orders`, each with an amount and an order count.

How it's computed. Completed and processing orders only. Three AJAX calls (`pdwchs_get_revenue_overview`, `pdwchs_get_revenue_over_time`, `pdwchs_get_new_vs_returning_revenue`), each cached for 30 minutes per date range. No 90-day limit on Pro.

Interactions. ② presets: Today, Last 7 Days, Last 30 Days (default), This Month, Last Month. ⑤ regroups the chart by day, week or month. ③ see DASH-10b.

Empty state. Loading "Loading revenue data...", failure "Failed to load revenue data. Please try again."

Demo prerequisites. Completed orders on most days of the selected range, from new, returning and guest buyers, so all three split cards are non-zero.

Accuracy notes. Pending, on-hold, cancelled, refunded and failed orders are excluded from revenue. This is the Pro revenue view; there is no separate "Revenue Analytics" page. The free Revenue page is A6.

Source. `pro/Analytics/templates/revenue-dashboard-widget.php:24-163`; `pro/Analytics/Revenue/Revenue-Pro.php:35-39`; presets `pro/admin/js/pdwchs-revenue-dashboard.js:27-48`

DASH-10b · Revenue data-integrity indicator — PRO

Where	Badge in the Revenue Analytics header (callout ③ on DASH-10)
Screenshot	None. The "View Details" button and its panel are only rendered when the badge reads "Data Mismatch ⚠️ ". The demo store verifies clean and shows "Data Verified ✓".

What it shows. A badge (tooltip "Revenue data integrity check") with three states: "Verifying data…", "Data Verified ✓", "Data Mismatch ⚠️ ". On a mismatch a "View Details" / "Hide Details" button opens a panel with three tables: **Orders in unusual statuses** (Order, Status, Total, Date), **Partially refunded orders** (Order, Total, Refunded, Date), **Currency mismatch** (Order, Currency, Total, Date).

How it's computed. Compares two revenue calculations for the selected range. A difference above **1.0 %** is a mismatch; above **5.0 %** is high severity. Unusual statuses are pending, on-hold, cancelled, refunded and failed. Comparison cached 5 minutes, details 30 minutes.

Interactions. The details button exists only in the mismatch state.

Empty state. Inside the panel: "No flagged orders for this range."


Demo prerequisites. To film the panel the two figures must differ by more than 1 %, which a healthy store does not produce. Plan to show the verified badge instead.

Accuracy notes. ⛔ It is a diagnostic on the plugin's own revenue figures. Do not describe it as an accounting audit or a reconciliation with a payment gateway.

Source. `pro/Analytics/templates/data-integrity-indicator.php:9-70` ; thresholds `pro/Analytics/Revenue/Data-Integrity.php:26-38` ; button `pro/admin/js/pdwchs-revenue-dashboard.js:525-538`

DASH-11 · "Retention · 30-day window" — PRO

Where	Second Pro widget
Screenshot	`DASH-11.png` ▼ · ① heading shows the selected window ② window preset ③ Expected CLV and churn-rate cards ④ churn rate per period ⑤ Period / Base / Churned / Rate table



`DASH-11.png`

What it shows. Heading "Retention · %s window" (default "30-day"). Two cards: "Expected CLV · {window} basis" and "Churn rate"; an undefined value renders as a dash with a hover explanation. The note "Registered customers only." A chart of churn rate per period and a table `Period` · `Base` · `Churned` · `Rate`.

How it's computed. For each period of the chosen length, Base is the registered customers with a completed or processing order before the period and Churned is those with no qualifying order inside it. Expected CLV = average monthly value × (1 ÷ churn rate). AJAX `pdwchs_get_retention_metrics`.

Interactions. ② options: 15-day, 30-day, 60-day, 90-day, 4-month, 6-month, 12-month, 24-month. The preset is a display option, not a stored setting.

Empty state. "No completed or processing orders from registered customers yet, so there is nothing to measure retention against."


Demo prerequisites. Registered customers with orders spanning at least 6 to 12 months.

Accuracy notes. ⛔ Store-level churn rate and an expected value, not a forecast curve and not a per-customer prediction. Guests are excluded.

Source. `pro/Analytics/templates/retention-metrics.php:37-160`; `pro/Analytics/Revenue/Retention-Panel.php:57-95`; `pro/Analytics/Revenue/Retention-Metrics.php:39-83`

DASH-12 · "Lifetime value distribution" — PRO

Where	Third Pro widget
Screenshot	`DASH-12.png` ▼ · ① heading ② average and median LTV ③ customers counted ④ histogram by spend bracket ⑤ Bracket / Customers / Share table



SPEND BRACKET	CUSTOMERS	SHARE
0.00$ to 50.00$	28	30.1%
50.00$ to 100.00$	13	14.0%
100.00$ to 250.00$	15	16.1%
250.00$ to 500.00$	13	14.0%
500.00$ to 1,000.00$	5	5.4%
1,000.00$ to 2,500.00$	11	11.8%
2,500.00$ and above	8	8.6%

`DASH-12.png`

What it shows. Cards "Average lifetime value" and "Median lifetime value", a total line "Customers with at least one completed or processing order", a histogram, and a table `Spend bracket` · `Customers` · `Share`.

How it's computed. Lifetime spend per customer over completed and processing orders, bucketed into brackets based on 0, 50, 100, 250, 500, 1000, 2500 and scaled by powers of ten to fit the store. Bracket labels read "X to Y" and "X and above".

Interactions. None. The table repeats the chart for accessibility.

Empty state. "No completed or processing orders yet, so there is no lifetime value to distribute."

Demo prerequisites. Customers spread across low, mid and high lifetime spend so several brackets have bars.

Accuracy notes. ⛔ A distribution of past spend. No projection or predicted LTV.

Source. `pro/Analytics/templates/ltv-distribution.php:29-114` ; `pro/Analytics/Revenue/LTV-Panel.php:52, 207-226` ; `pro/Analytics/Revenue/LTV-Distribution.php:55`

DASH-13 · "Abandoned Carts (Last 7 Days)" — PRO

Where	Fourth Pro widget (half width)
Screenshot	`DASH-13.png` ▼ · ① heading ② count and value at risk ③ observation-only note ④ link to the Abandoned Carts page



DASH-13.png

What it shows. One headline: "{count} abandoned carts worth {value}", the note "Observation only — see the Automation Add-on for recovery actions.", and the link "View abandoned carts →".

How it's computed. `PDWCHS_Cart_Widget::pdwchs_get_summary_stats( 7 )` : carts marked abandoned in the last 7 days and their summed totals.

Interactions. ④ opens Abandoned Carts filtered to status Abandoned, last 7 days (CART-01).

Empty state. The widget is not rendered at all when "Cart tracking" is off (SET-03).


Demo prerequisites. Cart tracking on, and several carts left idle past the timeout (default 60 minutes) within the last week.

Accuracy notes. ⛔ Observation only. No recovery emails, no coupons. The "Automation Add-on" named in the note is a separate product and not part of this plugin.

Source. `pro/Carts/templates/cart-dashboard-widget.php:4-26` ; `pro/Carts/Cart-Widget.php:29, 47-84`

DASH-14 · "Customer Segments (RFM Analysis)" — PRO

Where	Fifth Pro widget
Screenshot	`DASH-14.png` ▼ · ① heading ② Refresh ③ doughnut of segment share ④ clickable legend ⑤ last updated stamp



DASH-14.png

What it shows. A doughnut of customers per RFM segment (tooltip: label, count, percentage), a legend headed "Segments" with color, icon, name and count for all eleven segments, and a footer "Last updated:" plus "Click any segment to view customers".

How it's computed. Segment counts from the nightly RFM job (2:00 AM). Definitions in Part B4.1.

Interactions. ② refetches. ④ clicking a legend row opens the customer list filtered to that segment.

Empty state. Loading "Loading segment data...", failure "Failed to load RFM data. Please try again."


Demo prerequisites. The RFM job must have run and customers must span recency and frequency profiles so most segments are non-zero.

Accuracy notes. ⚑ Content rule: RFM is on the never-pitch list (`docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5). Scores are nightly, not real-time.

Source. `pro/Intelligence/templates/rfm-dashboard-widget.php:19-54`; `pro/admin/js/pd-customer-history-rfm.js:115-169`

DASH-15 · "Customer Health Distribution" — PRO

Where	Sixth Pro widget
Screenshot	`DASH-15.png` ▼ · ① heading ② Refresh ③ one bar per band



DASH-15.png

What it shows. "Average Score:" and five horizontal bars with count and percentage: Excellent (81-100), Good (61-80), Fair (41-60), Poor (21-40), Critical (0-20). A warning strip "{n} customers in Critical range" when any exist.

How it's computed. Health scores from the nightly job (3:00 AM). Formula in Part B4.2.

Interactions. ② refetches.

Empty state. Loading "Loading health data..."


Demo prerequisites. The health job must have run and customers must range from very recent to long inactive.

Accuracy notes. ⚑ Content rule: health scores are on the never-pitch list (§4.5). Nightly.

Source. `pro/Intelligence/templates/health-dashboard-widget.php:23-51` ; bands `pro/Intelligence/Health.php:522-526` ; `pro/admin/js/pd-customer-history-health.js:60-72`

DASH-16 · "Declining Health Alert" — PRO

Where	Seventh Pro widget, directly under DASH-15
Screenshot	`DASH-16.png` ▼ · ① heading ② customers with a 10+ point drop



DASH-16.png

What it shows. Subtitle "Customers with 10+ point health score drop". A list with name, point drop, "Last order:" in days ago, and a "View Profile" link.

How it's computed. Customers whose health score fell by ten or more points between the previous and the latest nightly calculation.

Interactions. "View Profile" opens the customer profile (A3).

Empty state. "No customers with declining health at this time."


Demo prerequisites. Two health calculations at least a day apart with some customers going quiet in between. On a fresh site this list is empty.

Accuracy notes. ⚑ Content rule (§4.5). ⛔ It is a list for the admin. Nothing is sent to the customer.

Source. `pro/Intelligence/templates/health-dashboard-widget.php:54-73` ; strings `pro/Intelligence/Intelligence.php:122-127`

DASH-17 · "Customer Lifecycle Funnel" — PRO

Where	Eighth Pro widget
Screenshot	`DASH-17.png` ▼ · ① heading ② funnel Prospect → New → Active → Loyal ③ At Risk and Churned counts ④ total customers tracked



DASH-17.png

What it shows. Tapering bars for Prospect, New Customer, Active Customer, Loyal Customer with name and count. A side box "Engagement Issues" with "At Risk:" and "Churned:". Footer "Total: {n} customers tracked".

How it's computed. Lifecycle stages from the nightly job (4:00 AM). Rules in Part B4.3.

Interactions. Clicking a stage opens the customer list filtered to that lifecycle stage. The refresh icon refetches.

Empty state. Loading "Loading lifecycle funnel..."

Demo prerequisites. Registered users with zero, one, two and three or more orders inside 90 days, plus some inactive for 91+ and 181+ days.

Accuracy notes. This is a customer lifecycle funnel, not the conversion funnel (STAT-07).

Source. `pro/Intelligence/templates/lifecycle-funnel-widget.php:16-50` ; `pro/admin/js/pd-customer-history-lifecycle.js:52, 208-209`

DASH-18 · "At Risk Customers (30+ Days)" — PRO

Where	Ninth Pro widget
Screenshot	`DASH-18.png` ▼ · ① heading ② customers in the At Risk stage for 30+ days ③ View All At Risk Customers



DASH-18.png

What it shows. Subtitle "Customers nearing churn - immediate action needed", a list of customers, and a footer button "View All At Risk Customers".

How it's computed. Customers whose lifecycle stage is "At Risk" **and** whose days in that stage are 30 or more, longest first.

Interactions. ③ opens the customer list filtered to lifecycle stage At Risk.

Empty state. A "no results" block. Because it needs `lifecycle_days_in_stage >= 30`, the widget stays empty on a store whose lifecycle job first ran less than 30 days ago.


Demo prerequisites. Pro active for more than 30 days with customers who entered At Risk at least 30 days ago, or back-dated stage dates on a demo store.

Accuracy notes. ⛔ The subtitle says "immediate action needed", but the plugin takes no action. Do not imply automated follow-up.

Source. `pro/Intelligence/templates/at-risk-alert-widget.php:18-41` ; query `pro/Intelligence/Lifecycle.php:487-492`

DASH-19 · "Behavioral Segments" — PRO

Where	Tenth Pro widget
Screenshot	`DASH-19.png` ▼ · ① heading ② customers per behavioral tag ③ insights list



DASH-19.png

What it shows. Subtitle "Customer behavior patterns detected across your store", a bar distribution of customers per behavioral tag, and a list headed "Actionable Insights".

How it's computed. Active tags from the nightly behavioral job (5:00 AM) and from the re-analysis queued when an order completes. The 15 detection rules are in Part B4.4. AJAX `pdwchs_behavioral_segments_data` .

Interactions. The refresh icon refetches.

Empty state. Loading "Loading behavioral data..."


Demo prerequisites. Customers with enough orders and sessions to meet the minimum data for several tags (most need 3 to 5 orders).

Accuracy notes. ⚑ Content rule: behavioral tags are on the never-pitch list (§4.5). ⛔ The insights are text for the admin, not automated actions.

Source. `pro/Intelligence/templates/behavioral-dashboard-widget.php:28-50`; `pro/Intelligence/Intelligence.php:206`

DASH-20 · "Churn Risk Overview" — PRO

Where	Eleventh Pro widget
Screenshot	`DASH-20.png` ▼ · ① heading ② Critical / High Risk / Medium / Active Alerts ③ top 5 by risk score ④ latest alerts with priority ⑤ link to the Churn Prediction page



DASH-20.png

What it shows. Four stat boxes: `Critical`, `High Risk`, `Medium`, `Active Alerts`. A table "Top At-Risk Customers" with columns `Customer`, `Risk` (colored score badge), `Value`, `Action` (View Profile icon), top 5. A list "Active Alerts" with the top 3 as a priority badge, alert title and relative time. Footer link "View All At-Risk Customers".

How it's computed. Churn scores from the nightly job (2:00 AM) and alerts from the hourly alert job. Definitions in Part B4.5.

Interactions. ⑤ opens Churn Prediction (A12). The refresh icon refetches.

Empty state. "No high-risk customers detected. Your customers are healthy!"


Demo prerequisites. The churn job must have run, and some customers need two or more orders and long gaps since the last one.

Accuracy notes. ⚑ Content rule: churn scores are on the never-pitch list (§4.5). ⛔ Prediction and admin alerting only. The coupon and win-back email actions were removed in 3.0.2.

Source. `pro/Intelligence/templates/churn-dashboard-widget.php:48-138`

DASH-21 · "RFM matrix" — PRO

Where	Last Pro widget
Screenshot	`DASH-21.png` ▼ · ① heading ② how to read the grid ③ recency rows × frequency columns ④ scores last calculated



DASH-21.png

What it shows. Intro text: "How many customers sit in each recency and frequency band. Recency runs down the rows, frequency across the columns, so your best customers are top-right." A 5 × 5 grid, rows R5 to R1 and columns F1 to F5, with a customer count in every cell (zeros included) and ten shading levels. Cell tooltip "{recency band} · {frequency band} — N customers". A footnote on unscored customers and a stamp "Scores last calculated %s."

How it's computed. Server-rendered from stored RFM scores, cached for 30 minutes. No JavaScript.

Interactions. Hover tooltips only.

Empty state. "RFM scores have not been calculated yet. Scores are recalculated nightly, and the matrix appears after the first run." or "No customers have been scored yet. The matrix fills in once customers start completing orders."


Demo prerequisites. Same as DASH-14. A spread of recency and frequency makes the shading readable.

Accuracy notes. ⚑ Content rule (§4.5). Shipped in 3.1.2.

Source. `pro/Intelligence/templates/rfm-matrix-widget.php:33-157` ; `pro/Intelligence/RFM-Matrix-Widget.php:59` ; `pro/Intelligence/RFM-Matrix-Data.php:41-44`

DASH-B · Upsell banners and trial notice — FREE only

Where	Under the page title on the Free dashboard. The banner code sits after the widgets in the template; WordPress moves admin notices up under the heading.
Screenshot	`FREE-01.png` ▼ · ① Free tab bar (Search Analytics instead of Sessions and Statistics) ② Freemius trial notice. The `dashboard-attention` upsell banner is the box directly below ②.



FREE-01.png

What it shows. Up to two blue info boxes. The **trial notice** comes from the Freemius gate: "PureDevs Customer History — Start your free 30-day trial to unlock all premium features." with "Start free trial" and "Dismiss" (after a used trial it reads "Your trial has ended — upgrade to keep premium features." with "Upgrade now"). The **upsell banner** is one of:

- `dashboard-attention`: "%s customers haven't ordered in over 30 days. Customer History Pro shows you who's at risk of churning — and why."
- `data-window-90d`: "The free version includes your most recent 90 days of activity. Customer History Pro includes your full history — your older data is already collected and waiting."

Each upsell banner has a "See what Pro adds" button and a "Dismiss" link.

How it's computed. `dashboard-attention` appears when the count of customers with no order in over 30 days is above zero. `data-window-90d` appears when a query on the page was clamped to the 90-day window.

Interactions. One upsell banner per page load at most, so when both conditions hold only the first is shown. Dismissal is permanent per user and per banner. The trial notice is dismissed per user and per plugin version. "See what Pro adds" opens the Freemius upgrade page in a new tab.

Empty state. No banner when neither condition holds or the user dismissed it.


Demo prerequisites. A Free install (no `pro/` folder or no licence), a user who has not dismissed the banners, and some customers inactive for over 30 days.

Accuracy notes. ⛔ The banners advertise Pro only. No Free feature is disabled by them, and nothing is migrated on upgrade.


Source. `admin/partials/templates/dashboard.php:26–45` ; `includes/class-pdwchs-upsell.php:18, 132–174` ; trial notice `pro/Trial-Gate.php:83–111`

A2 · Customers & Users

Menu	Customer History → Customers & Users (second tab of the top tab bar)
URL	`admin.php?page=pd-woo-customers`
Tier	FREE page showing the most recent 100 customers. Pro removes the cap and adds eight filters, six columns, keyword search, a rows-per-page selector and lifecycle filters.
Full-page shot	**`CUST-01.png` ▼** (Pro) · **`FREE-03.png` ▼** (Free)
Entries	CUST-01 … CUST-05


Customer History for WooCommerce
Howdy, Shot Bot
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Customer List
Advance Search:
ROLE :
NO. OF ORDERS :
TOTAL SPENT :
COUNTRY :
REFUND RATE :
RFM SEGMENT :
HEALTH SCORE :
HEALTH TREND :
BEHAVIOR :
MANUAL TAG :
PRODUCT PURCHASED :
Search
Save as Segment
Search Customer
Download
Filter
User
Role
RFM Segment
Health Score
Lifecycle Stage
Behaviors
Orders
Pending Orders
Refunded Orders
Refund Rate
Thank you for creating with WordPress.
Version 7.1.1

CUST-01.png



FREE–03.png

The page title is **"Customer List"**. Top to bottom: the advanced-search fieldset, the keyword search box and rows-per-page selector (Pro), the Download button, the Free scope banner when it applies, then a standard WordPress list table. Every name in the table links to that customer's profile (A3). The same filters that narrow this list are what a saved segment stores (A7), so this page is also where segments are created.

CUST-01 · "Customer List" page overview — FREE + PRO

Where	Customer History → Customers & Users
Screenshot	`CUST-01.png (shown earlier)` · ① Page title ② Advanced search filters ③ Download CSV ④ Keyword search (Pro) ⑤ Rows per page (Pro) ⑥ Customer list. Free view: `FREE-03.png (shown earlier)` · ① Free filters: orders, total spent, product purchased ② 100-customer scope banner (not visible in this capture, see below) ③ Free columns only

What it shows. Every WordPress user in the administrator, customer and subscriber roles, one row each, with order counts and spend. On Free the list is cut to the **most recent 100 customers** after all filtering. When the store has more than 100, a banner reads: "*The free version includes up to 100 customers in this list — you have %s in total. Customer History Pro includes every customer.*" with a **"See what Pro adds"** button and a **"Dismiss"** link.

How it's computed. Order counts and totals come from WooCommerce customer functions and order queries, HPOS-aware. The cap is the `pdwchs_customer_list_limit` filter (default 100); Pro returns 0, meaning unlimited. The setting "Hide users with no orders" (SET-01) removes registered users who never ordered.

Interactions. ③ **"Download"** streams `customers_order_history_{Y-m-d}.csv` with columns *User name, User role, Orders, Pending orders, Refund orders, Orders average, Total spent*. It exports the current filtered set, and on Free the capped set. ② ④ ⑤ ⑥ are covered in CUST-02, CUST-05 and CUST-04.

Empty state. The default WordPress list-table message, "No items found."


Demo prerequisites. At least 20 customers with varied order counts so sorting and filtering change the list visibly. To show the Free banner the store needs more than 100 customers; the demo store used for `FREE-03` has fewer, so that capture shows no banner.

Accuracy notes. ⛔ The 100-customer figure is a display limit on Free. All customers are still tracked and scored; say "Free shows the most recent 100", never "Free tracks 100 customers".

Source. `admin/partials/templates/customers.php:14, 172-193` ; `includes/class-pd-customer-history-customers.php:261-281, 363-381`

CUST-02 · "Advance Search:" filters — FREE + PRO

Where	Customers & Users, fieldset directly under the page title
Screenshot	`CUST-02.png ▼` · ① Role (Pro) ② Country (Pro) ③ Refund Rate (Pro) ④ RFM Segment (Pro) ⑤ Health Score (Pro) ⑥ Health Trend (Pro) ⑦ Behavior (Pro) ⑧ Manual Tag (Pro) ⑨ Product Purchased ⑩ Save as Segment



CUST-02.png

What it shows. A fieldset whose legend reads **"Advance Search:"** (the spelling is hard-coded in the template and is not translated on this page). Eleven labelled filters on Pro, three on Free:

Filter label	Tier	Control
Role :	PRO	Admin / Subscriber / Customer
No. of orders :	FREE	`-- Select One --` / Equal / Greater then / Less then, plus a number input and an × clear button
Total Spent :	FREE	Same three operators, number input, ×
Country :	PRO	Searchable list of 249 countries
Refund Rate :	PRO	Same three operators, numeric input 0–100 (step 0.01)
RFM Segment :	PRO	`-- All Segments --` plus the 11 segments, each with its icon
Health Score :	PRO	`-- All Scores --`, 💚 Excellent (81-100), 💛 Good (61-80), 🟡 Fair (41-60), 🟠 Poor (21-40), 🔴 Critical (0-20)
Health Trend :	PRO	`-- All Trends --`, ↗ Improving, → Stable, ↘ Declining
Behavior :	PRO	`-- All Behaviors --` plus the 15 behavioral tags
Manual Tag :	PRO	`-- All Tags --` plus every manual tag
Product Purchased :	FREE	Searchable product picker, placeholder `-- Search and select a product --`, options shown as `Name (ID: n)`

Below them: **"Search"** and **"Save as Segment"** buttons. The operator labels "Greater then" and "Less then" are the strings the UI shows.

How it's computed. Filters are applied in PHP to the customer set, in the same pipeline a saved segment uses. Intelligence filters read the nightly scores (B5); Refund Rate and Manual Tag register themselves as segment criteria too.

Interactions. Pick any combination and press **Search**; the page reloads with the criteria in the URL. ⑩ opens the modal in CUST-03 and stores exactly the criteria currently in the URL. Lifecycle stage has its own filter above the table (CUST-05).

Empty state. None of its own; an over-narrow filter yields "No items found." in the table.


Demo prerequisites. Customers in at least four RFM segments and three health bands, several countries, a few manual tags assigned, and the nightly jobs run at least once. Without that the Pro dropdowns filter to nothing.

Accuracy notes. ⚑ Content rule: ④ ⑤ ⑥ ⑦ expose RFM segments, health scores and behavioral tags, which are on the never-pitch list in `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5. Show them when walking the filter set; do not build a piece around them without the owner's decision. The product picker loads every published product into the page, so very large catalogs make this page heavy.

Source. `admin/partials/templates/customers.php:17–114` ; `pro/Intelligence/Intelligence.php:668–748` ; `pro/Analytics/Revenue/Refund-Rate-Filter.php:114–148` ; `pro/CRM/Tags-Filter.php:74–96`

CUST-03 · "Save as Segment" modal — FREE + PRO

Where	Customers & Users → apply at least one filter → **Save as Segment**
Screenshot	`CUST-03.png` ▼ · ① Segment name ② Description (optional) ③ Save Segment (callout boxes are not drawn on this capture; the three controls are the two fields and the blue button)



`CUST-03.png`

What it shows. A modal titled **"Save as Segment"** with **"Segment Name"** (required, up to 191 characters, placeholder "*e.g. High-value customers*"), **"Description (optional)"** (placeholder "*Brief description of this segment*"), and the buttons **"Cancel"** and **"Save Segment"**.

How it's computed. The script reads the current page URL and keeps only whitelisted criteria keys; the segment stores those criteria, not a list of customers, so membership is re-evaluated every time the segment is loaded, counted or exported (A7).

Interactions. With no filter in the URL the modal shows "*No filters applied. Cannot save empty segment.*" On success: "*Segment saved successfully.*" On a server error: "*An error occurred. Please try again.*" On Free, saving a second custom segment replaces this modal with the upgrade modal documented in A18 (`FREE-06`).

Empty state. Not applicable.


Demo prerequisites. Run a filter first (for example No. of orders Greater then 2) so the save succeeds.

Accuracy notes. A segment is a saved filter, not a static list. Free allows one custom segment; Pro is unlimited (A7, B3).

Source. `admin/partials/templates/customers.php:118–149` ; `admin/class-pd-customer-history-admin.php:177–190` ; `admin/js/pdwchs-save-segment.js`

CUST-04 · Customer list columns — FREE + PRO

Where	Customers & Users, the list table
Screenshot	`CUST-04.png` ▼ · ① RFM Segment ② Health Score ③ Lifecycle Stage ④ Behaviors ⑤ Refund Rate ⑥ Avg Order Gap ⑦ View / Email actions



CUST-04.png

What it shows. Fourteen columns on Pro, eight on Free, in this order: **User** (icon + name linking to the profile), **Role**, *RFM Segment* (Pro, colored segment badge), *Health Score* (Pro), *Lifecycle Stage* (Pro), *Behaviors* (Pro, up to three mini-tags plus a `+N` overflow chip, or a grey `——`), **Orders**, **Pending Orders**, **Refunded Orders**, *Refund Rate* (Pro), *Avg Order Gap* (Pro), **Orders average**, **Total Spending**, **Actions**.

How it's computed. Free columns come from WooCommerce order data per user. The four intelligence columns read the nightly scores. **Refund Rate** = refunded amount as a share of what the customer was billed, across completed, processing and refunded orders, registered customers only; badge green below 10 %, amber from 10 %, red from 30 %, `–` with no qualifying orders. **Avg Order Gap** = mean days between orders from the nightly churn calculation; green below 30 days, amber from 30, red from 90, `–` until scored or with a single order. Both column headers carry a hover explanation.

Interactions. Sortable: User, Role, Orders, Pending Orders, Refunded Orders, Orders average, Total Spending, Lifecycle Stage. ⑦ holds two buttons: **"View"** opens the profile (A3) and **"Email"** opens the compose page (A4).

Empty state. "No items found."

Demo prerequisites. Some customers with partial refunds (so Refund Rate shows all three colors) and customers with 3+ orders (so Avg Order Gap is populated).

Accuracy notes. ⚑ Content rule on ① ② ④ (RFM, health score, behavioral tags; strategy §4.5). Refund Rate and Avg Order Gap are blank for guests. Scores are as of the last nightly run, not live.

Source. `includes/class-pd-customer-history-customers.php:45-91, 360, 626-640`; `pro/Intelligence/Intelligence.php:774-838`; `pro/Analytics/Revenue/Refund-Rate-Column.php:74-149`; `pro/Intelligence/Order-Gap-Column.php:63-147`

CUST-05 · List controls: search, rows per page, lifecycle filters — PRO

Where	Customers & Users, between the filter fieldset and the table
Screenshot	`CUST-05.png` ▼ · ① Search by name or email ② Show N entries ③ Lifecycle stage ④ Days in stage



CUST-05.png

What it shows. ① a search box with the button **"Search Customer"**. ② a **"Show"** selector with 10 / 20 / 50 / 100 entries. ③ **"All Lifecycle Stages"** dropdown listing the six stages. ④ **"All Days in Stage"** dropdown with *0-30 days, 31-60 days, 61-90 days, 90+ days*, followed by a **"Filter"** button. All four are Pro-only.

How it's computed. Search matches the customer's name or email. The lifecycle controls read the stage and days-in-stage stored by the nightly lifecycle job (B4.3). The dashboard's Lifecycle Funnel and At Risk widgets link here with the stage pre-selected.

Interactions. ③ and ④ sit in the table navigation and submit with **Filter**; the other filters already applied are preserved. On Free none of these render: the page uses standard WordPress pagination, and rows per page comes from Settings → General Settings → "Results per page" (default 10).

Empty state. "No items found."


Demo prerequisites. Customers spread across lifecycle stages with realistic days-in-stage values.

Accuracy notes. Days in stage counts from the date the nightly job recorded the stage change, so a freshly activated store shows 0 for everyone on day one.


Source. `admin/partials/templates/customers.php:150-171`; `includes/class-pd-customer-history-customers.php:385-402, 648-712`

A3 · Customer Details (profile)


Menu	None. Hidden page, opened from a customer's name or the **View** button anywhere in the plugin.
URL	`admin.php?page=pd-woo-customer&user_id=N`
Tier	FREE page: order history, Financial Summary, Personal Information, Notes. Pro adds the Activity Timeline, five intelligence cards and Manual Tags. Free shows six locked previews in their place.
Full-page shot	**`PROF-00.png`** ▼ (Pro) · **`FREE-04.png`** ▼ (Free)
Entries	PROF-01 … PROF-11, PROF-L




PROF-00.png (section 1 of 3, top to bottom)




PROF-00.png (section 2 of 3, top to bottom)



PROF-00.png (section 3 of 3, top to bottom)



FREE-04.png (section 1 of 2, top to bottom)




FREE-04.png (section 2 of 2, top to bottom)

The page title is **"Customer Details"**. It has no tab bar and **no tabs**: everything is stacked cards in two columns. The wide left column holds the order history and, on Pro, the Activity Timeline. The right sidebar renders in this fixed order: **Financial Summary** → **Personal Information** → **Notes** → **RFM Analysis** → **Customer Health Score** → **Customer Lifecycle** → **Behavioral Profile** → **Churn Risk Analysis** → **Manual Tags**. Registered customers only; guests have no profile page. A user without the `manage_woocommerce` capability sees an "Error" screen with "*I'm sorry, you are not allowed to see this page!*".

PROF-01 · "{Status} Orders" order history — FREE

Where	Profile, left column, top
Screenshot	`PROF-01.png` ▼ · ① One collapsible group per order status ② Collapse / expand ③ Order / Date / Items / Total / Actions



`PROF-01.png`

What it shows. One panel per WooCommerce order status that has orders, headed **"{Status label} Orders"** (for example "Completed Orders", "Processing Orders", "Cancelled Orders"). Table columns: **Order** (`#id`), **Date**, **Items** (one line per item as `qty x product`), **Total**, **Actions** (a **"View"** button).

How it's computed. Iterates WooCommerce's registered order statuses and queries the customer's orders per status, newest first, capped at **20 orders per group**.

Interactions. ② collapses the group. Order numbers and **View** open the native WooCommerce order editor; item names open the product editor.

Empty state. A single panel reading **"No orders found!"** when the customer has no orders at all.


Demo prerequisites. A customer with orders in at least two statuses.

Accuracy notes. The 20-per-group cap means a very active customer's older orders are not listed here; the Order History page (A5) has them.


Source. `admin/partials/templates/customer-details.php:23-95`

PROF-02 · "Activity Timeline" — PRO

Where	Profile, left column, below the order groups
Screenshot	**`PROF-02.png` ▼** · ① Heading with Search History / All Sessions links ② All / Searched / Viewed / Carted / Ordered ③ Chronological events ④ Load older. Filtered to orders: **`PROF-02b.png` ▼**



PROF-02.png



PROF-02b.png

What it shows. One chronological stream joining what the customer searched, viewed, added to the cart and ordered. Row wording: *Searched "term"* (plus — *N results* when a count was recorded), *Viewed {page}* (links to the page), *Added to cart: {product}* (plus × *N* above one), *Ordered #{id}* with the order-status badge, and cart abandoned / cart recovered lines with the cart total. Each row shows a relative time; the exact time is in the tooltip.

How it's computed. Pure presentation over data already stored: the sessions table, WooCommerce orders (any status) and the carts table. No new tracking. Guest activity attached by the guest-to-customer merge (B6) appears here too.

Interactions. ① links jump to Live Searches and Live Sessions filtered to this customer. ② filters by event type without a page reload. ④ **"Load older"** pages further back. The panel collapses like the order groups.

Empty state. "*No recorded activity for this customer yet.*" followed by "*Activity is recorded from the date this plugin was activated — earlier visits and orders are not shown here.*"


Demo prerequisites. A customer who browsed while logged in (or as a guest who later logged in), searched, added to cart and ordered, ideally with one abandoned cart.

Accuracy notes. Admin and shop-manager browsing is not recorded by default (B1), so testing as an admin leaves the timeline empty. ⚑ The strategy doc lists "per-customer session history" among the phrases not to use as a hook (§4.5).

Source. `pro/Timeline/templates/timeline.php:30–77` ; `pro/Timeline/Timeline-Panel.php:39–215` ; `pro/Timeline/Timeline-Data.php:35–40`

PROF-03 · "Financial Summary" — FREE

Where	Profile, sidebar, first card
Screenshot	`PROF-03.png` ▼ · ① Seven totals for this customer



PROF-03.png

What it shows. Seven rows: **Total Orders**, **Pending Orders**, **Pending Orders Amount**, **Refunded Orders**, **Refunded Orders Amount**, **Orders average**, **Total Spent**.

How it's computed. From the customer's WooCommerce orders. Orders average = total spent ÷ order count.

Interactions. Read-only.

Empty state. Zeros.


Demo prerequisites. A customer with at least one refunded and one pending order so no row is zero.

Accuracy notes. Pending and refunded amounts render with the raw currency symbol and an unformatted number, while the last two rows use WooCommerce price formatting; expect that small inconsistency on screen.

Source. `admin/partials/templates/customer-details.php:100–232`

PROF-04 · "Personal Information" — FREE

Where	Profile, sidebar, second card
Screenshot	`PROF-04.png` ▼ · ① Identity and contact ② Edit this user



PROF-04.png

What it shows. Avatar, then **User ID**, **Name**, **Username**, **Email** (mailto link), **Country / Region** (only when a billing or shipping country exists) and **Website**.

How it's computed. WordPress user fields and WooCommerce billing/shipping meta.

Interactions. ② **"Edit this user"** opens the WordPress user editor. There is no link to the email compose page from the profile; that lives on the customer list (A4).

Empty state. Missing fields are simply blank.


Demo prerequisites. A customer with a billing country set.

Accuracy notes. The plugin does not edit customer data; the link hands off to WordPress.

Source. `admin/partials/templates/customer-details.php:234-313`

PROF-05 · "Notes" — FREE

Where	Profile, sidebar, third card (above every Pro card)
Screenshot	`PROF-05.png` ▼ · ① Heading with live count ② Compose a private note ③ Add Note ④ Newest first, author and date ⑤ Delete



PROF-05.png

What it shows. Heading **"Notes"** with a count chip, a textarea with the placeholder "*Add a note about this customer...*", the **"Add Note"** button, and the list of notes newest first. Each note shows the author's display name, the date and time (relative time in the tooltip), a `×` delete button and the text. A deleted author renders as "*Deleted user (#id)*".

How it's computed. Stored in the plugin's own notes table, keyed to the customer. Up to 50 newest notes are listed; a note can be up to 5,000 characters.

Interactions. Add and delete happen in place without a reload. Validation: "*Please enter a note first.*" Delete confirmation: "*Delete this note?*"

Empty state. "*No notes yet. Add one above.*"


Demo prerequisites. Two or three realistic notes from different dates.

Accuracy notes. Notes are private to admins and never shown to the customer. They are covered by WordPress's personal-data export and erase tools (group "Customer Notes"). ⛔ They are plain annotations: no tasks, reminders, follow-ups or custom fields.

Source. `includes/crm/templates/customer-notes-panel.php:16-52` ; `includes/crm/class-pdwchs-notes.php:26, 118-172, 305-411`

PROF-06 · "RFM Analysis" card — PRO

Where	Profile, sidebar, after Notes
Screenshot	`PROF-06.png` ▼ · ① Heading ② Segment badge ③ R / F / M scores out of 5 ④ Recommended Actions ⑤ Recalculate Now



PROF-06.png

What it shows. Heading **"RFM Analysis"** with the customer's segment badge (icon, name, segment color) or a **"No Data"** badge. Three score rows, **R Recency**, **F Frequency**, **M Monetary**, each as `n/5` with a colored bar and a plain-language description (the Monetary line compares the customer to the store average). **"Recommended Actions:"** lists the four suggestions for that segment. Footer: "*Last calculated: … ago*" or "*Not calculated yet*".

How it's computed. Scoring bands and the segment rules are in B4.1. Recalculated nightly at 2:00 AM and whenever one of the customer's orders completes.

Interactions. ⑤ **"Recalculate Now"** recomputes this one customer immediately.

Empty state. "No Data" badge and "Not calculated yet" before the first run.

Demo prerequisites. Nightly RFM job run, or press ⑤ on camera.


Accuracy notes. ⚑ Content rule: RFM is on the never-pitch list (strategy §4.5). ⛔ "Recommended Actions" is advisory text only; the plugin performs none of those actions.

Source. `pro/Intelligence/templates/customer-rfm-card.php:18-129`; rules `pro/Intelligence/RFM.php:104-260`

PROF-07 · "Customer Health Score" card — PRO

Where	Profile, sidebar, after RFM Analysis

Screenshot	PROF-07.png ▼ · ① Heading with trend chip ② 0–100 gauge ③ Score Breakdown: four components ④ Health Interpretation ⑤ Recalculate Now



PROF-07.png

What it shows. Heading **"Customer Health Score"** with a trend chip when the score moved: ↗ *Up N points* or ↘ *Down N points* (nothing when Stable). A circular gauge with the score and the band word (Excellent, Good, Fair, Poor, Critical) in the band color. **"Score Breakdown:"** with four bars: **Recent Activity** /40, **Order Frequency** /30, **Spending Trend** /20,

Engagement /10, each with a one-line description. **"Health Interpretation:"** gives the band description and a suggested action.

How it's computed. Formula, bands and the ±5-point trend rule are in B4.2. Nightly at 3:00 AM and on order completion.

Interactions. ⑤ **"Recalculate Now"** for this customer.

Empty state. Card renders with zeros until the first calculation.


Demo prerequisites. Two calculations at least a day apart, with a change of 5+ points, to show a trend chip.

Accuracy notes. ⚑ Content rule: health scores are on the never-pitch list (strategy §4.5). ⛔ The interpretation text mentions campaigns and offers as suggestions to the owner; the plugin sends nothing.

Source. `pro/Intelligence/templates/customer-health-card.php:63-239` ; formula `pro/Intelligence/Health.php:111-367, 662-708`

PROF-08 · "Customer Lifecycle" card — PRO

Where	Profile, sidebar, after Health Score
Screenshot	**`PROF-08.png`** ▼ · ① Heading ② Days in stage ③ Stage history ④ Recalculate Now



PROF-08.png

What it shows. Heading **"Customer Lifecycle"**, a large stage badge (icon + stage name in the stage color) with the stage description, **"Time in Current Stage:"** as *N days*, **"Customer Journey:"** as a vertical list of every stage the customer has been in with entered date, exit date or *Present*, and days spent, then **"Recommended Actions:"** for the stage. Footer: "*Last calculated: …*".

How it's computed. Stage rules are in B4.3. Every stage change is written to a history table, which is what the journey list reads. Nightly at 4:00 AM and on order completion.

Interactions. ④ **"Recalculate Now"**.

Empty state. A single "Present" entry until the customer changes stage.


Demo prerequisites. A customer who has moved through at least two stages, which needs the plugin active across those dates (or back-dated demo data).

Accuracy notes. The journey only goes back to when Pro started calculating; it is not reconstructed from old orders.

Source. `pro/Intelligence/templates/customer-lifecycle-card.php:48-136` ; rules `pro/Intelligence/Lifecycle.php:86-156, 679-759`

PROF-09 · "Behavioral Profile" card — PRO

Where	Profile, sidebar, after Customer Lifecycle
Screenshot	`PROF-09.png` ▼ · ① Heading with tag count ② Detected tags with confidence % ③ Next Best Action ④ Shopping Preferences ⑤ Refresh Analysis



PROF-09.png

What it shows. Heading **"Behavioral Profile"** with a *N tag(s)* counter. Tag chips with icon, label and confidence percent, colored high (80+), medium (60+) or low; hovering a chip shows what the pattern means. **"Next Best Action"**: one sentence. **"Shopping Preferences"** rows: *Top Categories* (top three), *Avg. Price*, *Price Range*, *Peak Day*, *Peak Hour*, *Avg. Items/Order*, *Coupon Usage*. Footer: "*Last analyzed: … ago*" or "*Not analyzed yet*".

How it's computed. The 15 detectors and their thresholds are in B4.4. Nightly at 5:00 AM and queued when an order completes.

Interactions. ⑤ **"Refresh Analysis"** re-runs the detectors for this customer.

Empty state. "*No behavioral patterns detected yet. Click Refresh Analysis below.*"


Demo prerequisites. A customer with 5+ orders and 5+ sessions; most detectors need three to five orders before they can fire.

Accuracy notes. ⚑ Content rule: behavioral tags are on the never-pitch list (strategy §4.5). ⛔ "Next Best Action" is a suggestion to the store owner; nothing is triggered. Use only the 15 tag names in B4.4; earlier listings named badges that do not exist.

Source. `pro/Intelligence/templates/customer-behavioral-card.php:33-169`; detectors `pro/Intelligence/Behavioral.php:33-91`

PROF-10 · "Churn Risk Analysis" card — PRO

Where	Profile, sidebar, after Behavioral Profile
Screenshot	`PROF-10.png` ▼ · ① Heading ② Risk score ring, level, confidence, trend ③ Risk Components ④ Key Indicators ⑤ Recalculate



PROF-10.png

What it shows. Heading **"Churn Risk Analysis"**. A score ring (0–100, sublabel *Risk Score*), a risk badge (*Low Risk, Medium Risk, High Risk, Critical Risk*) with its description, **Confidence:** N % and **Trend:** *Worsening* / *Improving* / *Stable*. **"Risk Components"**: four bars for *Recency, Frequency, Monetary, Engagement* (each 0–100; green to 30, amber to 60, red to 80, dark red above). **"Key Indicators"**: conditional bullets such as *N days since last order*, *N days overdue for purchase*, *Predicted next order: ~ date*, *Purchase frequency down N%*, *Spending down N%*, *No site visits in 30 days*, *Primary concern: …*. For high and critical risk only, a **"Follow Up"** block with one button, **"Email this customer"**, which opens the manual compose page (A4). Footer: "*Last calculated: … ago*".

How it's computed. Weights, levels and alert rules are in B4.5. Nightly at 2:00 AM and on order completion. Needs at least two orders.

Interactions. ⑤ recalculates this customer. "Email this customer" only navigates to the compose form.

Empty state. With fewer than two orders the card is titled **"Churn Risk"** and reads "*Insufficient order history for churn prediction. Minimum 2 orders required.*"


Demo prerequisites. One low-risk and one high-risk customer; the Follow Up block only appears on the latter.

Accuracy notes. ⚑ Content rule: churn scores are on the never-pitch list (strategy §4.5). ⛔ Prediction only. The coupon builder and the automated win-back email were removed in 3.0.2; the card neither creates offers nor contacts the customer. The predicted next-order date is an estimate from the customer's own order gap.

Source. `pro/Intelligence/templates/customer-churn-card.php:66-372` ; `pro/Intelligence/Churn.php:42-75, 141-166`

PROF-11 · "Manual Tags" panel — PRO

Where	Profile, sidebar, last card
Screenshot	`PROF-11.png` ▼ · ① Heading with count ② Manual vs automatic tags note ③ Add or pick a tag ④ Assigned tags, × to remove



PROF-11.png

What it shows. Heading **"Manual Tags"** with a count chip. Hint: "*Your own tags, applied by hand. The Behavioral Tags card above is detected automatically.*" An input with the placeholder "*Add or pick a tag...*" that suggests existing tags, an **"Add"** button, and the assigned tags as chips with a `×` to remove.

How it's computed. Tags and assignments live in two plugin tables. Typing a new name creates the tag and assigns it in one step.

Interactions. Add and remove in place. Tags are managed (renamed, deleted, counted) on the Manual Tags page (A13) and can be used as a list filter (CUST-02 ⑧) and a segment condition.

Empty state. "*No tags yet. Add one above.*"


Demo prerequisites. Three or four tags already created so the suggestion list is not empty.

Accuracy notes. ⛔ Tags are labels only. Nothing is triggered by a tag, and tags are never assigned automatically. Covered by the personal-data export and erase tools.

Source. `pro/CRM/templates/customer-tags-panel.php:18-47` ; `pro/CRM/Tags-Panel.php:37` ; `pro/CRM/Tags.php:29-36`

PROF-L · Locked Pro previews — FREE only

Where	Profile on Free: one card in the left column (where the timeline would be) and five in the sidebar after Notes
Screenshot	`FREE-04.png (shown earlier)` · ① Locked: Full Session History ② Locked: RFM Segment ③ Locked: Health Score ④ Locked: Churn Risk ⑤ Locked: Behavioral Tags ⑥ Locked: Lifecycle Stage. Close-up: `FREE-04b.png ▼` · ① Title ② Unlock with Pro



FREE-04b.png

What it shows. Six preview cards, each a blurred sample image under a dark overlay with a lock icon, then a title, a one-line description and a blue **"Unlock with Pro"** button. Exact copy:

Title	Description
Full Session History	Every visit, page view, and search this customer has made.
RFM Segment	See at a glance whether this customer is a Champion, Loyal, At Risk, or Lost.
Customer Health Score	A 0–100 score combining recency, frequency, spending, and engagement.
Churn Risk	Know who is about to stop buying — before they do.
Behavioral Tags	Automatic badges like Bargain Hunter, Cart Abandoner, and Brand Loyal.
Lifecycle Stage	Where this customer sits in their journey: New, Active, Loyal, or Lapsed.

How it's computed. Nothing is computed. The images are static files shipped in `admin/img/pro-previews/`; no Pro code exists in the free build.

Interactions. The button opens the Freemius upgrade page in a new tab.

Empty state. If an image file is missing the card falls back to text only.


Demo prerequisites. A Free install (or the Free tier forced on a development site).

Accuracy notes. The preview images are illustrations, not this customer's data. The sidebar order on Free is RFM, Health, Churn, Behavioral, Lifecycle, which differs from the Pro card order. ⚑ These cards advertise exactly the features on the strategy doc's never-pitch list (§4.5); that tension is noted in §D.3.

Source. `admin/partials/templates/customer-details.php:97, 316-322` ; `includes/class-pdwchs-upsell.php:25-58, 99-129` ; `admin/css/pdwchs-upsell.css:4-73`

A4 · Send Email to Customer

Menu	None. Hidden page, opened from the **Email** button in the customer list's Actions column (CUST-04 ⑦) and from "Email this customer" on a high-risk churn card (PROF-10).
URL	`admin.php?page=pd-woo-customer-email&user_id=N`
Tier	FREE
Full-page shot	`MAIL-01.png` ▼
Entries	MAIL-01



`MAIL-01.png`

A plain compose form for one message to one customer. It is the plugin's only customer-facing outbound action, and it happens only when the admin writes a message and presses Send. The page has no tab bar.

MAIL-01 · "Send Email to Customer" — FREE

Where	Customers & Users → a row's **Email** button
Screenshot	`MAIL-01.png (shown earlier)` · ① Compose form ② Subject ③ Message editor ④ Send Email ⑤ Customer sidebar

What it shows. Page title **"Send Email to Customer"**. Main panel **"Email Form"** with **"To:"** (the customer's address, read-only, described as "*Customer email address (read-only)*"), **"Subject:"** (required, "*Enter the email subject*"), **"Message:"** (a minimal visual editor, ten rows, no media button, "*Enter your email message*"), and a submit row with

"Send Email", **"Back to Customer Details"** and **"Back to Customer List"**. Sidebar card **"Customer Information"**: avatar, User ID, Name, Username, Email, Country / Region, Website, with the links **"View Customer Details"** and **"Edit this user"**.

How it's computed. On submit the form is nonce-checked and the message is sent once through WordPress's `wp_mail()` as HTML, from the site name and admin email address. The subject is sanitized as plain text and the body is limited to safe post HTML.

Interactions. Success notice: **"Email sent successfully!"** Failure: **"Failed to send email. Please try again."** Validation messages: "*Invalid user ID provided.*", "*User not found.*", "*Invalid email address for this user.*", "*Email subject is required.*", "*Email message is required.*"

Empty state. Without access or a valid customer: title **"Error"**, "*I'm sorry, you are not allowed to see this page!*", and a **"Back to Customer List"** link.


Demo prerequisites. A customer with a real-looking email address. Delivery depends on the site's mail setup, so use a mail catcher when filming a send.

Accuracy notes. ⛔ This is a manual, one-to-one email the store owner writes and sends. It is never automated, scheduled, bulk or triggered by a score. ⛔ The code defines welcome, follow-up and promotion templates but no screen uses them; do not mention email templates. Sent messages are not logged or listed anywhere in the plugin.


Source. `admin/partials/templates/customer-email.php:29-202`; `includes/class-pd-customer-history-email.php:30-149`

A5 · Order History


Menu	Customer History → Order History (third tab of the top tab bar)
URL	`admin.php?page=pd-woo-order-history`
Tier	FREE page. Free has a date-range filter only; Pro adds three filters, a keyword search and a rows-per-page selector.
Full-page shots	**`ORD-01.png` ▼** (Pro) · **`FREE-10.png` ▼** (Free)
Entries	ORD-01



ORD-01.png (section 1 of 2, top to bottom)



ORD-01.png (section 2 of 2, top to bottom)



FREE-10.png (section 1 of 2, top to bottom)



FREE-10.png (section 2 of 2, top to bottom)

A store-wide order list in the plugin's own layout: every order, newest first, with the customer linked to their plugin profile and the order linked to the WooCommerce order editor. The plugin has no order-detail page of its own and never edits an order. Page title `<h1>` **"Order History"**.

ORD-01 · "Order History" filters and the "Last Orders" table — FREE + PRO

Where	The whole page: the **"Advance Search:"** fieldset on top, the list controls below it, then the table under the `<h2>` **"Last Orders"**
Screenshot	**`ORD-01.png (shown earlier)`** · ① Date range ② Total Amount (Pro) ③ Payment Method (Pro) ④ Order Status (Pro) ⑤ Keyword search (Pro) ⑥ "Last Orders" table. Free view: **`FREE-10.png (shown earlier)`** · ① Date range (90-day floor) ② Order list

What it shows. Fieldset legend **"Advance Search:"** containing: **"Date :"** (text input, placeholder **"Select Date Range"**, with an ✕ clear button); on Pro also **"Total Amount :"** (`-- Select One --` / **Equal** / **Greater then** / **Less then**, plus a revealed amount input), **"Payment Method :"** (`-- Select One --` plus every WooCommerce payment gateway) and **"Order Status :"** (`-- Select One --` plus every WooCommerce order status); then a **"Search"** button. Below the fieldset, on Pro only: an order keyword search box and **"Show"** N entries (10 / 20 / 50 / 100). Then `<h2>` **"Last Orders"** and the table with seven columns: **Date**, **Order ID**, **Customer Name**, **Items & Qty**, **Total**, **Payment Method**, **Status** (colored status pill). Guests render as **Guest** in bold; registered customers link to their Customer Details page (A3). "Greater then" / "Less then" are the literal UI spellings.

How it's computed. Orders are read through WooCommerce's order API (HPOS and legacy storage both supported), all statuses included. On Free the date picker's earliest selectable date is the 90-day floor, passed to the script as `pdwchsAdminVars.minDate`; the latest selectable date is today. Rows per page come from `?show-items` (Pro control) or the "Results per page" setting (SET-01), default 10.

Interactions. ① opens the bundled date-range picker and writes hidden `start_date` / `end_date` fields; ②③④ narrow the list (Pro); "Search" submits; ⑤ filters by keyword (Pro); in ⑥ every column except **Items & Qty** is sortable, the Order ID opens the WooCommerce order editor (`post.php?post={id}&action=edit`), each item links to the product editor, and

standard WordPress pagination sits above and below the table.

Empty state. None of its own; the standard list-table message "No items found."


Demo prerequisites. Orders in several statuses and with more than one payment method (so ③ and ④ have something to filter), at least one guest order, and orders inside the last 90 days so the Free view is not empty.

Accuracy notes. ⛔ The page lists and links orders; it does not change them. The keyword search, the three extra filters and the rows-per-page selector are Pro. On Free the date range cannot reach further back than 90 days.


Source. `admin/partials/templates/order-history.php:15-119` ; table `includes/class-pd-customer-order-history.php:43-54, 143-158, 166-183, 222-232` ; date floor `admin/class-pd-customer-history-admin.php:218-220` , `admin/js/pd-customer-history-admin.js:169-197`

A6 · Revenue

Menu	Customer History → Revenue (fourth tab of the top tab bar)
URL	`admin.php?page=pd-woo-revenue`
Tier	FREE page, identical on Pro except that the 90-day floor is lifted.
Full-page shots	**`REV-01.png`** ▼ (Pro) · **`FREE-08.png`** ▼ (Free)
Entries	REV-01 … REV-03


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Posts
Media
Pages
Comments
Plugin Documentation
WooCommerce
Products
Payments
Customer History
Dashboard
Customers & Users
Abandoned Carts
Segments
Order History
Revenue
Cohorts
Churn Prediction
Sessions
Statistics
Manual Tags
Settings
Contact Us
Upgrade
Analytics
Marketing
Astra
Appearance
Plugins
Users
Tools
Settings
UpdraftPlus
Collapse Menu
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Revenue
1
From
21/08/2026
To
19/09/2026
Apply
2
Net Revenue
3,560.24$
▼ 28.2%
Orders
26
▲ 4.0%
Avg Order Value
136.93$
▼ 31.0%
Customers
22
▲ 4.8%
Repeat Purchase Rate
13.6%
▼ 4.9%
Registered customers only
3
Net revenue over time
4
700
600
500
400
300
200
100
0
2026-08-21
2026-08-22
2026-08-23
2026-08-24
2026-08-25
2026-08-26
2026-08-27
2026-08-28
2026-08-29
2026-08-30
2026-08-31
2026-09-01
2026-09-02
2026-09-03
2026-09-04
2026-09-05
2026-09-06
2026-09-07
2026-09-08
2026-09-09
2026-09-10
2026-09-11
2026-09-12
2026-09-13
2026-09-14
2026-09-15
2026-09-16
2026-09-17
2026-09-18
2026-09-19
Thank you for creating with WordPress.
Version 7.1.1

REV-01.png



FREE–08.png

The free revenue snapshot: a date filter, five KPI cards with period-over-period change, and one trend chart. Page title `<h1>` **"Revenue"**. There is no separate "Revenue Analytics" page anywhere in the plugin: Pro's full revenue stack (time-series with granularity, new / returning / guest split, data-integrity check, retention and expected CLV, LTV distribution) renders on the **Dashboard** as widgets DASH-10, DASH-11 and DASH-12, and the product-level reports live under Statistics (STAT-06, STAT-09, STAT-12). This page has no upsell block.

REV-01 · Date filter — FREE

Where	Top of the page, directly under the title
Screenshot	`REV–01.png (shown earlier)` · ① From / To / Apply. Free: `FREE–08.png (shown earlier)` · ① From date cannot go earlier than 90 days back

What it shows. Two native date inputs labelled **"From"** and **"To"** and a primary **"Apply"** button.

How it's computed. Defaults: To = today in site time, From = To minus 29 days (a 30-day window). On Free the From input carries a `min` attribute equal to the 90-day floor, and any earlier start date is clamped server-side as well. On Pro the floor is empty, so any range is allowed.

Interactions. ① pick a range and press Apply; the page reloads with the cards and chart recalculated, and the comparison period becomes the equally long period immediately before.

Empty state. Not applicable.

Demo prerequisites. None beyond orders in the chosen range.

Accuracy notes. ⛔ On Free say "the most recent 90 days"; older orders are still in WooCommerce and become readable the moment Pro is active.

Source. `admin/partials/templates/revenue.php:17–22, 55–64` ; clamp `includes/class-pdwchs-data-window.php:17–42`

REV-02 · KPI cards: "Net Revenue", "Orders", "Avg Order Value", "Customers", "Repeat Purchase Rate" — FREE

Where	Card row under the date filter
Screenshot	**`REV-01.png (shown earlier)`** · ② KPI cards

What it shows. Five cards, each with a gray label, a large value and a change badge versus the previous period (green ▲, red ▼, or a gray em-dash when there is nothing to compare): **"Net Revenue"** (currency-formatted), **"Orders"**, **"Avg Order Value"**, **"Customers"**, and **"Repeat Purchase Rate"** (a percentage, with the fine-print caption **"Registered customers only"**). The Repeat Purchase Rate card is new in 3.1.2.

How it's computed. Only **completed** and **processing** orders count. Repeat Purchase Rate = the share of registered customers who ordered in the window and placed more than one order in it. Queries are HPOS-aware and cached in a 30-minute transient whose key includes the date range and the read-window size, so Free and Pro never share a stale value.

Interactions. None; the cards follow the date filter.

Empty state. Values read zero and the badge shows the em-dash; the chart panel shows its own message (REV-03).

Demo prerequisites. Orders in both the selected period and the period before it, so the badges show movement; at least a few registered customers with two or more orders in the window so the rate is not 0 %.

Accuracy notes. ⛔ Guests are excluded from Repeat Purchase Rate (the caption says so). Pending, on-hold, cancelled, refunded and failed orders are excluded from every card. Figures can lag by up to 30 minutes because of the cache.

Source. `admin/partials/templates/revenue.php:39–48, 66–103` ; data `includes/analytics/class-pdwchs-revenue-data-free.php:28–35, 42, 60, 68, 294, 302`

REV-03 · "Net revenue over time" — FREE

Where	Panel under the KPI cards
Screenshot	**`REV-01.png (shown earlier)`** · ③ Trend chart heading ④ Daily net revenue. Free: **`FREE-08.png (shown earlier)`** · ② Trend chart

What it shows. `<h2>` **"Net revenue over time"** above a line chart: one point per day, filled area, no legend, y-axis starting at zero, 320 px tall.

How it's computed. Daily buckets of net revenue from completed and processing orders in the selected range, same clamp and cache rules as REV-02. Rendered with the locally bundled Chart.js (no CDN).

Interactions. Hover a point for the day's value. There is no granularity switch on this page (Daily / Weekly / Monthly exists only in the Pro dashboard widget, DASH-10).

Empty state. "No completed orders in this period yet. Revenue will appear here as orders come in." (shown when the period has zero qualifying orders).

Demo prerequisites. Orders spread across the range so the line has shape.


Accuracy notes. ⛔ Daily only on this page. Do not describe it as the Pro "Revenue Analytics" widget.

Source. `admin/partials/templates/revenue.php:104–132` ; `includes/analytics/class-pdwchs-revenue-data-free.php:109` ; Chart.js enqueue `admin/class-pd-customer-history-admin.php:299–300, 373–376`


A7 · Segments

Menu	Customer History → Segments (fifth tab of the top tab bar)

URL	`admin.php?page=pd-woo-segments`
Tier	FREE page with **1** custom segment; Pro lifts the cap, seeds five ready-made segments and adds two export presets.
Full-page shots	`SEG-01.png` ▼ (Pro) · `FREE-05.png` ▼ (Free)
Entries	SEG-01 … SEG-04



SEG-01.png



FREE-05.png

A segment is a saved set of customer-list filters. Segments are **created on the Customers & Users page** ("Save as Segment", CUST-03) and managed here. A segment stores criteria, not a member list: the count, the Load action and the export all re-run the filters at that moment. Page title `<h1>` **"Customer Segments"**.

SEG-01 · "Saved Segments" — FREE + PRO

Where	The main panel of the page
Screenshot	`SEG-01.png (shown earlier)` · ① Saved Segments panel ② + New Segment → Customers page ③ table columns ④ row actions

What it shows. Panel `<h2>` **"Saved Segments"** with a primary **"+ New Segment"** button on the right. Table columns: **Customer Segment**, **Description**, **Customers**, **Created By**, **Created**, **Actions**. Seeded segments carry a **"Default"** badge next to the name. An empty description renders as an em-dash; a segment with no author (the seeded ones) shows **"System"** under Created By.

How it's computed. Customers is a live count: the stored criteria are run through the same filter pipeline as the Customers list each time the page loads. On Free that pipeline still respects the Free limits. All rows are rendered on one page (no pagination).

Interactions. ② goes to `pd-woo-customers`, where filters are chosen and saved; ④ is covered in SEG-02.

Empty state. "No segments saved yet. Use the "Save as Segment" button on the Customers page to create your first segment."


Demo prerequisites. Two or three custom segments with descriptions and visibly different counts (Pro), or exactly one (Free).

Accuracy notes. ⛔ Segments are saved filters for viewing and exporting. They do not trigger emails, tags, discounts or any action.

Source. `admin/partials/templates/segments-list.php:6-33` ; table `admin/class-pdwchs-segments-list-table.php:16-25, 45-53, 109-139` ; count `includes/segments/class-pdwchs-segments-manager.php:262-296`

SEG-02 · Row actions: Load, export preset, Export CSV, Delete — FREE + PRO

Where	The Actions cell of every row
Screenshot	`SEG-02.png` ▼ · ① Load into the Customers page ② Standard / Klaviyo / Mailchimp preset (Pro) ③ Export CSV ④ Delete (not on Default segments)



SEG-02.png

What it shows. Buttons **"Load"**, **"Export CSV"** and **"Delete"**, plus an export-format `<select>` between Load and Export CSV. The select is rendered **only when more than one preset is registered**: Free registers one preset, **Standard**, so no select appears; Pro adds **Klaviyo** and **Mailchimp**. **Delete** is hidden on Default segments.

How it's computed. Export streams a CSV named `segment-{slug}-{Y-m-d}.csv` with a UTF-8 BOM (opens cleanly in Excel). **Standard** columns: **Name, Email, Total Orders, Total Spent, Last Order Date, RFM Segment, Health Score** (the last two are empty on Free). **Klaviyo**: `Email` , `First Name` , `Last Name` , `Total Orders` , `Total Spent` , `Last Order Date` , `RFM Segment` . **Mailchimp**: the same with `Email Address` as the first header. The vendor headers are deliberately not translated so the file imports without remapping.

Interactions. ① rebuilds the Customers & Users URL from the stored criteria and opens the filtered list; ② chooses the column layout; ③ downloads the file; ④ asks **"Are you sure you want to delete this segment? This cannot be undone."** before deleting.

Empty state. An empty segment still exports a file with the header row.

Demo prerequisites. Pro active to show the preset select; a segment with a healthy member count.

Accuracy notes. ⛔ The Klaviyo and Mailchimp presets are **column layouts for a file you download**. The plugin connects to no external service, API or account, and nothing is synced or pushed. Never write "Klaviyo integration" or "sync to Mailchimp".

Source. `admin/class-pdwchs-segments-list-table.php:55-107` ; `includes/segments/class-pdwchs-segments-export.php:51-105, 122-152, 241-262` ; `pro/Segments/Export-Presets.php:50-104` ; confirm string `admin/class-pd-customer-history-admin.php:210` ; loader `admin/js/pdwchs-segments-list.js:3-7`

SEG-03 · The five ready-made segments ("Ready-made Pro segments" teaser on Free) — PRO

Where	Pro: the first five rows of Saved Segments, each with the "Default" badge. Clean Free install: a second, locked panel below Saved Segments.
Screenshot	`SEG-01.png (shown earlier)` (Pro rows) · `FREE-05.png (shown earlier)` · ① Saved Segments ② locked teaser table ③ Unlock with Pro

What it shows. On Pro, five segments are seeded once and cannot be deleted:

Segment	Criteria
High Value At Risk	RFM segment = At Risk **and** total spent greater than 500
Loyal Champions	RFM segment = Champions
Needs Attention	RFM segment = Needs Attention
Hibernating	RFM segment = Hibernating
High Health Declining	Health score range = Fair **and** health trend = down

On a clean Free install the same five appear instead as a locked panel: `<h2>` **"Ready-made Pro segments"** (lock icon) with a primary **"Unlock with Pro"** button; intro **"Pro auto-builds these intelligence segments from RFM and customer health scoring — no setup required."**; a dimmed table with columns **Segment** / **What it finds** and an **"Unlock with Pro"** button per row. Teaser copy, verbatim: High Value At Risk — "Big spenders who have gone quiet — win them back before they churn."; Loyal Champions — "Your most frequent, highest-value repeat buyers."; Needs Attention — "Once-active customers starting to slip toward lapse."; Hibernating — "Long-inactive customers worth a re-engagement push."; High Health Declining — "Healthy customers whose engagement is trending down."

How it's computed. Seeded by Pro on activation, only when no Default row exists. Member counts depend on the nightly RFM and health jobs (B5), so they read 0 until those have run. The Free teaser is static text; a teaser row is suppressed when a real segment of the same name already exists, and the whole panel is suppressed when none remain.

Interactions. Pro: Load and Export CSV as in SEG-02. Free: every "Unlock with Pro" button opens the upgrade page in a new tab.

Empty state. Not applicable.


Demo prerequisites. Pro: RFM and health scores calculated so the counts are non-zero. Free: FREE-05 shows a clean Free install, one custom segment plus the locked teaser. If Pro was ever active on the store, the five segments already exist as real Default rows and the teaser panel is hidden.

Accuracy notes. ⚑ Content rule: these segments are built on RFM and health scores, which are on the never-pitch list (`docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5). ⛔ The teaser copy uses the phrases "win them back" and "re-engagement push"; that is in-product upsell wording, not a capability. The plugin finds these customers and does nothing to them.

Source. `pro/Segments/Pro-Defaults.php:27-96`; teaser `includes/class-pdwchs-upsell.php:64-87`, `admin/partials/templates/segments-list.php:37-103`

SEG-04 · Free cap: one custom segment — FREE

Where	Triggered on the Customers & Users page when a second "Save as Segment" is attempted on Free
Screenshot	`FREE-06.png` ▼ · ① "Unlock unlimited segments with Pro" ② "Upgrade to Pro" ③ "Maybe later"



FREE-06.png

What it shows. A modal with the title **"Unlock unlimited segments with Pro"**, the message **"Free plan is limited to 1 custom segment. Upgrade to Pro for unlimited segments."**, the label **"Plus ready-made intelligence segments:"** followed by the five names from SEG-03, a primary **"Upgrade to Pro"** button (new tab) and a **"Maybe later"** link.

How it's computed. The cap counts non-default rows against the `pdwchs_segment_creation_cap` filter (1 on Free). The save request returns the error code `pdwchs_segment_cap_reached`, and the script renders the modal from the payload. Pro returns an effectively unlimited cap.

Interactions. "Maybe later" or a click on the dark backdrop closes it; the existing segment is untouched. Deleting the existing segment frees the slot.

Empty state. Not applicable.


Demo prerequisites. Free tier with exactly one custom segment, then apply any filter on Customers & Users and save again.

Accuracy notes. ⛔ The limit is on **saved custom segments**, not on filtering: any filter combination can still be applied and exported from the Customers list on Free.


Source. `includes/segments/class-pdwchs-segments-manager.php:77-94`; payload `includes/segments/class-pdwchs-segments-ajax.php:113-126`; modal `admin/js/pdwchs-save-segment.js:21-54`; Pro cap `pro/Segments/Segment-Cap.php:13-15`

A8 · Search Analytics (Free only)

Menu	Customer History → Search Analytics (sixth tab of the Free tab bar)
URL	`admin.php?page=pd-woo-search-analytics`
Tier	**FREE only.** The menu item and tab are not registered when Pro is active, because Sessions and Statistics (A9, A10) supersede them.
Full-page shot	**`FREE-07.png` ▼**
Entries	SA-01 … SA-06



FREE-07.png (section 1 of 2, top to bottom)



polo	2026-09-15 19:29:39
denim	2026-09-15 15:54:35
backpack	2026-09-15 07:07:08
sweatpants	2026-09-15 07:05:38
denim	2026-09-15 06:36:18

4 Zero-Result Searches

SEARCH TERM	TIMES SEARCHED	LAST SEARCHED
crop top	12	September 13, 2026
phone case	11	September 13, 2026
gift card	11	September 17, 2026
tote bag	10	September 12, 2026
hoodie dress	9	September 12, 2026
denim	9	September 15, 2026
water bottle	9	August 31, 2026
gloves	9	September 15, 2026
socks	9	September 14, 2026
kids hoodie	9	September 15, 2026
leather jacket	9	September 18, 2026
wool hat	8	September 16, 2026
linen shirt	8	September 16, 2026
sticker pack	8	August 31, 2026
scarf	7	September 5, 2026
oversized hoodie	7	September 17, 2026
sweatpants	7	September 15, 2026
bucket hat	7	September 9, 2026
backpack	6	September 19, 2026
rain jacket	6	September 9, 2026

5 Most Viewed Products

PRODUCT	VIEW COUNT
Album	240
Single	212
Beanie with Logo	157
Cap	149
Hoodie	144
T-Shirt with Logo	144
Sunglasses	142
Belt	139
Hoodie with Logo	137
Hoodie with Pocket	129
Long Sleeve Tee	125
Polo	122
V-Neck T-Shirt	121
T-Shirt	111
Hoodie with Zipper	108

Thank you for creating with WordPress. Version 7.1.1

FREE-07.png (section 2 of 2, top to bottom)

Four stacked tables showing what shoppers search for and look at, read from the tracking table (B1) within the 90-day Free window. Page title `<h1>` **"Search Analytics"**. Each table shows up to 20 rows. There are no charts (Chart.js is not loaded on this page), no filters, no pagination and no export. When a query was clamped, the 90-day banner appears under the title: **"The free version includes your most recent 90 days of activity. Customer History Pro includes your full history — your older data is already collected and waiting."** with **"See what Pro adds"** and **"Dismiss"**.

SA-01 · "Heads up" notice about administrator activity — FREE

Where	Inline info notice above the first panel

Screenshot	`FREE-07.png (shown earlier)` · ① Heads-up notice about admin activity

What it shows. "Heads up: your own administrator activity isn't recorded by default, so this page stays empty while you browse the store as an admin. To see searches and product views here, visit your store while logged out or as a customer."

How it's computed. Shown to users who can manage WooCommerce while the "Save admin sessions" option is off. That option only has a control on Pro (SET-01), so on Free the notice is always present.

Interactions. None; it is not dismissible.

Empty state. Not applicable.

Demo prerequisites. None. When recording a demo, generate storefront activity in a logged-out or customer browser session.

Accuracy notes. ⛔ Store administrators and shop managers are never tracked on Free. Do not film an admin searching the storefront and expect it to appear here.

Source. `admin/partials/templates/search-analytics.php:29-36`; gate `public/class-pd-customer-history-public.php:65`

SA-02 · "Top Keyword Searches" — FREE

Where	First panel
Screenshot	`FREE-07.png (shown earlier)` · ② Top Keyword Searches

What it shows. Table **Keyword** / **Count**, the 20 most-searched terms.

How it's computed. Counts of `ACTION::search::{term}` rows in the tracking table inside the 90-day window, grouped by term.

Interactions. None.

Empty state. Header row only.

Demo prerequisites. Storefront searches by non-admin visitors.

Accuracy notes. Only searches made through the WordPress/WooCommerce search are recorded; a third-party search widget that bypasses it is not.

Source. `admin/partials/templates/search-analytics.php:39-65`; `includes/data/class-pdwchs-search-stats-data.php:132-135`

SA-03 · "Last Searches" — FREE

Where	Second panel
Screenshot	`FREE-07.png (shown earlier)` · ③ Last Searches

What it shows. Table **Keyword** / **Date**, the 20 most recent searches, newest first.

How it's computed. The latest search rows within the 90-day window.

Interactions. None.

Empty state. Header row only.

Demo prerequisites. Recent storefront searches.

Accuracy notes. It lists terms and times, not who searched. Per-customer search history is a Pro profile feature (PROF-02).

Source. `admin/partials/templates/search-analytics.php:69-95`; `includes/data/class-pdwchs-search-stats-data.php:163-166`

SA-04 · "Zero-Result Searches" — FREE

Where	Third panel
Screenshot	`FREE-07.png (shown earlier)` · ④ Zero-Result Searches

What it shows. Table **Search Term** / **Times Searched** / **Last Searched**, up to 20 terms that returned no products. New in 3.1.2.

How it's computed. Since 3.1.2 every recorded search stores the number of results WordPress found; this panel lists terms whose count was 0, inside the 90-day window. The date recording began is kept in the option `pdwchs_results_count_since`.

Interactions. None.

Empty state. Two variants. With a recorded start date: **"No zero-result searches recorded yet. Collecting since %s — terms appear here as visitors search your store and find nothing."** Without one: **"No zero-result searches recorded yet. Terms appear here as visitors search your store and find nothing."**

Demo prerequisites. A few storefront searches for things the catalog does not sell, made after the 3.1.2 update.

Accuracy notes. ⛔ Data accrues only from the day the site runs 3.1.2; earlier searches have no result count and never appear. It is a report: the plugin does not redirect, suggest or "resolve" empty searches. Do not quote industry zero-result percentages (§D.4).

Source. `admin/partials/templates/search-analytics.php:99-147`; `includes/data/class-pdwchs-search-stats-data.php:293-313`; since-option `includes/class-pd-customer-history-activator.php:164`, `includes/data/class-pdwchs-sessions-data.php:101`

SA-05 · "Most Viewed Products" — FREE

Where	Fourth panel
Screenshot	`FREE-07.png (shown earlier)` · ⑤ Most Viewed Products

What it shows. Table **Product** (links to the product page in a new tab) / **View Count**, top 20.

How it's computed. Tracked page views whose path starts with `product/`, resolved from slug to product, within the 90-day window.

Interactions. Product name opens the storefront product page.

Empty state. Header row only.

Demo prerequisites. Product page views by non-admin visitors.

Accuracy notes. Counts are page views, not unique visitors.

Source. `admin/partials/templates/search-analytics.php:151-192`; `includes/helper/class-pdwchs-helper.php:346-357`

SA-06 · "Top {Taxonomy plural} Views" — does not render on Free

Where	Would follow Most Viewed Products
Screenshot	None (the panel is never output on Free)

What it shows. Nothing on Free. The template loops over the product taxonomies returned by a Pro helper class; without that class the list is empty, so no category panel is printed.

How it's computed. Category and brand page views are still **recorded** on Free (B1); only the report is Pro (STAT-11, and the dashboard "Most viewed {Taxonomy}" widgets DASH-05 / DASH-08).

Interactions. Not applicable.

Empty state. Not applicable.

Demo prerequisites. Not applicable.

Accuracy notes. ⛔ Do not list "top viewed categories" as a Free report. The 3.0.0 brief and the wp.org screenshot caption for this page say it is; the 3.1.2 code does not render it on Free.

Source. `admin/partials/templates/search-analytics.php:196-207` ; helper `pro/Helpers/Pro-Helpers.php:75-93`
