
PureDevs Customer History for WooCommerce 3.1.2 — Feature Reference for the Content Team


> **Part 2 of 2 — screens A9–A18, Part B, §C–§F and the appendix. Part 1 holds the front matter, legend, admin map and screens A1–A8.**

A9 · Sessions — PRO


Menu	Customer History → Sessions. Also the **Sessions** tab of the top tab bar (Pro only).
URL	`admin.php?page=pd-woo-sessions` (Live Sessions) · `pd-woo-searches` (Live Searches) · `pd-woo-trash` (Trash)
Tier	PRO. On Free the menu item, the tab and all three views do not exist.
Full-page shots	`NAV-03.png` ▼ (sub-navigation) · `SESS-01.png` ▼ · `SESS-02.png` ▼ · `SESS-03.png` ▼
Entries	SESS-01 … SESS-03




`NAV-03.png`


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Posts
Media
Pages
Comments
Plugin Documentation
WooCommerce
Products
Payments
Customer History
Dashboard
Customers & Users
Abandoned Carts
Segments
Order History
Revenue
Cohorts
Churn Prediction
Sessions
Statistics
Manual Tags
Settings
Contact Us
Upgrade
Analytics
Marketing
Astra
Appearance
Plugins
Users
Tools
Settings
UpdraftPlus
Collapse Menu
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Live Sessions | Live Searches | Trash (0)
Live Sessions
Check for new Sessions
Select Date Range
Keyword Search
Search Sessions
Show
select one
entries
11,764 items
1
of 589
User
URL
Referer
Date
Actions
Bot
http://localhost/puredevs-customer-history/product/t-shirt
2026-09-19 06:03:29
Bot
http://localhost/puredevs-customer-history/product/single
2026-09-19 06:03:29
Guest
New order: #840
2026-09-19 06:02:23
Guest
New order: #839
2026-09-19 06:02:22
Guest
New order: #838
2026-09-19 06:02:00
Guest
New order: #837
2026-09-19 06:01:59
Guest
New order: #833
2026-09-19 06:01:44
Guest
New order: #834
2026-09-19 06:01:44
Guest
New order: #835
2026-09-19 06:01:44
Guest
New order: #831
2026-09-19 06:01:43
Guest
New order: #832
2026-09-19 06:01:43
Amelia Hartley
http://localhost/puredevs-customer-history/checkout
https://www.pinterest.com/
2026-09-19 05:36:42
Amelia Hartley
http://localhost/puredevs-customer-history/cart
https://www.pinterest.com/
2026-09-19 05:35:49
Amelia Hartley
Add to cart: x2 products #18
https://www.pinterest.com/
2026-09-19 05:35:44
Amelia Hartley
http://localhost/puredevs-customer-history/product/belt
https://www.pinterest.com/
2026-09-19 05:35:24
Amelia Hartley
http://localhost/puredevs-customer-history/product-category/accessories
https://www.pinterest.com/
2026-09-19 05:34:33
Amelia Hartley
http://localhost/puredevs-customer-history/shop
https://www.pinterest.com/
2026-09-19 05:33:29
Amelia Hartley
http://localhost/puredevs-customer-history/cart
2026-09-19 04:05:36
Amelia Hartley
Add to cart: x1 products #13
2026-09-19 04:05:31
Amelia Hartley
http://localhost/puredevs-customer-history/product/v-neck-t-shirt
2026-09-19 04:04:43
11,764 items
1 of 589
Thank you for creating with WordPress.
Version 7.1.1

SESS-01.png


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Posts
Media
Pages
Comments
Plugin Documentation
WooCommerce
Products
Payments
Customer History
Dashboard
Customers & Users
Abandoned Carts
Segments
Order History
Revenue
Cohorts
Churn Prediction
Sessions
Statistics
Manual Tags
Settings
Contact Us
Upgrade
Analytics
Marketing
Astra
Appearance
Plugins
Users
Tools
Settings
UpdraftPlus
Collapse Menu
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Live Sessions | Live Searches | Trash (0)
Live Searches
Check for new Sessions
Select Date Range
Keyword Search
Search Sessions
Show
select one
entries
880 items
1
of 44
User
URL
Referer
Date
Actions
Amelia Hartley
Search: backpack
2026-09-19 04:04:02
Guest
Search: leather jacket
https://t.co/8xk2pQ
2026-09-18 03:44:33
Olivia Nakamura
Search: gift card
2026-09-17 15:18:24
Amelia Hartley
Search: oversized hoodie
2026-09-17 10:47:40
Emily Silva
Search: hoodie
https://www.instagram.com/
2026-09-17 10:14:50
Lucas Lindqvist
Search: cap
android-app://com.google.android.googlequicksearchbox/
2026-09-17 04:00:36
Hannah Lambert
Search: tee
2026-09-17 03:07:05
Grace Larsen
Search: cap
2026-09-17 01:45:22
Daniel Kimura
Search: linen shirt
https://www.instagram.com/
2026-09-16 18:10:53
Lucas Lindqvist
Search: t-shirt
android-app://com.google.android.googlequicksearchbox/
2026-09-16 13:16:34
Ethan Kowalski
Search: shirt
2026-09-16 10:19:19
Hazel Silva
Search: wool hat
https://www.bing.com/
2026-09-16 09:21:55
Sophia Lambert
Search: sunglasses
https://www.google.com/
2026-09-16 08:42:00
Guest
Search: gloves
2026-09-15 23:03:35
Guest
Search: kids hoodie
https://duckduckgo.com/
2026-09-15 21:06:15
Chloe Okafor
Search: polo
https://www.google.com/
2026-09-15 19:29:39
Mia Brennan
Search: denim
2026-09-15 15:54:35
Guest
Search: backpack
2026-09-15 07:07:08
Matthew Petrov
Search: sweatpants
https://duckduckgo.com/
2026-09-15 07:05:38
Ruby Larsen
Search: denim
https://www.facebook.com/
2026-09-15 06:36:18
1 of 44
Thank you for creating with WordPress.
Version 7.1.1

SESS-02.png



SESS-03.png

Sessions is the raw view of the tracking table (Part B1): one row per recorded event, newest first. The three views share one template and one list table; a sub-navigation under the page title switches between **Live Sessions**, **Live Searches** and **Trash (N)**, where N is the live count of trashed rows. "Live" means "not trashed", not "real-time": rows appear as visitors browse, and the page is refreshed by reloading or by the "Check for new Sessions" button. Everything here is read from data collected since the plugin was activated; on Pro there is no 90-day read window.

SESS-01 · "Live Sessions" — PRO

Where	Sessions → sub-nav tab **Live Sessions** (default) · slug `pd-woo-sessions`
Screenshot	`SESS-01.png (shown earlier)` · ① Page title ② Sub-navigation ③ Check for new Sessions ④ Date range + keyword search ⑤ Rows per page ⑥ Report table

What it shows. Page title "Live Sessions". A list table with the columns **User** · **URL** · **Referer** · **Date** · **Actions**. Each row is one tracked event: a page, product or category path, a search, an add-to-cart or a new order (the `ACTION::…` rows are shown in readable form, for example "Search: hoodie"). User is the customer's name for logged-in visitors and a guest label for user id 0.

How it's computed. A direct read of `{prefix}pd_woo_customer_history_sessions` where the row is not trashed, filtered by the optional date range and keyword, paged by the rows-per-page value. Rows recorded for crawlers carry the reserved bot user id `999999999999999` and are listed only when Settings → General Settings → "Show BOT sessions" is Yes. Store administrators and shop managers are not recorded at all unless "Save admin sessions" is Yes (SET-01).

Interactions. ③ "Check for new Sessions" reloads the list. ④ "Select Date Range" picker plus a "Keyword Search" box with the submit button "Search Sessions". ⑤ "Show N entries" (10 / 20 / 50 / 100). In ⑥ the Actions cell has a **Delete** button that moves the row to Trash and shows the notice "Your session was deleted, you can find it in trash". Appending `&user_id=N` to the URL limits the list to one customer; the profile's Activity Timeline links here as "All Sessions".

Empty state. The standard list-table "No items found." row.

Demo prerequisites. Browse the storefront logged out or as a customer before filming; an admin browsing alone produces no rows.

Accuracy notes. ⛔ A row identifies a visitor only by WordPress user id, IP address and PHP session id. Do not describe it as visitor identification, fingerprinting or session replay. Deleting here is a soft delete into Trash.

Source. `pro/Stats/templates/live-sessions.php:50-108` ; columns `pro/Stats/Sessions-List-Table.php:225-232` ; row actions `pro/Stats/Sessions-List-Table.php:261-264` ; bot filter `pro/Helpers/class-pd-customer-history-helper.php:298`

SESS-02 · "Live Searches" — PRO

Where	Sessions → sub-nav tab **Live Searches** · slug `pd-woo-searches` (hidden page, no menu entry)
Screenshot	`SESS-02.png (shown earlier)` · ① Page title ② Sub-navigation ③ Date range + keyword search ④ Report table

What it shows. Page title "Live Searches". The same table and columns as SESS-01, limited to search events, so the URL column reads as the search term each visitor typed.

How it's computed. Same query as SESS-01 restricted to rows whose stored value starts with `ACTION::search::` .

Interactions. ③ date range and "Keyword Search" → "Search Sessions". Rows can be trashed exactly as in SESS-01. `&user_id=N` limits the list to one customer; the profile's Activity Timeline links here as "Search History".

Empty state. The standard list-table "No items found." row.

Demo prerequisites. A spread of storefront searches from customers and guests, including a few with no results.

Accuracy notes. This is the row-level log. Aggregated counts live in STAT-02 (Keywords) and STAT-03 (Zero-Result Searches).

Source. `pro/Stats/templates/live-sessions.php:50, 62` ; registration `pro/Stats/Sessions-List-Table.php:63-70`

SESS-03 · "Trash" — PRO

Where	Sessions → sub-nav tab **Trash (N)** · slug `pd-woo-trash` (hidden page, no menu entry)
Screenshot	`SESS-03.png (shown earlier)` · ① Page title ② Sub-navigation ③ Report table

What it shows. Page title "Trash". Rows that were deleted from Live Sessions or Live Searches, with the same five columns. The tab label carries the live count, for example "Trash (0)".

How it's computed. The same table read, limited to rows whose soft-delete flag is set.

Interactions. The Actions cell has a **Restore** button; restoring shows "Your session was restored, you can find it in live sessions". The "Check for new Sessions" button is not shown on this view. Permanent removal is done from Settings → Empty Tables (SET-05).

Empty state. The standard list-table "No items found." row (this is what the demo screenshot shows).


Demo prerequisites. Trash one or two rows first if the restore flow has to be filmed.

Accuracy notes. Trashed rows are excluded from every report until restored.

Source. `pro/Stats/templates/live-sessions.php:26-35, 52, 63` ; registration `pro/Stats/Sessions-List-Table.php:71-78`

A10 · Statistics — PRO

Menu	Customer History → Statistics. Also the **Statistics** tab of the top tab bar (Pro only). "Cohorts" additionally has its own menu item (A14).
URL	`admin.php?page=pd-woo-stats` opens the first report; every other report is a hidden page reached from the sub-navigation
Tier	PRO. On Free the closest equivalent is the Search Analytics page (A8), which Pro hides.
Full-page shots	`NAV-02.png` ▼ (sub-navigation) and one shot per report below
Entries	STAT-01 … STAT-13




NAV-02.png

Statistics is a family of report pages that share one sub-navigation, rendered as a row of links under the page title. The tabs appear in this order: **Site Pages** · **Keywords** · **Zero-Result Searches** · **Viewed vs Purchased Ratio** · **Top Selling Products by This Month** · **Product Revenue** · **Conversion Funnel** · **Cohort Retention** · **Frequently Bought Together** · **Geographic Performance** · one **"{Taxonomy} View"** tab per eligible product taxonomy (on the demo store: **Brand View** and **Category View**) · **Revenue Patterns** · **Total Spent**. The Statistics top tab stays highlighted on all of them. Six reports are plain sortable list tables built from the tracking data; the others are chart pages that load their data over AJAX after the filters are applied. Revenue figures count completed and processing orders only unless an entry says otherwise.

STAT-01 · "Site Pages" — PRO

Where	Statistics → tab **Site Pages** (default) · slug `pd-woo-stats`
Screenshot	`STAT-01.png` ▼ · ① Page title ② Sub-navigation ③ Keyword search ④ Rows per page ⑤ Report table



STAT-01.png

What it shows. Page title "Site Pages". Columns **Sessions** · **URL**: every storefront path that was visited, with the number of tracked visits, most visited first.

How it's computed. A grouped count over the tracking table by stored path, excluding trashed rows.

Interactions. ③ "Keyword Search" box with the submit button "Search Sessions" filters by path. ④ "Show N entries" (10 / 20 / 50 / 100). Standard list-table paging.

Empty state. The standard list-table "No items found." row.


Demo prerequisites. Varied storefront browsing: shop, category, product, cart and checkout pages.

Accuracy notes. Counts are tracked page loads, not unique visitors.

Source. `pro/Stats/templates/stats-pages.php:17-23` ; columns `pro/Stats/Stats-List-Table.php:178-183`

STAT-02 · "Keywords" — PRO

Where	Statistics → tab **Keywords** · slug `pd-woo-search-stats`
Screenshot	`STAT-02.png` ▼ · ① Page title ② Sub-navigation ③ Keyword search ④ Report table



STAT-02.png

What it shows. Page title "Keywords". Columns **Searches** · **Keywords**: each storefront search term with how many times it was searched.

How it's computed. A grouped count of `ACTION::search::{term}` rows. This is the full-history version of the Free "Top Keyword Searches" panel (SA-02).

Interactions. ③ "Keyword Search" → "Search Sessions" filters the term list. Rows per page and paging as in STAT-01.

Empty state. The standard list-table "No items found." row.


Demo prerequisites. At least a dozen distinct search terms with uneven counts.

Accuracy notes. The search keyword is escaped on output as of 3.1.2 (security fix in the changelog).

Source. `pro/Stats/templates/search-keywords-page.php:17-23` ; columns `pro/Stats/Stats-List-Table.php:184-189`

STAT-03 · "Zero-Result Searches" — PRO

Where	Statistics → tab **Zero-Result Searches** · slug `pd-woo-zero-result-searches`
Screenshot	`STAT-03.png` ▼ · ① Page title ② Sub-navigation ③ Search terms ④ Report table



STAT-03.png

What it shows. Page title "Zero-Result Searches". Columns **Search Term** · **Times Searched** · **Last Searched**: the terms shoppers searched for that returned no products.

How it's computed. Search rows whose stored result count is 0, grouped by term. The result count is recorded at search time from the number of posts WordPress found. It has only been recorded since the store was updated to 3.1.2, so terms accrue from that date and older searches never appear.

Interactions. ③ search box with placeholder and button "Search Terms". Sortable columns, rows per page and paging.

Empty state. The standard list-table "No items found." row. (The Free panel SA-04 carries the dated "Collecting since …" message.)


Demo prerequisites. Storefront searches for products the catalog does not have, made after the 3.1.2 update.

Accuracy notes. ⛔ This is a report. The plugin does not redirect searches, suggest products or "resolve" empty results. Do not quote any industry statistic about zero-result search rates (§D.4).

Source. `pro/Stats/templates/zero-result-searches-page.php:27-33` ; columns `pro/Stats/Stats-List-Table.php:190-196` ; reader `includes/data/class-pdwchs-search-stats-data.php:293-313`

STAT-04 · "Product View Count" — PRO

Where	Statistics → tab **Viewed vs Purchased Ratio** · slug `pd-woo-product-view-stats`
Screenshot	`STAT-04.png` ▼ · ① Page title ② Sub-navigation ③ Product search ④ Report table



STAT-04.png

What it shows. The tab is labelled "Viewed vs Purchased Ratio"; the page title reads "Product View Count". Columns **Product Name** · **View Count** · **Purchase Count** · **View vs Purchase Ratio**.

How it's computed. Views are tracked paths that start with `product/`, resolved to the product. Purchases come from order line items. The ratio compares the two per product.

Interactions. ③ "Product Search" box with the button "Search Products". Rows per page and paging.

Empty state. The standard list-table "No items found." row.


Demo prerequisites. Products with many views and few purchases next to products that convert well, so the ratio column varies.

Accuracy notes. Views are page loads of the product page, including repeat views by the same visitor.

Source. `pro/Stats/templates/product-view-stats-page.php:18-23`; columns `pro/Stats/Stats-List-Table.php:197-204`

STAT-05 · "Top Selling Products by This Month" — PRO

Where	Statistics → tab **Top Selling Products by This Month** · slug `pd-woo-top-selling-stats`
Screenshot	`STAT-05.png` ▼ · ① Page title ② Sub-navigation ③ Report table



STAT-05.png

What it shows. Page title "Top Selling Products by This Month". Columns **Product Name** · **Purchase Count**. It is the full list behind the dashboard widget of the same name (DASH-03) and the target of that widget's "View All" link on Pro.

How it's computed. Line items of orders created in the current calendar month with the status on-hold, processing or completed, counted per product.

Interactions. A "Product Search" box with the button "Search Products", rows per page and paging.

Empty state. The standard list-table "No items found." row.


Demo prerequisites. Orders dated in the current month; film early in a month and the list is short.

Accuracy notes. ⛔ The window is fixed to the current calendar month and there is no date picker. It counts on-hold orders, which the revenue reports do not, so the two must not be presented as the same figure.

Source. `pro/Stats/templates/top-selling-products.php:17-22`; columns `pro/Stats/Stats-List-Table.php:205-210`; query `includes/class-pd-customer-history.php:1064-1092`

STAT-06 · "Product Revenue & Comparison" — PRO

Where	Statistics → tab **Product Revenue** · slug `pd-woo-product-revenue`
Screenshot	`STAT-06.png` ▼ · ① Products (max 3) · Date Range · Granularity · Apply ② One line per product ③ Summary cards



STAT-06.png

What it shows. Page title "Product Revenue & Comparison". A filter row, a line chart with one series per selected product, and a grid of summary cards under it.

How it's computed. AJAX `pdwchs_get_product_revenue_over_time`. Revenue per product per period is read from WooCommerce's own order-product lookup table, so it follows WooCommerce Analytics' view of line-item revenue.

Interactions. ① "Products (max 3)" multi-select with the placeholder "Select up to 3 products…"; "Date Range" picker (default "Last 30 Days"); "Granularity" radios **Day** / **Week** / **Month**; **Apply**. Nothing is drawn until Apply is pressed.

Empty state. Before Apply: "Select at least one product and click Apply." While loading: "Loading...". On failure: "Error loading data. Please try again."


Demo prerequisites. Two or three products with steady sales across the chosen range. WooCommerce Analytics must have processed the orders, otherwise the lookup table is empty.

Accuracy notes. The comparison is capped at three products.


Source. `pro/Analytics/templates/product-revenue-chart.php:9-61`; `pro/Analytics/Products/Product-Reports-Ajax.php:69, 220-227, 300`

STAT-07 · "Aggregate Conversion Funnel" — PRO

Where	Statistics → tab **Conversion Funnel** · slug `pd-woo-conversion-funnel-stats`
Screenshot	`STAT-07.png` ▼ · ① Date Range · Granularity · Apply ② Visitors → Add to Cart → Checkout Started → Purchased ③ Stage-to-stage conversion rates ④ Funnel Over Time ⑤ Per-product session funnel (Last N days) ⑥ Num of Days



STAT-07.png (section 1 of 2, top to bottom)



STAT-07.png (section 2 of 2, top to bottom)

What it shows. Two reports on one page. First, under the title "Aggregate Conversion Funnel": a bar chart with four bars, **Visitors**, **Add to Cart**, **Checkout Started** and **Purchased**; four stat cards, **Visitors → Add to Cart**, **Add to Cart → Checkout Started**, **Checkout Started → Purchased** and **Overall Conversion**, each a percentage; and a line chart under the heading "Funnel Over Time". Second, under a second title "Conversion Funnel Visualization (Last N days)": a per-product table with the columns **Product Name** · **Funnel Roadmap** · **Conversion**.

How it's computed. Store-wide, from distinct tracked sessions in the range. Visitors = every session. Add to Cart = sessions with an add-to-cart event. Checkout Started = sessions that loaded the checkout page, not counting the order-received page. Purchased = sessions that reached the order-received page or recorded a new-order event. AJAX `pdwchs_get_aggregate_funnel` and `pdwchs_get_funnel_over_time`.

Interactions. ① "Date Range" picker (default "Last 30 Days"), "Granularity" radios **Day** / **Week** / **Month**, **Apply**. For the per-product table: a "Product Search" box, "Show :" N entries (10 / 20 / 50 / 100) and ⑥ "Num of Days :" with **3 days**, **7 days** (default), **15 days** and **1 month**. All three table columns are sortable.

Empty state. "No funnel data for this period." While loading: "Loading…". On failure: "Error loading data. Please try again."


Demo prerequisites. Many more browsing sessions than carts, and more carts than orders, so the bars step down clearly.

Accuracy notes. The funnel counts sessions, not people; one shopper with three visits is three sessions. It is a store-wide aggregate and does not show an individual visitor's path.


Source. `pro/Analytics/Funnel/templates/aggregate-funnel.php:16-112` ; stage definitions `pro/Analytics/Funnel/Funnel-Data.php:37-45` ; labels `pro/Analytics/Funnel/Funnel-Ajax.php:47-48, 120-124` ; table `pro/Analytics/Funnel/Funnel-Session-List-Table.php:31-37`

STAT-08 · "Cohort Retention" — PRO

Where	Statistics → tab **Cohort Retention**, and the menu item Customer History → **Cohorts** · slug `pd-woo-cohorts`
Screenshot	**STAT-08.png ▼** · ① Customers / Revenue view ② Export CSV ③ Average retention by month since first order ④ Cohort × M+0 … M+12 heat-map. Revenue view: **STAT-08b.png ▼**



STAT-08.png



Cohort	Customers	M+0	M+1	M+2	M+3	M+4	M+5	M+6	M+7	M+8	M+9	M+10	M+11	M+12
2026-09	2	—	—	—	—	—	—	—	—	—	—	—	—	—
2026-08	7	838.40$	—	—	—	—	—	—	—	—	—	—	—	—
2026-07	4	642.00$	65.24$	—	—	—	—	—	—	—	—	—	—	—
2026-06	5	348.00$	0.00$	106.00$	—	—	—	—	—	—	—	—	—	—
2026-05	7	263.00$	0.00$	151.00$	0.00$	—	—	—	—	—	—	—	—	—
2026-04	4	132.00$	0.00$	0.00$	0.00$	0.00$	—	—	—	—	—	—	—	—
2026-03	2	43.00$	0.00$	0.00$	0.00$	0.00$	0.00$	—	—	—	—	—	—	—
2026-02	3	65.40$	0.00$	0.00$	0.00$	0.00$	0.00$	0.00$	—	—	—	—	—	—
2026-01	5	291.00$	269.00$	664.30$	22.20$	559.80$	97.00$	0.00$	142.00$	—	—	—	—	—
2025-12	6	484.60$	289.00$	378.20$	481.00$	631.00$	1,258.80$	565.00$	1,195.00$	290.00$	—	—	—	—
2025-11	15	2,531.00$	463.00$	2,252.00$	1,101.00$	1,058.00$	690.00$	1,513.00$	1,038.00$	650.00$	147.00$	—	—	—
2025-10	12	2,442.10$	1,261.10$	2,502.80$	1,612.00$	1,768.00$	1,667.00$	1,367.10$	1,788.00$	174.00$	2,241.00$	674.00$	—	—
2025-09	10	2,029.00$	1,258.50$	1,135.20$	637.00$	713.00$	989.30$	2,297.70$	1,529.00$	291.00$	433.00$	1,030.60$	404.00$	—
2025-08	8	887.00$	508.00$	428.00$	601.00$	595.50$	566.00$	728.40$	463.30$	313.80$	865.30$	290.00$	613.50$	622.00$

Cohorts count registered customers by account and guest checkouts by billing email. A shopper who checked out as a guest and later registered appears in both. These totals will not match the new-vs-

STAT-08b.png

What it shows. Page title "Cohort Retention". A toolbar with the view toggle **Customers** / **Revenue**, an **Export CSV** button and the stamp "Generated %s ago". A chart of average retention by month since first order. A heat-map table: **Cohort** (first-order month) · **Customers** (cohort size) · **M+0** … **M+12**. In the Customers view each cell is the percentage of the cohort that ordered again in that month; in the Revenue view each cell is a currency amount. Cells are shaded in ten steps by decile. A month that has not finished shows a dash with the tooltip "This month has not ended yet."

How it's computed. A cohort is the calendar month of a buyer's first completed or processing order. Registered customers are identified by account, guest checkouts by billing email. Up to 24 acquisition months are kept, each followed for 12 months. The whole matrix is calculated by a daily job at 3:30 AM, plus one run about five minutes after Pro is activated, and stored, so the page never calculates on load.

Interactions. ① switches between the two views (`?view=customers` or `?view=revenue`). ② downloads `cohorts-{view}-{Y-m-d}.csv` with a UTF-8 byte-order mark and the header Cohort, Customers, M+0 … M+12.

Empty state. Before the first calculation: "Cohort data has not been generated yet." with "Cohorts are calculated once a day. The first calculation runs within a few minutes of activation — check back shortly." With no qualifying orders: "No cohorts yet." with "Cohorts appear once the store has completed or processing orders."


Demo prerequisites. At least six to twelve months of orders with repeat buyers, and the daily job run once after the data exists.

Accuracy notes. The page footnote must be respected in any explanation: "Cohorts count registered customers by account and guest checkouts by billing email. A shopper who checked out as a guest and later registered appears in both. These totals will not match the new-vs-returning split on the Revenue dashboard, which counts guests separately." Figures are as of the last daily run, not live.

Source. `pro/Analytics/Cohorts/templates/cohort-table.php:18-143` ; page `pro/Analytics/Cohorts/Cohort-Page.php:20, 43-50` ; export `pro/Analytics/Cohorts/Cohort-Export.php:58-76` ; engine `pro/Analytics/Cohorts/Cohort-Data.php:24-36` ; schedule `pro/Analytics/Cohorts/Cohort-Cron.php:44-50`

STAT-09 · "Frequently Bought Together" — PRO

Where	Statistics → tab **Frequently Bought Together** · slug `pd-woo-product-correlations`
Screenshot	`STAT-09.png` ▼ · ① Anchor Product ② Window: 30 / 60 / 90 / 180 days ③ Show top 5 / 10 / 20 ④ Rank / Product / Co-occurrences / Confidence



STAT-09.png

What it shows. Page title "Frequently Bought Together". After an anchor product is chosen, a table of the products most often bought in the same order: **Rank** · **Product** · **Co-occurrences** · **Confidence**.

How it's computed. AJAX `pdwchs_get_product_correlations`. For the chosen product and look-back window, it counts how many orders contained both products, using WooCommerce's order-product lookup table. Confidence is the share of the anchor product's orders that also contained the other product.

Interactions. ① "Anchor Product" select with the placeholder "— Select a product —"; the table loads as soon as a product is picked. ② "Window" toggle **30 days** / **60 days** / **90 days** (default) / **180 days**. ③ "Show top" toggle **5** / **10** (default) / **20**. Changing either toggle reloads the table.

Empty state. Before a product is chosen: "Select a product above to see frequently bought together items." With no pairs: "No frequently bought together data for this product and window." While loading: "Loading...". On failure: "Error loading data. Please try again."


Demo prerequisites. Multi-item orders, so that pairs exist. Pick an anchor product that sells often.

Accuracy notes. ⛔ This is an admin report. The plugin does not add a recommendation or "bought together" widget to the storefront and does not change any product.

Source. `pro/Analytics/templates/product-correlations.php:10-111` ; `pro/Analytics/Products/Product-Reports-Ajax.php:71, 228-235, 323` ; engine `pro/Analytics/Products/Product-Correlations-Data.php`

STAT-10 · "Geographic Performance" — PRO

Where	Statistics → tab **Geographic Performance** · slug `pd-woo-geographic`
Screenshot	`STAT-10.png` ▼ · ① Date range + Apply ② Net sales · Orders · Items · Countries ③ Compare countries ④ Country A ⑤ Comparison chart ⑥ Sortable country table



STAT-10.png

What it shows. Page title "Geographic Performance". A date-range toolbar; a summary row with **Net sales**, **Orders**, **Items** and **Countries**; a "Compare countries" region with two selects, two metric panels listing **Net sales**, **Orders**, **Items** and **Unique products**, and a grouped bar chart; and the main table **Country** · **Net sales** · **Orders** · **Items** · **Unique products**.

How it's computed. Completed and processing orders in the range, grouped by each order's own billing country, guest checkouts included. Orders with no billing country are grouped under "Unknown" so the rows add up to the store total. The comparison chart plots each metric as a percentage of the higher of the two countries.

Interactions. ① the page has its own "Date range" picker and **Apply**; the default window is the last 30 days. ④ "Country A" and "Country B" default to the top two countries by net sales and update the panels and chart over AJAX (`pdwchs_geographic_compare`). The compare region appears only when at least two countries have orders. ⑥ every column is sortable; the default sort is net sales, highest first, and the sort is kept when the range changes.

Empty state. "No orders between %1$s and %2$s." with "Try a wider date range. Only completed and processing orders are counted."


Demo prerequisites. Orders from at least five or six billing countries inside the selected range.

Accuracy notes. ⛔ There is no map, and no city or region drill-down: the report is a table plus a bar chart by country. The page footnote explains the totals: "Orders are grouped by their own billing country, including guest checkouts. Orders with no billing country are grouped under "Unknown" and are counted in the totals, which is what makes these rows add up to the store total. There is no combined unique-product count: a product sold in two countries would be counted twice."


Source. `pro/Analytics/Geographic/templates/geographic-report.php:41-294` ; page `pro/Analytics/Geographic/Geographic-Page.php:38-84`

STAT-11 · "{Singular} View" taxonomy pages — PRO

Where	Statistics → one tab per eligible product taxonomy, labelled "{Singular} View" · slug `pd-woo-{singular}-stats&pd_taxonomy={taxonomy}` . On the demo store: **Category View** (`pd-woo-category-stats&pd_taxonomy=product_cat`) and **Brand View** (`pd-woo-brand-stats&pd_taxonomy=product_brand`)
Screenshot	**`STAT-11.png`** ▼ (Category View) · **`STAT-11b.png`** ▼ (Brand View) · ① Page title ② Sub-navigation ③ Report table



STAT-11.png



STAT-11b.png

What it shows. The page title is the taxonomy's singular name followed by "View", for example "Category View". Columns **Count** · **{Singular}**: how many tracked views each category or brand archive received.

How it's computed. Tracked paths that belong to the taxonomy's archive pages, counted per term. A tab is created for every public product taxonomy that has an admin screen, except product type, product visibility, product tags, shipping classes and the attribute taxonomies.

Interactions. A "Keyword Search" box with the button "Search Sessions", rows per page and paging.

Empty state. The standard list-table "No items found." row.


Demo prerequisites. Visitors browsing category pages. The Brand View tab exists only when WooCommerce brands are in use.

Accuracy notes. ⛔ The set of tabs differs from store to store, so do not promise a fixed list. These are archive-page views, not sales by category.


Source. `pro/Stats/templates/stats-tax-view.php:19-25` ; columns `pro/Stats/Taxonomy-Stats-List-Table.php:38-46` ; tab list `pro/Stats/templates/top-sub-nav-stats.php:64-78` ; eligible taxonomies `pro/Helpers/Pro-Helpers.php:75-93`

STAT-12 · "Revenue Patterns" — PRO


Where	Statistics → tab **Revenue Patterns** · slug `pd-woo-revenue-patterns`
Screenshot	`STAT-12.png` ▼ (Day of Week) · ① Date Range · View · Apply ② Best / worst day and hour ③ Revenue by day of week. Other views: `STAT-12b.png` ▼ (Hour of Day) · `STAT-12c.png` ▼ (Heatmap)



STAT-12.png



STAT-12b.png



STAT-12c.png

What it shows. Page title "Revenue Patterns". Summary cards naming the **Best** and **Worst** periods with their **Revenue** and **Orders**, then one of three views of the same data: a bar chart of revenue by day of week, a bar chart of revenue by hour of day, or a day × hour heat-map grid.

How it's computed. AJAX `pdwchs_get_revenue_patterns`. Completed and processing orders in the range, bucketed by the weekday and hour they were placed, in site time.

Interactions. ① "Date Range" picker (default "Last 30 Days"), a "View" toggle **Day of Week** (default) / **Hour of Day** / **Heatmap**, and **Apply**. Nothing is drawn until Apply is pressed.

Empty state. Before Apply: "Select a date range and click Apply to view revenue patterns." With no orders: "No revenue data for this date range." While loading: "Loading...". On failure: "Error loading data. Please try again."


Demo prerequisites. A few hundred orders spread over the week, with visible peaks, so the best and worst cards differ and the heat-map has contrast.

Accuracy notes. Hours follow the site's timezone setting, not the shopper's.

Source. `pro/Analytics/templates/revenue-patterns.php:12` ; `pro/Analytics/Products/Product-Reports-Ajax.php:73, 236-243, 354-359` ; engine `pro/Analytics/Products/Revenue-Patterns-Data.php`

STAT-13 · "Total Spent" — PRO

Where	Statistics → tab **Total Spent** (last tab) · slug `pd-woo-stats-spent`
Screenshot	`STAT-13.png` ▼ · ① Page title ② Sub-navigation ③ Rows per page ④ Report table



STAT-13.png

What it shows. Page title "Total Spent". Columns **Total spent** · **Users** · **Total Orders** · **Orders Average**: customers ranked by lifetime spend, with their order count and average order value.

How it's computed. WooCommerce's lifetime totals per customer (total spent and order count); the average is total spent divided by order count.

Interactions. ③ "Show N entries" (10 / 20 / 50 / 100) and paging. This page has no search box.

Empty state. The standard list-table "No items found." row.

Demo prerequisites. Customers with clearly different lifetime totals.


Accuracy notes. Registered customers only; guest orders have no account to total against.

Source. `pro/Stats/templates/stats-spent.php:15` ; columns `pro/Stats/Stats-List-Table.php:211-218`


A11 · Abandoned Carts — PRO

Menu	Customer History → Abandoned Carts
URL	`admin.php?page=pd-woo-abandoned-carts` (detail view: same slug + `&cart_id=N`)
Tier	PRO. The menu item, the dashboard widget (DASH-13) and the settings card (SET-03) do not exist on Free.
Full-page shots	`CART-01.png` ▼ (list) · `CART-02.png` ▼ (detail)

Entries	CART-01, CART-02, CART-L



CART-01.png



CART-02.png

The plugin snapshots the WooCommerce cart every time it changes and keeps one row per cart with a status. This page lists those rows and lets the admin open any one to see who it belonged to, what was in it, and what happened to it. It is a report: nothing on this page contacts the shopper.

⛔ **Observation only.** No recovery emails, no reminders, no coupons, no "win back" of any kind. The dashboard widget and the settings card both name an "Automation Add-on" for recovery actions; that is a separate product and is not part of this plugin. Never write "recover abandoned carts"; write "see which carts were abandoned and which were later recovered".

CART-01 · "Abandoned Carts" list — PRO

Where	Customer History → Abandoned Carts. Page title "Abandoned Carts"; the panel header repeats "Abandoned Carts" with a cart icon.
Screenshot	`CART-01.png (shown earlier)` · ① Status · Date range · Min total · Filter ② Customer / Items / Total / Status / Last Updated / Actions table

What it shows. A `WP_List_Table` with six columns: **Customer** (display name and email linking to the customer profile; for guests a grey **Guest** badge plus the captured email when there is one), **Items** (item count), **Total** (cart value), **Status** (colored chip: Active, Abandoned, Recovered, Completed), **Last Updated** ("%s ago", with the absolute time in the tooltip), **Actions** (a **View Detail** button).

How it's computed. Rows come from the `{prefix}pdwchs_carts` table written by the cart tracker (CART-L). Status values are set by the tracker (active, completed), the 15-minute abandonment check (abandoned) and the recovery detector (recovered).

Interactions. ① Filter bar: status select (**All Statuses**, Active, Abandoned, Recovered, Completed), a **Date range** picker, a **Min total** number input, and **Filter**. Sortable columns: **Total**, **Items**, **Last Updated** (default, newest first). "View Detail" opens CART-02. The dashboard widget's "View abandoned carts →" link lands here pre-filtered to `status=abandoned` and the last 7 days.

Empty state. "No carts found matching your filters." When tracking is switched off, a warning above the table reads "Cart tracking is currently disabled. Enable it in Settings → Abandoned Cart Tracking."

Demo prerequisites. Cart tracking enabled (default on), a mix of all four statuses, some guest carts with a captured email, and a few abandoned carts inside the last 7 days so the dashboard widget has a value to show.

Accuracy notes. ⛔ Observation only (see section note). The Guest email appears only when "Email early capture" is on and the shopper typed an email on the checkout page.

Source. `pro/Carts/templates/abandoned-carts-list.php:9-33`; list table `pro/Carts/Abandoned-Carts-List-Table.php:36-43, 247-264, 362-399, 407-475`

CART-02 · "Cart Detail" — PRO

Where	Abandoned Carts → **View Detail** on any row (`&cart_id=N`). Back link "← Back to Abandoned Carts".
Screenshot	`CART-02.png (shown earlier)` · ① "Cart Detail" heading with status chip ② Customer or guest details ③ Cart Contents ④ Status Timeline

What it shows. Heading **Cart Detail** with the status chip, then a two-column layout. Main column, box **Customer**: for a registered shopper the display name (links to the profile) and email, or "(account deleted)"; for a guest the **Guest** badge, the captured email, **IP:** and **User Agent:** (truncated at 80 characters); then **Cart created:**. Main column, box **Cart Contents**: table **Image · Product · Qty · Unit Price · Line Total**, variation attributes under the product name, "(Product deleted)" when the product no longer exists, and a **Cart Total** footer row. Sidebar box **Status Timeline**: **Cart created**, **Last updated**, **Marked abandoned**, **Recovered**, **Checkout completed**; timestamps that do not exist are skipped and the latest one is marked current. Sidebar box **Linked Order** (only when the cart led to an order): "Linked order: #N" linking to the WooCommerce order editor, or "Linked order: #N (deleted)".

How it's computed. Reads the stored cart snapshot (the JSON WooCommerce cart contents captured at the last change), so prices and quantities are what the shopper saw at that moment.

Interactions. Links only: customer profile, WooCommerce order editor, back to the list. There are no action buttons.

Empty state. "No items captured." inside Cart Contents. Invalid requests show "Unauthorized or invalid cart." or "Cart not found."

Demo prerequisites. Use a registered customer's abandoned cart with two or three items for the main shot; a recovered cart shows the fullest timeline and the Linked Order box.

Accuracy notes. ⛔ Observation only. The page has no "send reminder" or "create coupon" control and must not be described as having one.

Source. `pro/Carts/templates/cart-detail.php:11-24, 39-44, 57-102, 109-181, 192-199, 228-236`

CART-L · Cart lifecycle, schedule and privacy — PRO

Where	No screen of its own; it explains the Status column (CART-01) and the Status Timeline (CART-02). Settings live in SET-03.
Screenshot	— (see `CART-02.png (shown earlier)` callout ④)

What it shows. The four statuses and how a cart moves between them: **active** → **abandoned** → **recovered**, or **active** → **completed**.

How it's computed. *Active*: the tracker upserts a snapshot on `woocommerce_cart_updated`, add to cart, item removed and cart emptied (empty carts are skipped). *Completed*: set when the order is placed (classic and Store API checkout). *Abandoned*: a job that runs **every 15 minutes** flips active carts idle longer than the timeout (**default 60 minutes**, minimum 5), 500 rows per batch. *Recovered*: when an order is placed from a cart that had been marked abandoned, the recovery detector (priority 20, after the tracker) sets it to recovered and stores the order id. A **daily cleanup at 6:00 AM** deletes cart rows older than the retention setting (**default 90 days**, minimum 7). On login a guest cart is re-keyed to the account.

Interactions. Four settings on Settings → Abandoned Cart Tracking (SET-03): Cart tracking, Email early capture, Abandonment timeout (minutes), Data retention (days).

Empty state. Not applicable.


Demo prerequisites. To show a status change live, set the timeout to 5 minutes, leave a cart idle, and wait for the next 15-minute tick.

Accuracy notes. Email early capture posts the billing email typed on the checkout page before the order exists; it needs both "Cart tracking" and "Email early capture" on. Each row stores cart contents, item count, total, currency, IP address, user agent and timestamps. The tracker registers a WordPress personal-data **exporter and eraser** for cart records. ⛔ "Recovered" means the shopper came back and bought on their own; the plugin did nothing to cause it.


Source. `pro/Carts/Cart-Tracker.php:26-51` ; `pro/Carts/Cart-Cron.php:35-98` ; `pro/Carts/Cart-Recovery-Detector.php:27-28` ; `pro/Carts/Cart-Email-Capture.php:11-30` ; settings `pro/Carts/Abandoned-Carts-List-Table.php:104-241`

A12 · Churn Prediction — PRO


Menu	Customer History → Churn Prediction
URL	`admin.php?page=pd-woo-churn-prediction` (tabs: `&tab=at-risk` default, `alerts` , `analytics` , `settings`)
Tier	PRO. On Free the feature appears only as the locked "Churn Risk" card on the profile (A18).
Full-page shots	`CHURN-01.png` ▼ · `CHURN-02.png` ▼ · `CHURN-03.png` ▼ · `CHURN-04.png` ▼
Entries	CHURN-S, CHURN-01 … CHURN-04


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Churn Prediction
12
CRITICAL RISK
5
HIGH RISK
8
MEDIUM RISK
17
ACTIVE ALERTS
At-Risk Customers
Alerts 17
Analytics
Settings
At-Risk Customers
All Risk Levels
Highest Risk First
Customer
Email
Risk Score
Risk Level
Primary Indicator
Customer Value
Last Order
Actions
Nathan Tanaka
nathan.tanaka35@example.com
91%
Critical
Declining purchase frequency
278.00$
3 orders
144 days ago
Leo Novak
leo.novak31@example.com
88%
Critical
Extended absence
1,435.00$
9 orders
164 days ago
Nora Nakamura
nora.nakamura32@example.com
88%
Critical
Extended absence
1,281.90$
9 orders
151 days ago
Zoe Hartley
zoe.hartley30@example.com
85%
Critical
Extended absence
1,456.00$
10 orders
165 days ago
Zyair Harris
zyair@example.com
85%
Critical
Extended absence
566.00$
10 orders
165 days ago
Aria Andersen
aria.andersen36@example.com
85%
Critical
Extended absence
191.00$
3 orders
162 days ago
Ryan Marsh
ryan.marsh33@example.com
85%
Critical
Extended absence
88.00$
3 orders
154 days ago
Victoria Estes
estes@example.com
85%
Critical
Extended absence
42.00$
1 orders
152 days ago
John Doe
johndoe@example.com
83%
Critical
Declining purchase frequency
908.00$
10 orders
135 days ago
Lydia Fuentes
lydia_fuentes@example.com
83%
Critical
Declining purchase frequency
468.00$
7 orders
136 days ago
Lyric Wells
lyric_wells@abc.com
83%
Critical
Declining purchase frequency
328.00$
4 orders
136 days ago
Isaac Kowalski
isaac.kowalski37@example.com
83%
Critical
Declining purchase frequency
254.00$
5 orders
138 days ago
Riley Walsh
riley.walsh40@example.com
80%
High
Declining purchase frequency
335.10$
4 orders
102 days ago
Hannah Lambert
hannah.lambert34@example.com
79%
High
Declining purchase frequency
3,188.00$
7 orders
113 days ago
Caleb Lindqvist
caleb.lindqvist39@example.com
79%
High
Declining purchase frequency
496.00$
3 orders
110 days ago
Adam Duarte
adam.duarte41@example.com
78%
High
Declining purchase frequency
1,823.00$
4 orders
116 days ago
Layla Brennan
layla.brennan38@example.com
76%
High
Declining purchase frequency
292.00$
4 orders
110 days ago
Thank you for creating with WordPress.
Version 7.1.1


CHURN-01.png


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Churn Prediction
12
CRITICAL RISK
5
HIGH RISK
8
MEDIUM RISK
17
ACTIVE ALERTS
At-Risk Customers
Alerts 17
Analytics
Settings
1
Churn Alerts
2
17 New 0 In Progress 0 Resolved
3
4
Priority
Customer
Alert
Risk
Value
Status
Assigned To
Created
P10
Nora Nakamura
nora.nakamura32@example.com
Critical Risk Alert: Nora Nakamura
88%
1,281.90$
New
Unassigned
5 hours ago
P10
Leo Novak
leo.novak31@example.com
Critical Risk Alert: Leo Novak
88%
1,435.00$
New
Unassigned
5 hours ago
P10
Victoria Estes
estes@example.com
Critical Risk Alert: Victoria Estes
85%
42.00$
New
Unassigned
5 hours ago
P10
Ryan Marsh
ryan.marsh33@example.com
Critical Risk Alert: Ryan Marsh
85%
88.00$
New
Unassigned
5 hours ago
P10
Aria Andersen
aria.andersen36@example.com
Critical Risk Alert: Aria Andersen
85%
191.00$
New
Unassigned
5 hours ago
P10
Zoe Hartley
zoe.hartley30@example.com
Critical Risk Alert: Zoe Hartley
85%
1,456.00$
New
Unassigned
5 hours ago
P10
Zyair Harris
zyair@example.com
Critical Risk Alert: Zyair Harris
85%
566.00$
New
Unassigned
5 hours ago
P10
John Doe
johndoe@example.com
Critical Risk Alert: John Doe
83%
908.00$
New
Unassigned
5 hours ago
P10
Lyric Wells
lyric_wells@abc.com
Critical Risk Alert: Lyric Wells
83%
328.00$
New
Unassigned
5 hours ago
P10
Lydia Fuentes
lydia_fuentes@example.com
Critical Risk Alert: Lydia Fuentes
83%
468.00$
New
Unassigned
5 hours ago
P10
Isaac Kowalski
isaac.kowalski37@example.com
Critical Risk Alert: Isaac Kowalski
83%
254.00$
New
Unassigned
5 hours ago
P10
Hannah Lambert
hannah.lambert34@example.com
High Risk Alert: Hannah Lambert
79%
3,188.00$
New
Unassigned
5 hours ago
P9
Nathan Tanaka
nathan.tanaka35@example.com
Critical Risk Alert: Nathan Tanaka
91%
278.00$
New
Unassigned
5 hours ago
P9
Adam Duarte
adam.duarte41@example.com
High Risk Alert: Adam Duarte
78%
1,823.00$
New
Unassigned
5 hours ago
P7
Riley Walsh
riley.walsh40@example.com
High Risk Alert: Riley Walsh
80%
335.10$
New
Unassigned
5 hours ago
P7
Caleb Lindqvist
caleb.lindqvist39@example.com
High Risk Alert: Caleb Lindqvist
79%
496.00$
New
Unassigned
5 hours ago
P7
Layla Brennan
layla.brennan38@example.com
High Risk Alert: Layla Brennan
76%
292.00$
New
Unassigned
5 hours ago
Thank you for creating with WordPress.
Version 7.1.1

CHURN-02.png


Customer History for WooCommerce
Live
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Customers & Users
Order History
Revenue
Segments
Sessions
Statistics
Settings
Churn Prediction
12
CRITICAL RISK
5
HIGH RISK
8
MEDIUM RISK
17
ACTIVE ALERTS
At-Risk Customers
Alerts 17
Analytics
Settings
Churn Analytics
1
Risk Distribution
Low
Medium
High
Critical
Low: 28
Medium: 8
High: 5
Critical: 12
2
Alert Statistics (30 Days)
17
TOTAL ALERTS
0
RESOLVED
0.0 hrs
AVG RESOLUTION
0%
RESOLUTION RATE
3
Customer Risk Summary
Low: 52.8%
Medium: 15.1%
High: 9.4%
Critical: 22.6%
Thank you for creating with WordPress.
Version 7.1.1

CHURN-03.png



CHURN-04.png

One page, four tabs, with a summary strip above the tabs. Scores are produced by the nightly churn job (2:00 AM) and alerts by an hourly job; nothing here is calculated on page load. Definitions (score weights, risk bands, alert priority) are in B4.5.

⚑ **Content rule.** Churn scores are on the never-pitch list in `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5. Every entry in this section carries the flag.

⛔ **Prediction and admin alerting only.** The "Create Coupon" action and the automated win-back email were removed in 3.0.2 (`docs/DEFERRED-FIXES.md` #1). The page creates no coupons and sends nothing to customers. The only email it can send is the alert to the admin recipient (CHURN-04). The RFM component of the ensemble predictor is fixed but **not wired into the scores shown on screen** (3.0.2 changelog).

CHURN-S · Summary stat grid — PRO

Where	Top of the Churn Prediction page, above the tab bar, on every tab. Page title "Churn Prediction".
Screenshot	`CHURN-01.png (shown earlier)` · ① Critical / High / Medium / Active Alerts ② At-Risk · Alerts · Analytics · Settings

What it shows. Four boxes: **Critical Risk**, **High Risk**, **Medium Risk**, **Active Alerts**. Below them the tab bar: **At-Risk Customers**, **Alerts** (with a badge showing the active-alert count when above zero), **Analytics**, **Settings**.

How it's computed. Counts of customers per stored risk level and of alerts not yet resolved or dismissed.

Interactions. ② switches tabs by reloading with `?tab=`.

Empty state. Zeros.

Demo prerequisites. The nightly churn job and the hourly alert job must have run at least once.

Accuracy notes. ⚑ Content rule. ⛔ Prediction only (see section note).

Source. `pro/Intelligence/templates/churn-prediction.php:70-119`

CHURN-01 · "At-Risk Customers" tab — PRO

Where	Churn Prediction → first tab (default). Panel heading "At-Risk Customers".
Screenshot	`CHURN-01.png (shown earlier)` · ③ Risk level filter ④ Sort ⑤ At-risk table with score, indicator, value, last order

What it shows. Eight columns: **Customer**, **Email**, **Risk Score** (a colored "N%"), **Risk Level** (badge), **Primary Indicator** (Extended absence, Declining purchase frequency, Declining spending, or Reduced engagement), **Customer Value** (lifetime spend plus "%d orders"), **Last Order** ("%d days ago"), **Actions** (View Profile, Send Email). Top **25** rows.

How it's computed. Reads the stored churn scores. Customers need at least 2 orders (setting) to be scored at all.

Interactions. ③ risk select: **All Risk Levels**, Critical, High, Medium. ④ sort select: **Highest Risk First**, Lowest Risk First, Highest Value First. **View Profile** opens the customer profile (PROF-10 shows the full breakdown). **Send Email** opens the manual one-to-one compose page (A4).

Empty state. "No at-risk customers detected. Your customers are healthy!"

Demo prerequisites. Customers with a long gap since their last order after a history of regular orders, so High and Critical rows exist.

Accuracy notes. ⚑ Content rule. ⛔ "Send Email" is the same manual, admin-written email as everywhere else; it is not a win-back sequence. The list is capped at 25 and has no pagination or export.

Source. `pro/Intelligence/templates/churn-prediction.php:127-215`

CHURN-02 · "Churn Alerts" tab — PRO

Where	Churn Prediction → Alerts (`&tab=alerts`). Panel heading "Churn Alerts".
Screenshot	`CHURN-02.png (shown earlier)` · ① Heading ② New / In Progress / Resolved ③ Status (inline) ④ Assigned To (inline)

What it shows. Summary chips **New**, **In Progress**, **Resolved**, then a table of eight columns: **Priority** ("P1"–"P10" badge, styled urgent at 8+, high at 5+, otherwise normal), **Customer** (name and email), **Alert** (title in the pattern "{Level} Risk Alert: {customer}"), **Risk** ("N%" badge), **Value**, **Status**, **Assigned To**, **Created** ("%s ago"). Top 25, sorted by priority then newest.

How it's computed. The hourly job creates an alert when a customer is at **critical** risk, when their risk level **rose** since the last history row, or when they are **newly at risk**. Priority = base 5, +4 if critical or +2 if high, +2 if lifetime spend ≥ 1000 or +1 if ≥ 500, +1 if 60 or more days overdue, clamped to 1–10.

Interactions. ③ inline **Status** select per row: New, Viewed, In Progress, Resolved, Dismissed. ④ inline **Assigned To** select: Unassigned plus every administrator and shop manager. Both save by AJAX.

Empty state. "No active alerts. Churn alerts will appear here when customers are at risk."

Demo prerequisites. Alerts enabled (default) and at least one High or Critical customer, then one run of the hourly alert job.

Accuracy notes. ⚑ Content rule. ⛔ Alerts are internal records with a status and an assignee. They trigger nothing: no task, no reminder, no message to the customer. Do not call this "workflow" or "automation".

Source. `pro/Intelligence/templates/churn-prediction.php:224-312` ; rules `pro/Intelligence/Churn-Alerts.php:218-300, 430-455, 656`

CHURN-03 · "Churn Analytics" tab — PRO

Where	Churn Prediction → Analytics (`&tab=analytics`). Panel heading "Churn Analytics".
Screenshot	`CHURN-03.png (shown earlier)` · ① Risk Distribution doughnut ② Alert Statistics ③ Stacked risk bar

What it shows. Three cards. **Risk Distribution**: a doughnut with the legend "Low: N", "Medium: N", "High: N", "Critical: N" (green, amber, red, dark red). **Alert Statistics (30 Days)**: **Total Alerts**, **Resolved**, **Avg Resolution** (hours or days), **Resolution Rate** (%). **Customer Risk Summary** (full width): one stacked horizontal bar of the four levels with percentage labels underneath.

How it's computed. Counts from the stored scores and from alerts created in the last 30 days; resolution time is the gap between an alert's creation and its Resolved status.

Interactions. None beyond chart tooltips.

Empty state. Zeros and an empty chart.

Demo prerequisites. Mark a few alerts Resolved on CHURN-02 first so Resolved, Avg Resolution and Resolution Rate are not zero.

Accuracy notes. ⚑ Content rule. ⛔ "Resolution" is the admin changing a status by hand; it does not mean the customer was retained.

Source. `pro/Intelligence/templates/churn-prediction.php:321-425`

CHURN-04 · "Churn Prediction Settings" tab — PRO

Where	Churn Prediction → Settings (`&tab=settings`). Panel heading "Churn Prediction Settings".
Screenshot	`CHURN-04.png (shown earlier)` · ① Risk Level Thresholds ② Scoring Weights (must total 100) ③ Alert Settings (admin email only) ④ Minimum Orders ⑤ Save Settings

What it shows. An AJAX-saved form in four sections.

Section	Field	Default	Description shown
Risk Level Thresholds — "Define the score ranges for each risk level (0-100 scale)."	Low Risk Maximum	30	"Scores 0 to this value are Low Risk."
	Medium Risk Maximum	60	
	High Risk Maximum	80	"Scores above Medium to this value are High Risk. Above this is Critical."
Scoring Weights — "Adjust the weight of each factor in churn score calculation. Weights must total 100."	Recency Weight	40%	live **Total:** readout
	Frequency Weight	25%	
	Monetary Weight	20%	
	Engagement Weight	15%	
Alert Settings	Enable Alerts	on	"Enable churn alerts and email notifications"
	Alert Triggers	both on	"Alert for High Risk customers", "Alert for Critical Risk customers"
	Alert Email Recipient	empty	"Leave empty to use the site admin email."

Section	Field	Default	Description shown
General Settings	Minimum Orders	2 (range 1–10)	"Minimum number of orders required before churn prediction is calculated."

How it's computed. Values are stored in the `{prefix}pdwchs_churn_settings` table and read by the nightly job, so a change shows in scores after the next calculation (or a "Recalculate" on a profile card).

Interactions. ⑤ **Save Settings** (AJAX `pdwchs_save_churn_settings`).

Empty state. Not applicable; defaults are seeded on activation.


Demo prerequisites. None.

Accuracy notes. ⚑ Content rule. ⛔ The alert email goes to the **Alert Email Recipient** or the site admin address. It is never sent to the customer. Several tuning keys exist in the table without a UI (recency cut-points, decline thresholds, batch limit, history window); do not describe them as configurable.

Source. `pro/Intelligence/templates/churn-prediction.php:435-600`; defaults `pro/Intelligence/Churn.php:141-166`; recipient `pro/Intelligence/Churn-Alerts.php:501-539`

A13 · Manual Tags — PRO

Menu	Customer History → Manual Tags
URL	`admin.php?page=pd-woo-manual-tags`
Tier	PRO (new in 3.1.2)
Full-page shot	`TAGS-01.png` ▼
Entries	TAGS-01



TAGS-01.png

The management screen for the store owner's own tags. Tags are applied and removed on a customer's profile (PROF-11); this page is where they are created in bulk, renamed, counted and deleted. Manual tags sit beside the 15 automatic behavioral tags but are a separate system: nothing assigns a manual tag automatically.

TAGS-01 · "Manual Tags" page — PRO

Where	Customer History → Manual Tags. Page title "Manual Tags".
Screenshot	`TAGS-01.png (shown earlier)` · ① Create a tag ② Name / Slug / Customers / Created / Actions ③ Rename ④ Delete

What it shows. A create row (text input with placeholder "New tag name..." and an **Add Tag** button) and a table with five columns: **Name**, **Slug**, **Customers** (count), **Created**, **Actions** (**Rename**, **Delete**).

How it's computed. Tags live in `{prefix}pdwchs_tags`, assignments in `{prefix}pdwchs_customer_tags`. Names are limited to 100 characters; the slug is generated from the name and must be unique, so creating a name that already exists returns the existing tag.

Interactions. ① type a name and press **Add Tag**. ③ **Rename** prompts "Enter the new tag name" and re-slugs the tag. ④ **Delete** confirms with "Delete this tag? This removes it from %d customers." The **Customers** count links to the customer list filtered by that tag (`pd-woo-customers&tag_filter={id}`). Validation strings: "Please enter a tag name first.", "A tag named %s already exists."

Empty state. "No tags yet. Create one above."

Demo prerequisites. Three or four tags with different customer counts, at least one applied to the customer used for profile shots.

Accuracy notes. Manual tags are also a **Manual Tag** filter on the customer list (CUST-02) and a saved-segment condition, and they appear as chips on the profile panel (PROF-11). The tags class registers a WordPress personal-data **exporter and eraser**. ⛔ No automatic tagging, no tag-triggered actions, no sync of tags to any email tool.


Source. `pro/CRM/templates/tag-management.php:17-56` ; page `pro/CRM/Tags-Admin-Page.php:51-58, 152-161` ; data `pro/CRM/Tags.php:29-36, 54-108` ; filter `pro/CRM/Tags-Filter.php:44-96`

A14 · Cohorts (menu item) — PRO


The **Cohorts** menu item (`admin.php?page=pd-woo-cohorts`) opens the page titled **Cohort Retention**. It is the same page as the "Cohort Retention" tab of the Statistics sub-navigation. See **STAT-08** for the full entry and screenshots.

A15 · Settings


Menu	Customer History → Settings (last tab of the top tab bar); also the "Settings" link under the plugin's name on the Plugins screen
URL	`admin.php?page=pd-woo-settings`
Tier	FREE page with two cards; Pro adds fields to both cards, two more cards and a session data tools column.
Full-page shots	`SET-00.png` ▼ (Pro) · `FREE-09.png` ▼ (Free)
Entries	SET-01 … SET-05



SET-00.png (section 1 of 2, top to bottom)



SET-00.png (section 2 of 2, top to bottom)




FREE-09.png

Every section is a card with an icon, a heading and a one-line subtitle (unified in 3.1.2). The two free cards share one form with a single **"Save"** button; each Pro card has its own form and save button. After saving, the page shows **"Settings Saved"**; a failed nonce check shows **"Security check failed!"**. Churn-prediction settings are not here; they are a tab on the Churn Prediction page (CHURN-04). Page title `<h1>` **"Settings"**.

SET-01 · "General Settings" — FREE + PRO

Where	First card; subtitle **"How customer data is listed inside the admin."**
Screenshot	**SET-01.png ▼** · ① Results per page ② Show BOT sessions (Pro) ③ Save admin sessions (Pro) ④ Hide users with no orders. Free: **FREE-09.png (shown earlier)** · ① Two free fields



SET-01.png

What it shows.

Field	Tier	Control	Description shown	Option key	Default
Results per page	FREE	number	"Rows shown per page on the customer, session and search lists."	`pd-woo-results_per_page`	10
Show BOT sessions	PRO	No / Yes	"List sessions identified as crawlers alongside real visitors."	`pd-woo-show_bot_sessions`	No
Save admin sessions	PRO	No / Yes	"Record sessions for logged-in store administrators."	`pd-woo-default_save_admin_session`	No
Hide users with no orders	FREE	No / Yes	"Leave registered users who never ordered out of the customer list."	`pd-woo-hide_users_with_no_orders`	No

How it's computed. "Hide users with no orders" also affects the Top Customers dashboard widget (DASH-01). Bot detection itself exists only on Pro (user-agent match); on Free bots are stored as ordinary guests (B1).

Interactions. Change values and press **"Save"** at the bottom of the form (shared with SET-02).

Empty state. Not applicable.

Demo prerequisites. None.


Accuracy notes. ⛔ On Free there is no tracking-related setting at all: administrator activity is never recorded and cannot be switched on (see SA-01).

Source. `admin/partials/templates/plugin-settings.php:74-135`; defaults `includes/class-pd-customer-history-activator.php:35-41`

SET-02 · "Reports" (the admin digest) — FREE + PRO

Where	Second card; subtitle **"The emailed digest of store activity."**

Screenshot	SET-02.png ▼ · ① Order (free) ② Top customers (free) ③ Search (Pro) ④ Most viewed products (Pro) ⑤ Most viewed categories (Pro) ⑥ Weekly / Monthly ⑦ Recipient. Free: FREE-09.png (shown earlier) · ② Order + Top customers, Weekly/Monthly, recipient



SET-02.png

What it shows.

Field	Tier	Control	Description shown	Option key	Default
Generate reports	FREE + PRO	checkboxes: **Order**, **Top customers** (Free); **Search**, **Most viewed products**, **Most viewed categories** (Pro)	"With none selected, no digest is sent and no attachment is built."	`pd-woo-generate_weekly_report`	Order
Send reports	FREE	**Weekly** / **Monthly**	"How often the digest is sent."	`pdwchs_digest_interval`	Weekly
Send reports to	FREE	email input, placeholder `admin@example.com`	"The address every digest is delivered to."	`pd-woo-send_weekly_report_to`	empty → the WordPress admin email

How it's computed. Saving reschedules the digest: the first send is the next midnight in site time, then every 7 days (Weekly, covering the last 7 days) or every 30 days (Monthly, covering the last 30). Any invalid interval value is coerced to Weekly. Contents and attachments are described in B2. The Weekly / Monthly choice is new in 3.1.2.

Interactions. Tick sections, choose the cadence and recipient, press **"Save"**. There is no "send test" button and no preview.

Empty state. With no section ticked, no email is ever sent.

Demo prerequisites. None for the screen. To show a digest email, orders must exist in the reporting period.


Accuracy notes. ⛔ The digest goes to **the store admin only**, never to customers. It is a report email with CSV attachments, not a newsletter or campaign.

Source. `admin/partials/templates/plugin-settings.php:54-63, 137-207` ; scheduling `includes/class-pd-customer-history.php:106-113, 183-187, 203-270`

SET-03 · "Abandoned Cart Tracking" — PRO

Where	Third card (Pro only); subtitle **"Observe and store WooCommerce cart activity for reporting."**

Screenshot	SET-03.png ▼ · ① Cart tracking ② Email early capture ③ Abandonment timeout ④ Data retention



SET-03.png

What it shows. Section note: **"Configure how WooCommerce cart activity is observed and stored. This feature records cart snapshots for reporting only — no recovery emails are sent and no coupons are generated. Recovery actions belong in the Automation Add-on."**

Field	Control	Description shown	Option key	Default / minimum
Cart tracking	checkbox "Record cart snapshots"	"When unchecked, no cart rows are written or updated."	`pdwchs_cart_tracking_enabled`	on
Email early capture	checkbox "Capture the billing email at checkout"	"Capture the billing email on the checkout page before the order is placed."	`pdwchs_cart_email_capture_enabled`	on
Abandonment timeout (minutes)	number	"Minutes of inactivity before a cart is marked abandoned. Minimum 5."	`pdwchs_cart_abandonment_timeout_minutes`	60 / min 5
Data retention (days)	number	"Cart rows older than this many days are deleted by the cleanup cron. Minimum 7."	`pdwchs_cart_cleanup_days`	90 / min 7

How it's computed. A job every 15 minutes marks carts idle longer than the timeout as abandoned; a daily job at 6:00 AM deletes rows older than the retention period (B5). With tracking off, the Abandoned Carts page shows a warning and the dashboard cart widget disappears (A11, DASH-13). Email early capture requires cart tracking to be on.

Interactions. Own submit button **"Save Cart Settings"**.

Empty state. Not applicable.


Demo prerequisites. Pro active.

Accuracy notes. ⛔ Observation only: no recovery emails, no coupons, no reminders. The **"Automation Add-on"** named in the note is a separate product and must not be described as part of this plugin or promised. "Email early capture" stores an email typed at checkout for reporting; it is never emailed.

Source. `pro/Carts/Abandoned-Carts-List-Table.php:104-241` ; crons `pro/Carts/Cart-Cron.php:35-98`

SET-04 · "Digest Segment Sheet" — PRO

Where	Fourth card (Pro only); subtitle **"Attach a segment's member list to your report digest as a CSV file."**
Screenshot	`SET-04.png` ▼ · ① Attach a segment CSV ② Segment



SET-04.png

What it shows. Note: **"The file is attached to the digest you already receive — enable at least one report type above, or no digest is sent."** and **"The segment's members are evaluated when the digest runs, not over the digest's date range."** Privacy warning: **"The file contains customer names and email addresses. Only enable this if the digest recipient should receive them."**

Field	Control	Description shown	Option key	Default
Attach a segment CSV	checkbox "Attach the sheet to every digest"	"When unchecked, no file is built and the digest is unchanged."	`pdwchs_digest_segment_enabled`	off
Segment	select: "— Select a segment —" plus every saved segment	"Saved segments come from the Segments page. The digest uses the segment's current criteria."	`pdwchs_digest_segment_id`	none

How it's computed. When the digest runs, the chosen segment's members are evaluated at that moment and attached as `segment-{slug}-{Y-m-d}.csv` in the Standard column layout; "Segment: {name}" is added to the email's list of reports. An empty segment still attaches a header-only file.

Interactions. Own submit button **"Save Digest Segment Settings"**. New in 3.1.2.

Empty state. With no saved segments the select holds only the placeholder.


Demo prerequisites. At least one saved segment and one report type ticked in SET-02.

Accuracy notes. ⛔ The attachment rides on the admin digest; it is not sent to the segment's members and is not an audience sync.

Source. `pro/Digest/Segment-Sheet.php:33-39, 88-106, 141-205, 259-272`

SET-05 · Session data tools: "Export", "Import", "Empty Tables" — PRO

Where	Right-hand column of the page (Pro only), three stacked boxes
Screenshot	`SET-05.png` ▼ · ① Export all session data ② Import CSV ③ Custom Delete by date range / Delete All



SET-05.png

What it shows. **"Export"** (download icon): "Download a file containing all the information about your customers activities." with an **"Export"** button. **"Import"** (upload icon): "Imported data will be added to your database." with a file input and an **"Import"** button. **"Empty Tables"** (trash icon): warning **"You will lose saved Sessions & Searches!"**, a **"Custom Delete"** button that reveals a **"Select Date Range"** picker and a **"Delete"** button, and a **"Delete All"** button.

How it's computed. All three act on the tracking table (the sessions, searches and views behind every report, B1). Export streams a CSV of every row; Import appends rows from a CSV; Custom Delete removes rows inside the chosen range; Delete All empties the table. Orders, customers, notes, tags, segments and intelligence scores are not touched.

Interactions. Import, Delete and Delete All each ask **"Are you sure?"** first.

Empty state. Not applicable.


Demo prerequisites. Avoid filming the delete actions on a store whose demo data you want to keep: deletion is permanent and empties Search Analytics, Statistics, Sessions and the Activity Timeline.

Accuracy notes. ⛔ These are maintenance tools for the plugin's own tracking data. They are not a backup or migration feature for WooCommerce, and they do not remove cart rows (those follow the retention setting in SET-03).

Source. `admin/partials/templates/plugin-settings.php:210-271` ; handlers `includes/class-pd-customer-history.php:693-696, 794-1001`

A16 · WooCommerce order screen: Customer Intelligence meta box — PRO

Menu	WooCommerce → Orders → open any order
URL	`admin.php?page=wc-orders&action=edit&id=N` (HPOS) or `post.php?post=N&action=edit` (legacy order storage)
Tier	PRO (new in 3.1.2). Free adds nothing to any WooCommerce screen.
Full-page shot	`WC-01b.png` ▼ (meta box in context)
Entries	WC-01




WC-01b.png

The one place the plugin appears outside its own menu. While processing an order, the admin sees a compact summary of who the customer is without leaving WooCommerce.

WC-01 · "Customer Intelligence" meta box — PRO

Where	WooCommerce order edit screen, side column, below the WooCommerce boxes.
Screenshot	**WC-01.png ▼** · ① Customer Intelligence meta box ② Health · RFM · Lifecycle · LTV · Last seen · Predicted next order ③ View full profile. In context: **WC-01b.png (shown earlier)** · ① meta box in the sidebar



WC-01.png

What it shows. Rows in this order: **Health** ("N/100" with the status word and a colored dot), **RFM segment** (dot, icon, name), **Lifecycle** (dot, icon, name), **Lifetime value** (omitted when unknown), **Last seen** ("Today", "%s days ago" or "Never seen on site"), **Predicted next order** (omitted when not applicable). A score that does not exist yet reads **"Not calculated yet"**. Footer note **"Scores are calculated nightly."** and a **"View full profile"** link. For an order with no account the box shows only "This order was placed as a guest."

How it's computed. Reads the values already stored by the nightly jobs plus the customer's latest tracked session for "Last seen". Nothing is calculated when the order screen loads.

Interactions. ③ is the only control; it opens the plugin's customer profile (A3).

Empty state. "Not calculated yet" per row, or the guest sentence.

Demo prerequisites. Open an order that belongs to a registered customer with scores and recent sessions. A visit today makes "Last seen" read "Today".

Accuracy notes. Registered on both the HPOS screen (`woocommerce_page_wc-orders`) and the legacy `shop_order` screen. Display and link only: no buttons that act on the order or the customer. ⚑ Health and RFM rows fall under the content rule in `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5. ⛔ The box does not change the order, and the plugin never modifies WooCommerce orders.


Source. `pro/Intelligence/Order-Panel.php:40, 56, 77-84` ; template `pro/Intelligence/templates/order-panel.php:33-156`

A17 · WordPress system surfaces


Menu	Tools → Site Health → Info · Tools → Export / Erase Personal Data · Plugins · the Freemius items under Customer History
URL	`site-health.php?tab=debug` · `export-personal-data.php` · `erase-personal-data.php` · `plugins.php` · `admin.php?page=pd-woo-dashboard-pricing`
Tier	FREE + PRO
Full-page shots	`SYS-01.png` ▼ · `SYS-02.png` ▼ · `FREE-02.png` ▼
Entries	SYS-01 … SYS-04



SYS-01.png



SYS-02.png



FREE-02.png

Small touchpoints in core WordPress screens. None is a feature to film on its own, but each answers a question a viewer may ask: what does the plugin record about my usage, how does it handle privacy requests, and where is the upgrade page.

SYS-01 · Site Health → Info → "PureDevs Customer History" — FREE

Where	Tools → Site Health → Info tab → accordion section "PureDevs Customer History" (last section).
Screenshot	`SYS-01.png (shown earlier)` · ① Section ② Four read-only fields; nothing leaves the server

What it shows. Section description: "Local, non-identifying counters used to understand free-tier usage. This information stays on your server." Four fields: **Plugin version**, **Active tier** (Free or Pro), **First activated** (formatted date plus the raw timestamp, or "Not recorded yet"), **First free-tier limit reached** (one of `customer_cap`, `data_window`, `segment_cap`, `locked_feature`, or "None reached yet").

How it's computed. Two set-once WordPress options, `pdwchs_first_activated_at` and `pdwchs_first_cap_hit`, written the first time each event happens. Recording of the limit is skipped for Pro users.

Interactions. Read-only. It is included in WordPress's "Copy site info to clipboard" like any other section.

Empty state. "Not recorded yet" and "None reached yet".

Demo prerequisites. None.

Accuracy notes. Entirely local: the class makes no remote request and there is no endpoint. There is no opt-in or opt-out because nothing is transmitted. The bundled Freemius SDK has its own, separate opt-in dialog for licensing and updates. ⛔ Do not call this "usage analytics" or "telemetry we collect".

Source. `includes/class-pdwchs-telemetry.php:6-41, 52-84, 93-134` ; stamp `includes/class-pd-customer-history-activator.php:133-135`

SYS-02 · Tools → Export / Erase Personal Data — FREE + PRO

Where	Tools → Export Personal Data and Tools → Erase Personal Data (core WordPress screens).
Screenshot	**`SYS-02.png (shown earlier)`** · ① WordPress privacy tools — the plugin registers exporters and erasers for notes, tags and carts

What it shows. The plugin adds no UI here. It registers handlers, so a standard WordPress export or erasure request for an email address includes the plugin's data.

How it's computed. Free: "Customer Notes" exporter and eraser (each note exported with Note, Date and Author name, 10 per page). **Pro:** exporters and erasers for manual tags and for cart records.

Interactions. The store owner runs the usual WordPress request flow; the plugin's groups appear in the generated export file.

Empty state. No group in the export when the person has no data of that kind.


Demo prerequisites. A customer with at least one note (and, on Pro, a tag and a cart) if the export file is to be shown.

Accuracy notes. Safe wording: "works with WordPress's personal-data export and erase tools". ⛔ Do not say "GDPR-compliant". Tracked session rows are not covered by an exporter; on Pro they can be deleted by date range (SET-05).

Source. `includes/crm/class-pdwchs-notes.php:21-22, 305-411` ; `pro/CRM/Tags.php:35-36, 357-434` ; `pro/Carts/Cart-Tracker.php:33-34, 238-312`

SYS-03 · Plugins-list link and Freemius menu items — FREE

Where	Plugins screen (row of the plugin) and the bottom of the Customer History menu.
Screenshot	— (the menu items are visible in **`FREE-01.png ▼`**, left sidebar)



FREE-01.png

What it shows. On the Plugins screen the plugin row has a **Settings** action link to `admin.php?page=pd-woo-settings`. Under the Customer History menu, Freemius adds **Contact Us** and **Upgrade ➤**; the upgrade page slug is `pd-woo-dashboard-pricing`, which is also where every "Unlock with Pro" and "See what Pro adds" button leads when Freemius supplies no checkout URL.

How it's computed. Freemius is configured with `pricing: true` and `support: false` under the `pd-woo-dashboard` parent.

Interactions. Standard links.

Empty state. Not applicable.

Demo prerequisites. None.

Accuracy notes. The "Docs" and "Customer support" row-meta links exist in code but are never hooked, so they do not render. Do not show or mention them.

Source. `includes/class-pd-customer-history.php:1034-1039` ; Freemius config `puredevs-customer-history-for-woocommerce.php:77-81` ; fallback URL `includes/class-pdwchs-upsell.php:90-96`

SYS-04 · Trial notice — PRO build without an active licence

Where	WordPress Dashboard, the Plugins screen, and every plugin page (any screen id containing `pd-woo-`).
Screenshot	**`FREE-02.png (shown earlier)`** · ① trial notice. Also visible as callout ② on **`FREE-01.png (shown earlier)`**

What it shows. A one-line admin notice prefixed **"PureDevs Customer History —"** with a call to action and a **Dismiss** link. Two states: never trialled (blue, info) — "Start your free 30-day trial to unlock all premium features." with **Start free trial**; trial used up (yellow, warning) — "Your trial has ended — upgrade to keep premium features." with **Upgrade now**.

How it's computed. Rendered by `pro/Trial-Gate.php` , which the Pro build always loads; it asks Freemius whether the trial has been used. When a licence or trial is active the notice is not shown and the Pro features load.

Interactions. The CTA opens the Freemius trial or upgrade URL. **Dismiss** hides the notice for that user **for the current plugin version**; it returns after the next update.

Empty state. Not applicable.


Demo prerequisites. A site running the Pro build with no licence and no trial.

Accuracy notes. This notice belongs to the **Pro build** (the zip from Freemius). The WordPress.org free build has no `pro/` folder and does not show it; Free users see the upsell banners in A18 instead. The screenshots labelled "Free" in this document were taken on a Pro build switched to the Free tier, which is why the notice appears in them. The 30-day figure comes from the plugin's Freemius configuration; confirm the trial is enabled on the Freemius dashboard before promising it (§E).


Source. `pro/pro.php:23` ; `pro/Trial-Gate.php:14-19, 31-53, 57-111`

A18 · The Free-tier experience


Menu	Every Free page
URL	—
Tier	FREE
Full-page shots	**`FREE-00.png`** ▼ (dashboard) · **`FREE-03.png`** ▼ (customers) · **`FREE-04.png`** ▼ (profile) · **`FREE-05.png`** ▼ (segments) · **`FREE-07.png`** ▼ (Search Analytics) · **`FREE-08.png`** ▼ (revenue) · **`FREE-09.png (shown earlier)`** (settings) · **`FREE-10.png`** ▼ (order history)
Entries	FREE-A … FREE-D


Customer History for WooCommerce Live 4 ⌘K 0 New UpdraftPlus
Howdy, Shot Bot
Dashboard
Posts
Media
Pages
Comments
Plugin Documentation
WooCommerce
Products
Payments
Customer History
Dashboard
Customers & Users
Segments
Order History
Revenue
Search Analytics
Settings
Contact Us
Upgrade
Analytics
Marketing
Astra
Appearance
Plugins 3
Users
Tools
Settings
UpdraftPlus
Collapse Menu
Dashboard
Customers & Users
Order History
Revenue
Segments
Search Analytics
Settings
Dashboard
PureDevs Customer History — Start your free 30-day trial to unlock all premium features. Start free trial · Dismiss
45 customers haven't ordered in over 30 days. Customer History Pro shows you who's at risk of churning — and why.
See what Pro adds
Dismiss
Top Customers
CUSTOMER
TOTAL AMOUNT
TOTAL ORDERS
Mason Tanaka
$10008
16
Harper Doyle
$5180.9
12
Elijah Duarte
$4696
12
Benjamin Byrne
$4197
9
Hannah Lambert
$4122
8
Latest Orders
DATE
ORDER ID
CUSTOMER NAME
AMOUNT
STATUS
September 19, 2026 6:01 am
#836
Guest
0.00$
Pending
September 16, 2026 1:50 pm
#997
Lucas Lindqvist
208.00$
Completed
September 16, 2026 10:47 am
#964
Ethan Kowalski
313.00$
Completed
September 15, 2026 3:21 pm
#1080
Emily Silva
25.00$
Completed
September 13, 2026 6:37 pm
#1208
Amelia Hartley
225.00$
Completed
Top Selling Products by This Month
PRODUCT NAME
PURCHASE COUNT
Hoodie with Logo
9
Belt
8
T-Shirt with Logo
5
Hoodie with Zipper
4
Sunglasses
4
Top Searches
KEYWORD
COUNT
zipper
32
t-shirt
29
tee
28
polo
28
album
28
Latest Searches
KEYWORD
DATE
backpack
2026-09-19 04:04:02
leather jacket
2026-09-18 03:44:33
gift card
2026-09-17 15:18:24
oversized hoodie
2026-09-17 10:47:40
hoodie
2026-09-17 10:14:50
Most viewed products
PRODUCT NAME
VIEW COUNT
Album
240
Single
212
Beanie with Logo
157
Cap
149
Hoodie
144
Thank you for creating with WordPress.
Version 7.1.1


FREE-00.png


Customer History for WooCommerce
Howdy, Shot Bot
Dashboard
Customers & Users
Order History
Revenue
Segments
Search Analytics
Settings
Customer List
PureDevs Customer History — Start your free 30-day trial to unlock all premium features. Start free trial · Dismiss
1
Advance Search:
NO. OF ORDERS : -- Select One --
TOTAL SPENT : -- Select One --
PRODUCT PURCHASED : Search and select a product
Search
Save as Segment
Download
78 items
1 of 4
3
User
Role
Orders
Pending Orders
Refunded Orders
Orders average
Total Spending
Actions
Amelia Hartley customer 14 0 0 204.65$ 2,865.10$ View Email
Clara Schmidt customer 0 0 0 0.00$ 0.00$ View Email
Hugo Fischer customer 0 0 0 0.00$ 0.00$ View Email
Freya Okafor customer 0 0 0 0.00$ 0.00$ View Email
Theo Rossi customer 0 0 0 0.00$ 0.00$ View Email
Ruby Larsen customer 0 0 0 0.00$ 0.00$ View Email
Oscar Petrov customer 1 0 0 11.00$ 11.00$ View Email
Ivy Moreau customer 1 0 0 18.00$ 18.00$ View Email
Felix Kimura customer 1 0 0 343.00$ 343.00$ View Email
Lucy Haddad customer 1 0 0 30.00$ 30.00$ View Email
Aaron Costa customer 1 0 0 15.00$ 15.00$ View Email
Hazel Silva customer 1 0 0 100.00$ 100.00$ View Email
Miles Sato customer 1 0 0 36.00$ 36.00$ View Email
Aurora Ferreira customer 1 0 0 15.00$ 15.00$ View Email
Levi Byrne customer 1 0 0 18.00$ 18.00$ View Email
Violet Reyes customer 1 0 0 16.00$ 16.00$ View Email
Julian Bennett customer 1 0 0 14.40$ 14.40$ View Email
Stella Doyle customer 3 0 1 81.67$ 245.00$ View Email
Adam Duarte customer 5 0 0 479.60$ 2,398.00$ View Email
Riley Walsh customer 5 0 0 70.02$ 350.10$ View Email
78 items
1 of 4
Thank you for creating with WordPress.
Version 7.1.1


FREE–03.png




FREE-04.png (section 1 of 2, top to bottom)




FREE–04.png (section 2 of 2, top to bottom)


Customer History for WooCommerce
Live
4
⌘K
0
New
UpdraftPlus
Howdy, Shot Bot
Dashboard
Posts
Media
Pages
Comments
Plugin Documentation
WooCommerce
Products
Payments
Customer History
Dashboard
Customers & Users
Segments
Order History
Revenue
Search Analytics
Settings
Contact Us
Upgrade
Analytics
Marketing
Astra
Appearance
Plugins 3
Users
Tools
Settings
UpdraftPlus
Collapse Menu
Dashboard
Customers & Users
Order History
Revenue
Segments
Search Analytics
Settings
Customer Segments
PureDevs Customer History — Start your free 30-day trial to unlock all premium features. Start free trial · Dismiss
1
Saved Segments
+ New Segment
CUSTOMER SEGMENT
DESCRIPTION
CUSTOMERS
CREATED BY
CREATED
ACTIONS
HOODIE BUYERS
Anyone who has bought the Hoodie with Zipper.
34
Yeasir
September 19, 2026
Load
Export CSV
Delete
2
Ready-made Pro segments
Pro auto-builds these intelligence segments from RFM and customer health scoring — no setup required.
3
Unlock with Pro
SEGMENT
WHAT IT FINDS
High Value At Risk
Big spenders who have gone quiet — win them back before they churn.
Unlock with Pro
Loyal Champions
Your most frequent, highest-value repeat buyers.
Unlock with Pro
Needs Attention
Once-active customers starting to slip toward lapse.
Unlock with Pro
Hibernating
Long-inactive customers worth a re-engagement push.
Unlock with Pro
High Health Declining
Healthy customers whose engagement is trending down.
Unlock with Pro
Thank you for creating with WordPress.
Version 7.1.1


FREE–05.png




FREE-07.png (section 1 of 2, top to bottom)



FREE-07.png (section 2 of 2, top to bottom)



FREE-08.png



FREE-10.png (section 1 of 2, top to bottom)



FREE-10.png (section 2 of 2, top to bottom)

What a store owner sees before upgrading, where the limits show, and what changes when Pro switches on. Part B3 has the same limits in short form. The Free build advertises Pro but contains no Pro code: there are no disabled code paths and no licence checks in it.

Screenshot caveats for this section: **FREE-03** shows no 100-customer banner because the demo store has fewer than 100 customers. **FREE-05** and **FREE-06** show a clean Free install: one custom segment, the locked teaser, and the cap modal on a second save. On **FREE-01**, callout ② sits on the trial notice (SYS-04); the upsell banner is the box directly below it.

FREE-A · The three Free limits — FREE

Where	Customers & Users (100 customers), every dated report and date picker (90 days), Segments (1 custom segment).
Screenshot	**`FREE-03.png (shown earlier)`** · ① Free filters ② scope banner position (not shown on this store) ③ Free columns only. **`FREE-08.png (shown earlier)`** · ① From date cannot go earlier than 90 days back ② Trend chart. **`FREE-10.png (shown earlier)`** · ① Date range (90-day floor) ② Order list

What it shows. Three read limits, each set by one filter that Pro overrides.

Limit	Free value	Filter	Where it shows
Customers in the list	most recent **100**	`pdwchs_customer_list_limit`	Customers & Users list, its CSV download, and the scope banner
Analytics read window	most recent **90 days**	`pdwchs_data_window_days`	Dashboard widgets, Search Analytics, Revenue cards and chart, the date pickers' minimum date
Saved custom segments	**1**	`pdwchs_segment_creation_cap`	Save as Segment flow (cap modal)

How it's computed. The 100-customer limit slices the list after all filters are applied. The 90-day window rewrites any earlier start date to the floor inside each read query; cache keys carry the window so switching tiers never serves stale data. The segment cap counts non-default segments and returns the error "Free plan is limited to 1 custom segment. Upgrade to Pro for unlimited segments."

Interactions. The Revenue page's **From** field has a `min` attribute at the floor; the Order History date-range picker has the same minimum date.

Empty state. Not applicable.


Demo prerequisites. To show the 100-customer banner the store needs more than 100 customers; to show the 90-day banner it needs activity older than 90 days.

Accuracy notes. Collection is never windowed. Every session, search, view and order is stored from activation, for every customer; the limits only restrict what Free reads. Say "Free shows the most recent 100 customers and 90 days", never "Free only tracks 90 days".

Source. `includes/class-pdwchs-data-window.php:7-42` ; `includes/class-pd-customer-history-customers.php:261-268` ; `includes/segments/class-pdwchs-segments-manager.php:77-94` ; `admin/partials/templates/revenue.php:58` ; `admin/class-pd-customer-history-admin.php:218-220`

FREE-B · Where upgrade prompts appear — FREE

Where	Dashboard, Customers & Users, Search Analytics, customer profile, Segments, Save as Segment flow.
Screenshot	**`FREE-01.png (shown earlier)`** · ① Free tab bar ② notice area (trial notice, with the upsell banner directly below). **`FREE-04.png (shown earlier)`** · ① Full Session History ② RFM Segment ③ Health Score ④ Churn Risk ⑤ Behavioral Tags ⑥ Lifecycle Stage. Close-up: **`FREE-04b.png ▼`** · ① Title ② Unlock with Pro. **`FREE-05.png (shown earlier)`** · ① Saved Segments. Cap modal `FREE-06` : to be captured



FREE-04b.png

What it shows. Four kinds of prompt, with this exact copy.

Banners (blue info notice with a **See what Pro adds** button and a **Dismiss** link):

Banner	Page	Copy
`dashboard-attention`	Dashboard	"%s customers haven't ordered in over 30 days. Customer History Pro shows you who's at risk of churning — and why."
`data-window-90d`	Dashboard, Search Analytics	"The free version includes your most recent 90 days of activity. Customer History Pro includes your full history — your older data is already collected and waiting."
`customers-top100`	Customers & Users	"The free version includes up to 100 customers in this list — you have %s in total. Customer History Pro includes every customer."

Locked cards on the customer profile (blurred preview image, lock overlay, title, description, **Unlock with Pro** button):

Title	Description
Full Session History	"Every visit, page view, and search this customer has made."
RFM Segment	"See at a glance whether this customer is a Champion, Loyal, At Risk, or Lost."
Customer Health Score	"A 0–100 score combining recency, frequency, spending, and engagement."
Churn Risk	"Know who is about to stop buying — before they do."
Behavioral Tags	"Automatic badges like Bargain Hunter, Cart Abandoner, and Brand Loyal."
Lifecycle Stage	"Where this customer sits in their journey: New, Active, Loyal, or Lapsed."

Segments teaser: panel **"Ready-made Pro segments"** with **Unlock with Pro**, the line "Pro auto-builds these intelligence segments from RFM and customer health scoring — no setup required.", and five dimmed rows: High Value At Risk, Loyal Champions, Needs Attention, Hibernating, High Health Declining (copy for each in SEG-03).

Cap modal (on a second "Save Segment"): title **"Unlock unlimited segments with Pro"**, the cap error message, the label **"Plus ready-made intelligence segments:"** with the five names, button **Upgrade to Pro**, link **Maybe later**.

How it's computed. The attention banner appears when at least one customer has not ordered in over 30 days; the 90-day banner when a read query was actually clamped on that request; the 100-customer banner when the store has more than 100 customers.

Interactions. At most **one banner per page load**. **Dismiss** is permanent per user and per banner. Every button opens the Freemius upgrade page in a new tab.

Empty state. No banner when its condition is not met; the teaser panel is hidden when the store already has the ready-made segments as real Default rows (a store where Pro was active before).


Demo prerequisites. A clean Free install with one saved segment, customers older than 30 days since their last order, and a user who has not dismissed the banners.

Accuracy notes. ⚑ Content rule: five of the six locked cards advertise RFM, health score, churn and behavioral tags, the features `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5 says never to pitch. Document them as they are; do not build a piece around them without the owner's decision. ⛔ The "Churn Risk" card copy is the plugin's own wording; in content, keep to "flags who is at risk" (§D.2). The locked cards are pictures, not live data for that customer.


Source. `includes/class-pdwchs-upsell.php:18-58, 64-87, 90-175` ; `admin/partials/templates/dashboard.php:26-45` ; `admin/partials/templates/customers.php:179-192` ; `admin/partials/templates/search-analytics.php:19-27` ; `admin/partials/templates/customer-details.php:97, 316-322` ; `admin/partials/templates/segments-list.php:37-103` ; `includes/segments/class-pdwchs-segments-ajax.php:113-126` ; `admin/js/pdwchs-save-segment.js:21-54`

FREE-C · Absent on Free — FREE


Where	Whole admin.
Screenshot	**`FREE-00.png (shown earlier)`** (Free dashboard) against **`DASH-00.png ▼`** (Pro dashboard) · **`FREE-09.png (shown earlier)`** · ① Two free fields ② Order + Top customers, Weekly/Monthly, recipient




DASH-00.png (section 1 of 5, top to bottom)




DASH-00.png (section 2 of 5, top to bottom)



DASH-00.png (section 3 of 5, top to bottom)



DASH-00.png (section 4 of 5, top to bottom)



DASH-00.png (section 5 of 5, top to bottom)

What it shows. Everything below does not exist on Free; nothing is greyed out or disabled in its place, except the locked previews listed in FREE-B.

Area	Absent on Free
Menu items	Abandoned Carts, Cohorts, Churn Prediction, Manual Tags, Sessions, Statistics and every Statistics report page
Top tab bar	Sessions and Statistics tabs (Free has a Search Analytics tab instead)
Dashboard	All 13 Pro widgets, and the "Most viewed {taxonomy}" widgets (categories, brands): the Free dashboard shows **six** widgets

Area	Absent on Free
Customer list	Columns RFM Segment, Health Score, Lifecycle Stage, Behaviors, Refund Rate, Avg Order Gap; filters Role, Country, Refund Rate, RFM Segment, Health Score, Health Trend, Behavior, Manual Tag; keyword search; "Show N entries"; lifecycle stage and days filters
Customer profile	Activity Timeline, the five intelligence cards, Manual Tags panel
Order History	Total Amount, Payment Method and Order Status filters; keyword search; "Show N entries"
Segments	More than one custom segment; the five ready-made segments; Klaviyo and Mailchimp export presets (the preset selector is hidden because only "Standard" exists)
Search Analytics	The "Top {taxonomy} Views" panel
Settings	"Show BOT sessions", "Save admin sessions"; digest sections Search, Most viewed products, Most viewed categories; the Abandoned Cart Tracking card; the Digest Segment Sheet card; Export / Import / Empty Tables
WooCommerce	The Customer Intelligence meta box on orders
Tracking	Cart tracking, email early capture, guest-to-customer merge, bot detection, proxy-aware IP

How it's computed. `build.sh` strips the `pro/` folder from the WordPress.org zip, and every Pro-only control in a Free template is wrapped in `pdwchs_is_pro_active()`.

Interactions. Not applicable.

Empty state. Not applicable.


Demo prerequisites. None.

Accuracy notes. Because admin sessions are not recorded and the "Save admin sessions" setting is Pro-only, a store owner browsing their own shop on Free sees empty search and view reports until real visitors arrive; Search Analytics explains this in its notice (SA-01, **`FREE-07.png (shown earlier)`** callout ①).

Source. `build.sh:52-60`; `admin/partials/templates/top-nav.php:26-41`; `admin/partials/templates/dashboard/top-taxonomy.php:4-7`; `admin/partials/templates/customers.php:19-33, 63-81, 150-171`; `admin/partials/templates/order-history.php:39-113`; `admin/partials/templates/plugin-settings.php:94-121, 158-171, 210-271`

FREE-D · What changes the moment Pro is active — FREE → PRO

Where	Whole admin, immediately after a licence or trial is activated on the Pro build.
Screenshot	**`FREE-01.png (shown earlier)`** (before) · **`NAV-01.png ▼`** (after: menu and tab bar)



NAV-01.png

What it shows. No second plugin and no migration. With a valid licence or trial the Pro code loads and: the customer cap and the 90-day window are lifted, the segment cap is lifted, the **Search Analytics** tab is replaced by **Sessions** and **Statistics**, the Pro menu items appear, the dashboard gains its 13 widgets, the customer list gains its columns and filters, the profile gains

the timeline, cards and tags panel, and Settings gains its Pro fields and cards. The five ready-made segments are created.

How it's computed. One switch: `pdwchs_is_pro_active()`, answered by Freemius's `can_use_premium_code()`. On first load the Pro installer creates the intelligence, behavioral, churn, cart and tag tables and schedules the jobs listed in B5.

Interactions. None required from the user.

Empty state. Until the nightly jobs have run once, intelligence screens show their own "not calculated yet" states: the RFM matrix says scores "are recalculated nightly, and the matrix appears after the first run", cohorts say "The first calculation runs within a few minutes of activation", profile cards offer **Recalculate Now**.

Demo prerequisites. Activate Pro at least a day before filming, or press "Recalculate Now" on the profile used in the shot.

Accuracy notes. History older than 90 days and customers beyond the first 100 appear at once, because that data was always being collected. When a licence lapses the Pro code stops loading entirely and the site returns to the Free view; the collected data stays in the database. ⛔ Do not say data is "imported", "synced" or "migrated" on upgrade.

Source. `pro/Trial-Gate.php:14-19`; `pro/pro.php:37-48`; `pro/Scope-Uncap.php:12-13`; `pro/Segments/Segment-Cap.php:13-15`; `pro/Segments/Pro-Defaults.php:27-96`; `pro/Pro-Installer.php:9-64, 87-113`

Part B · Cross-cutting behaviour (no single screen)

B1 · What is tracked on the storefront

Tracking is server-side PHP. There is **no JavaScript tracker, no cookie of the plugin's own, no consent banner and no opt-out control** in the free build; a PHP session is started on `init` and its id is stored with each row. Everything goes into one table, `{prefix}pd_woo_customer_history_sessions` (one row per event), which every report reads.

Event	When it is recorded	Stored as
Keyword search + result count	On the `wp` hook, when the request is a WordPress search	`ACTION::search::{term}` with `results_count` = number of results (this is what makes Zero-Result Searches possible; recorded since 3.1.2 only)
Page, product or category view	In the footer of every non-404 front-end page	The request path, for example `product/hoodie`, `product-category/hoodies`, `shop`, `cart`, `checkout`, `checkout/order-received/123/`
Add to cart	`woocommerce_add_to_cart`	`ACTION::add_to_cart::{product_id}::{qty}`
New order	`woocommerce_new_order`	`ACTION::new_order::{order_id}`

Each row also stores the user id (0 for guests, a reserved sentinel for bots on Pro), IP address, HTTP referer, date and the PHP session id. Product views are derived on read from paths that start with `product/`; category and brand views from the product-taxonomy paths.

Who is not tracked. Anyone who can manage WooCommerce (administrators and shop managers) is skipped unless Pro's "Save admin sessions" setting is on. This is why an admin testing the store alone sees an empty Search Analytics page (SA-01 shows the exact notice). **Bots** are only detected on Pro (user-agent match on `bot|crawl|slurp|spider`); on Free they are recorded as ordinary guests.

Pro additions to tracking (all observation):

- **Cart tracking** (A11, settings in SET-03): snapshots the WooCommerce cart on every cart change, marks it completed at checkout, links a guest cart to the account on login, and can capture the billing email typed on the checkout page before the order exists ("Email early capture").
- **Guest-to-customer merge** (B6).
- **Proxy-aware IP** detection and bot detection.

⛔ Do not describe tracking as "cookie-less analytics", "GDPR-compliant by design" or "consent-managed". State what is true: data stays on the store's server; the plugin registers WordPress personal-data exporters and erasers for notes (Free), and for tags and carts (Pro); session rows can be deleted by date range on Pro.

Source: `public/class-pd-customer-history-public.php:65-139`, `includes/data/class-pdwchs-sessions-data.php:181-229`, `includes/class-pd-customer-history.php:707-715, 766-786`.

B2 · The email digest (admin-only)

An optional summary email to the **store owner**, never to customers. Configured on Settings → Reports (SET-02) and, on Pro, Settings → Digest Segment Sheet (SET-04).

- **Cadence.** "Send reports": **Weekly** (last 7 days) or **Monthly** (last 30 days). The first send is the next midnight in site time after the setting is saved; the scheduler self-heals duplicates.
- **Recipient.** "Send reports to", falling back to the WordPress admin email.
- **Subject.** "Weekly reports" or "Monthly reports". **Body.** "Hi! Please check attached weekly/monthly reports for {sections} from {start} to {end}", a 3-row HTML preview per section, and "Please download attached files to see full reports".

Section	Tier	CSV file and columns
Order	FREE	`customers_order_history_from_{start}_to_{end}.csv` — Date, Order ID, Customer ID, Quantity, Amount, Status
Top customers	FREE	`top_customers_history_from_{start}_to_{end}.csv` — Customer, Total Amount, Total Orders
Search	PRO	`customers_search_history_from_{start}_to_{end}.csv` — Keyword, Count
Most viewed products	PRO	Product ID, Product Name, Count
Most viewed categories	PRO	Category, Count
Segment sheet	PRO	`segment-{slug}-{Y-m-d}.csv` — the chosen saved segment's members (Standard export columns), evaluated when the digest runs

- With no section selected, nothing is sent. With sections selected but no rows in the period, nothing is sent either.
- There is no "send test digest" button and no preview screen.

⛔ The digest is not a "customer newsletter", "campaign" or "automated outreach". It is one report email to the admin.

Source: `includes/class-pd-customer-history.php:106-113, 140-154, 203-270, 280-553`; `pro/Intelligence/Intelligence.php:1550-1722`; `pro/Digest/Segment-Sheet.php`.

B3 · Free limits, and what changes when Pro is active

Limit	Free value	How it is enforced	What the user sees
Customers in the list	most recent **100**	`pdwchs_customer_list_limit` filter, applied after all filtering	Banner on Customers & Users: "The free version includes up to 100 customers in this list — you have N in total. Customer History Pro includes every customer."
Analytics read window	most recent **90 days**	`pdwchs_data_window_days` filter; every read query clamps its start date; the date pickers set a minimum date	Banner "The free version includes your most recent 90 days of activity. Customer History Pro includes your full history — your older data is already collected and waiting." on Dashboard and Search Analytics
Saved custom segments	**1**	`pdwchs_segment_creation_cap` filter	Modal "Unlock unlimited segments with Pro" when a second save is attempted

Collection is never windowed. Every session, search, view, cart event and order is stored from the day the plugin is activated, for every customer. The 90-day window only limits what Free *reads*.

When Pro is active the two filters return "unlimited" (`pro/Scope-Uncap.php`), the segment cap is lifted, the Search Analytics tab is replaced by Sessions and Statistics, and the Pro menus, widgets, columns, filters, cards, settings and presets appear (A18 lists them). No data is migrated; the nightly jobs (B5) then populate the intelligence tables. Until they have run once, Pro screens show their "not calculated yet" states.

Pro gating. Everything Pro hangs off one switch: the Freemius licence or trial (`can_use_premium_code()`). When the licence lapses the entire Pro code tree stops loading; the data stays in the database.

B4 · Definitions — state these exactly

All Pro. Use these names and thresholds verbatim; do not round, rename or "simplify" a band.

B4.1 RFM scoring and the segments (⚑ content rule)

Each customer gets three scores from 1 to 5 (0 = no completed orders), recalculated nightly at 2:00 AM.

Score	5	4	3	2	1
Recency — days since last *completed* order	≤ 30	≤ 60	≤ 90	≤ 180	> 180
Frequency — lifetime completed orders	≥ 20	≥ 10	≥ 5	≥ 2	1
Monetary — total spent ÷ store average spend	≥ 3.0×	≥ 2.0×	≥ 1.5×	≥ 0.75×	below

Segments are assigned by the first matching rule, in this order:

Segment	Rule	Icon	Description shown in the UI
Champions	R ≥ 4, F ≥ 4, M ≥ 4	⭐	Your best customers - recent, frequent, high-value buyers
Loyal	R ≥ 3, F ≥ 4	💙	Frequent buyers who are consistently engaged
Potential Loyalist	R ≥ 4, F 2–3	🌟	Recent buyers showing promise for loyalty
New Customer	R ≥ 4, F = 1	🆕	First-time buyers in critical retention window
Promising	R ≥ 3, F = 1, M ≥ 3	💎	Recent big spenders with high potential value
Cannot Lose	R ≤ 2, F ≥ 4, M ≥ 4	🆘	High-value customers at risk of churning
At Risk	R ≤ 2, F ≥ 3	🚨	Previously good customers who are slipping away
Needs Attention	R 2–3, F 2–3	⚠️	Average customers showing signs of decline
Lost	R = 1, F ≤ 1	💔	Extremely inactive customers with very low recovery chance
Hibernating	R ≤ 2, F ≤ 2, M ≤ 2	😴	Long inactive customers with low historical value
Undefined	anything else	❓	Customers who do not fit any standard segment criteria

Say "ten segments" (Undefined is the catch-all). Because rules are evaluated in order, a first-time buyer in the last 60 days is always "New Customer" before "Promising" can match, so "Promising" only appears for single-order customers whose last order was 61–90 days ago with a monetary score of 3 or more. The **RFM matrix** widget (DASH-21) plots recency band (rows) against frequency band (columns) with a customer count per cell.

Source: `pro/Intelligence/RFM.php:104–260`, `pro/Intelligence/Segments-Labels.php:33–189`.

B4.2 Customer Health Score (⚑ content rule)

A **0–100** score, recalculated nightly at 3:00 AM, the sum of four components:

Component	Max	How it scores
Recent Activity	40	days since last completed order: ≤ 7 → 40, ≤ 30 → 35, ≤ 60 → 25, ≤ 90 → 15, ≤ 180 → 5, else 0
Order Frequency	30	completed orders in the last 12 months: ≥ 12 → 30, ≥ 6 → 25, ≥ 4 → 20, ≥ 2 → 10, 1 → 5, 0 → 0
Spending Trend	20	average of the last 3 orders vs the 3 before: ≥ +25 % → 20, ≥ +10 % → 17, ≥ 0 % → 14, ≥ –9 % → 10, ≥ –24 % → 5, else 0; fewer than 2 orders → neutral 10
Engagement	10	sessions in the last 30 days (≥ 10 → 7, ≥ 5 → 5, ≥ 2 → 3, 1 → 1) plus searches in the last 30 days (≥ 5 → 3, ≥ 2 → 2, 1 → 1), capped at 10

Bands: **Excellent** 81–100 · **Good** 61–80 · **Fair** 41–60 · **Poor** 21–40 · **Critical** 0–20. Trend vs the previous calculation: ↗ **Up N points** when the change is ≥ +5, ↘ **Down N points** when ≤ –5, otherwise **Stable**; the first calculation is always Stable. The "Declining Health Alert" widget lists customers whose score fell by 10 or more points.

Source: `pro/Intelligence/Health.php:111–328, 353–367, 662–708`.

B4.3 Lifecycle stages

Evaluated nightly at 4:00 AM, in this order (first match wins):

Stage	Rule	Icon
Prospect	registered, 0 completed orders	👤
Churned	last order more than 180 days ago	💔
At Risk	last order 91–180 days ago	⚠️
Loyal Customer	3+ orders and last order within 90 days	💜
Active Customer	2 orders and last order within 90 days	✅
New Customer	exactly 1 order, within 90 days	🆕
At Risk (edge case)	exactly 1 order, more than 90 days ago ("Single purchase, now inactive")	⚠️

Every transition is written to a history table with entered and exited dates, which is what the "Customer Journey" list on the profile card (PROF-08) shows. "Days in stage" counts from the entry date, so the "At Risk Customers (30+ Days)" widget (DASH-18) stays empty until a customer has been in that stage for 30 days.

Source: `pro/Intelligence/Lifecycle.php:86–156, 487–492, 679–759`.

B4.4 The 15 behavioral tags (⚑ content rule)

Detected nightly at 5:00 AM and again when an order completes. Each tag carries a confidence percentage (chip colour: ≥ 80 high, ≥ 60 medium, below low). A tag that stops matching is deactivated, not deleted.

Tag	Rule (one line)	Minimum data
Bargain Hunter	coupon used on ≥ 70 % of orders	3 orders
Impulse Buyer	≥ 60 % of orders placed within 3 hours of the first session, or average decision time under 3 hours	3 orders with sessions
Brand Loyal	top brand ≥ 40 % of items, or 2+ brands bought at least twice	3 orders, 3 items
Gift Shopper	≥ 50 % of orders in Feb, May, Jun, Nov or Dec, or ≥ 30 % with gift wrap, or ≥ 3 distinct products per order on average	3 orders
Weekend Shopper	≥ 60 % of orders on Saturday or Sunday	5 orders
Night Owl	≥ 50 % of orders between 21:00 and 03:00	5 orders
Cart Abandoner	(cancelled + pending) ÷ (completed + cancelled + pending) orders ≥ 30 %	5
Researcher	≥ 5 sessions, or ≥ 3 days of browsing, before a purchase on average	2 orders
Subscription Seeker	subscription items ≥ 25 % of items, or 2+ subscription products, or ≥ 5 subscription page views	2 orders
Category Specialist	top category ≥ 50 % of items, or top two ≥ 70 %	3 orders, 3 items
Bulk Buyer	≥ 5 items per order on average, or any order of ≥ 10 items	3 orders
Trendsetter	≥ 30 % of purchased products bought within 30 days of the product's publish date	3 orders, 3 products
Seasonal Shopper	≥ 60 % of orders in a single season	4 orders
Mobile Shopper	≥ 70 % of sessions carry a mobile hint	5 sessions
Desktop Shopper	≥ 70 % of sessions carry no mobile hint	5 sessions

Note for accuracy: the Mobile/Desktop detectors read the stored *referer* string for mobile keywords (the sessions table has no user-agent column), so treat those two tags as approximate.

Source: `pro/Intelligence/Behavioral.php:33–91, 348–1224`, `pro/Intelligence/Behavioral-Insights.php:43–143`.

B4.5 Churn score, risk levels and alerts (⚑ content rule)

- **Score 0–100** = weighted sum of four 0–100 components: **Recency 40 %**, **Frequency 25 %**, **Monetary 20 %**, **Engagement 15 %** (weights editable on the Settings tab, must total 100). Recalculated nightly at 2:00 AM. Needs at least **2 orders** (editable); below that the profile card reads "Insufficient order history for churn prediction. Minimum 2 orders required."
- **Risk levels** (thresholds editable): **Low Risk** 0–30 · **Medium Risk** 31–60 · **High Risk** 61–80 · **Critical Risk** 81–100.
- **Primary indicator** labels: Extended absence · Declining purchase frequency · Declining spending · Reduced engagement.
- **Predicted next order** = the customer's typical order gap projected from the last order; "days overdue" is how far past that date they are.
- **Alerts** (hourly job) are created for critical-risk customers, for customers whose level rose, and for newly at-risk customers. Priority 1–10 = base 5, +4 critical / +2 high, +2 if lifetime spend ≥ 1000 / +1 if ≥ 500, +1 if 60+ days overdue. Statuses: New, Viewed, In Progress, Resolved, Dismissed. An alert email can go to **the admin recipient** configured on the Settings tab.

⛔ Prediction and admin alerting only. Since 3.0.2 there is no coupon creation and no win-back email to the customer. The RFM component of the ensemble predictor is not wired into the score shown on screen (documented in the 3.0.2 changelog).

Source: `pro/Intelligence/Churn.php:42–75, 141–166, 1025–1034`, `pro/Intelligence/Churn–Alerts.php:218–300, 430–455`, `pro/Intelligence/Churn–Predictor.php:51–56`.

B4.6 Cohorts, retention, expected CLV, LTV, refund rate, order gap

- **Cohort** = the calendar month of a customer's first completed or processing order. Registered customers are identified by account, guests by billing email; a guest who later registers appears in both. Columns M+0 … M+12; up to 24 acquisition months. Recalculated daily at 3:30 AM and once 5 minutes after activation. The matrix is stored, so the page loads instantly.
- **Retention window** (DASH-11): churn rate over a selectable window (15/30/60/90 days, 4/6/12/24 months). **Expected CLV** = average monthly value × (1 ÷ churn rate). Registered customers only.
- **LTV distribution** (DASH-12): customers bucketed by lifetime spend into brackets that scale with the store (base brackets 0, 50, 100, 250, 500, 1000, 2500, scaled by powers of ten), with average and median lifetime value.
- **Refund rate** (CUST-04): refunded amount ÷ amount billed, across completed, processing and refunded orders, registered customers only; badge bands green < 10 %, amber ≥ 10 %, red ≥ 30 %.
- **Avg order gap** (CUST-04): mean days between orders from the nightly churn calculation; blank until scored or with a single order; badge bands green < 30 days, amber ≥ 30, red ≥ 90.

Source: `pro/Analytics/Cohorts/Cohort–Data.php:24–36`, `pro/Analytics/Revenue/Retention–Metrics.php:39–83`, `pro/Analytics/Revenue/LTV–Distribution.php:55`, `pro/Analytics/Revenue/Refund–Rate–Column.php:85–149`, `pro/Intelligence/Order–Gap–Column.php:71–147`.

B5 · The nightly schedule (why numbers are not live)

Pro scores are batch jobs. When filming, let them run the night before, or use "Recalculate Now" on a profile card. Times are site time.

Job	When	What it recomputes
Store average spend	daily 1:00 AM	The baseline for the RFM monetary score
RFM	daily 2:00 AM	R/F/M scores and segment for every customer
Churn	daily 2:00 AM	Churn score, level, components, predicted next order, order gap
Health	daily 3:00 AM	Health score, components, trend
Cohorts	daily 3:30 AM (+ once, 5 min after activation)	The cohort matrix
Lifecycle	daily 4:00 AM	Stage, days in stage, history
Behavioral	daily 5:00 AM	All 15 tags and shopping preferences
Cart cleanup	daily 6:00 AM	Deletes cart rows older than the retention setting (default 90 days)

Job	When	What it recomputes
Cart abandonment check	every 15 minutes	Marks idle carts abandoned (default 60 minutes)
Churn alerts	hourly	Creates or escalates alerts
Churn cleanup	weekly, Sunday 3:00 AM	Prunes old history and resolved alerts
Session-merge backfill	one-off chain starting 10 min after Pro activation	Re-keys historical guest sessions (B6)
On order completion	immediately	Recomputes RFM, health, lifecycle and churn for that one customer and queues a behavioral re-analysis

Free-side reads (dashboard widgets, revenue cards, search analytics) are live queries cached in 30-minute transients whose keys include the date range and window.

Source: `pro/Pro-Installer.php:30-64`, `pro/Intelligence/Intelligence.php:173, 470-494, 846-870`, `pro/Carts/Cart-Cron.php:86-98`, `pro/Analytics/Cohorts/Cohort-Cron.php:44-50`.

B6 · Guest-to-customer merge (Pro)

When a visitor who browsed as a guest later logs in, registers or checks out, the plugin re-keys that visitor's earlier anonymous session rows (searches, views, cart events) to the account by matching the stored PHP session id. A one-time, resumable background backfill (200 sessions per tick) repairs history that was collected before Pro was activated. It is pure data linkage: no fingerprinting, no probabilistic cross-device matching, no settings, no UI. The visible effect is a fuller Activity Timeline (PROF-02) and better engagement scores.

⛔ Do not call it "identity resolution" or "cross-device tracking".

Source: `pro/Tracking/Session-Merge.php:25-53`, `pro/Tracking/Session-Merge-Backfill.php:30-83`.

B7 · Privacy and data handling

- All data is stored in the site's own database; the plugin makes no outbound requests of its own. (The bundled Freemius SDK runs its standard opt-in dialog for licensing and update checks; that is Freemius, not the plugin's analytics.)
- **Personal-data tools.** Registered with WordPress's exporter/eraser framework (Tools → Export / Erase Personal Data): "Customer Notes" (Free), manual tags and cart records (Pro).
- **Local telemetry.** Two set-once options (first activation time, first Free limit reached) shown read-only under Tools → Site Health → Info (SYS-01). Nothing is transmitted.
- **Session data tools (Pro).** Export all session rows to CSV, import a CSV, delete rows by date range, or delete all (SET-05). Cart rows are pruned automatically after the retention period.
- The manual customer email (A4) is sent with `wp_mail()` from the site; the message is not stored.

B8 · Compatibility and technical facts safe to state

- WordPress 6.0+, WooCommerce 7.0+, "WC tested up to 11.0" declared in the plugin header, PHP 7.4+.
- Declares HPOS (custom order tables) compatibility and reads orders through WooCommerce CRUD.
- Requires WooCommerce; shows an admin error without it.
- Chart.js 4.4.1 bundled locally; on Free it is loaded only on the Dashboard and Revenue screens.
- Heavy queries cached in transients; scores computed by cron, not on page load.
- Internal cautions (do not claim the opposite in public copy): the WooCommerce 11.0 compatibility checklist in `tests/wc-11-compat-checklist.md` is marked not yet run; the plugin does not declare Blocks-checkout compatibility; the static-analysis configs cannot currently run, so do not claim "PHPStan-clean" or "security-scanned" (`docs/DEFERRED-FIXES.md` #3).

---

§C · What changed from 3.0.0 to 3.1.2

`readme.txt` carries three post-2.x changelog entries: **3.0.0**, **3.0.2** and **3.1.2**. There are no 3.0.1, 3.1.0 or 3.1.1 entries (3.0.1 is folded into 3.0.2; 3.1.0 and 3.1.1 were planned stops that never shipped separately). Everything below is in the shipped 3.1.2 build.

C.1 · 3.1.2 — Release 1.5, "See the Whole Customer"

Change	Tier	Where to see it
Repeat Purchase Rate card on the Revenue page, with period-over-period change	FREE	REV-02
Zero-Result Searches panel on Search Analytics (recording starts on upgrade; the empty state shows the date)	FREE	SA-04
Customer Notes: private, admin-only notepad on every profile; covered by personal-data export and erase	FREE	PROF-05
Digest interval: weekly or monthly	FREE	SET-02, B2
Cohort Retention: monthly cohorts heat-map, average-retention chart, customers and revenue views, CSV export, precomputed daily	PRO	STAT-08, A14
Customer Activity Timeline on the profile: searches, views, cart events, orders, with filter and "Load older"	PRO	PROF-02
Guest-to-Customer Merge with one-time backfill	PRO	B6
Order-Screen Intelligence Panel on the WooCommerce order editor	PRO	WC-01
Retention Metrics Pack: churn rate over 15/30/60/90 days and 4/6/12/24 months, expected CLV	PRO	DASH-11
Manual Tags: page, profile panel, list filter, segment condition	PRO	TAGS-01, PROF-11, CUST-02
Geographic Performance report with country comparison and its own date range	PRO	STAT-10
LTV Distribution histogram with average and median	PRO	DASH-12
Refund-rate column, "refund rate" filter and segment condition	PRO	CUST-04, CUST-02
RFM matrix heat-map	PRO	DASH-21
Average order-gap column	PRO	CUST-04
Digest segment attachment	PRO	SET-04, B2
Klaviyo and Mailchimp CSV export presets (files only)	PRO	SEG-02
Dedicated Zero-Result Searches page under Statistics	PRO	STAT-03
Settings page: every section uses the same card layout	FREE	A15
Fixed: Delete button on Segments could paint outside the table	FREE	SEG-02
Security: search keyword escaped on the Pro Keywords page	PRO	STAT-02
Compatibility: "tested against WooCommerce 11.0" (see the B8 caution)	—	—
Upgrade notes: new tables and columns created automatically; uninstall cleanup split per build	—	—

C.2 · 3.0.2 (includes the unlisted 3.0.1)

- **Removed** the churn screen's "Create Coupon" action and the automated win-back email. The plugin now creates no coupons and sends no marketing email to customers. The manual one-to-one email tool (A4) is unchanged.
- Churn card shows a predicted next-order date next to "days overdue" (PROF-10).
- Fixed the RFM component of the churn predictor reading the wrong stored values; it is **not yet wired into on-screen scores**.
- Fixed Pro feature descriptions that listed behavioral badges the plugin does not produce.
- Removed unused legacy referral and points code; uninstall clears legacy referral settings.

- Tested against WooCommerce 10.7; bundled Freemius SDK 2.13.4 confirmed unaffected by the reported SDK vulnerabilities.
- 3.0.1: hardened guest, bot and registered-user handling in the sessions list; live demo details added to the listing.

C.3 · 3.0.0 baseline (for context)

Customer Intelligence Dashboard with widgets and period comparison; Search & Discovery Analytics page; per-customer profile; view tracking; Revenue snapshot; Order History page; Customer Segments with CSV export; weekly admin digest; manual one-to-one email tool; Free-tier scope (100 customers, 90 days) with scope banners; HPOS compatibility.
Repositioning note: 2.1.8 bundled analytics that 3.x moved into Pro. Any communication to existing 2.x users needs sign-off from the PureDevs owner; do not frame it as "features you had are now paid".

---

§D · Accuracy guardrails — do not claim

Read before writing or recording anything. These come from the project rules (`CLAUDE.md`), the permanent cut list in `docs/R15/PureDevs_Final_Release_Plan_1_5_and_2_0.md` §6, the fix record in `docs/DEFERRED-FIXES.md` , the 3.0.2 changelog, and the content strategy in `docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5.

D.1 · Never say the plugin does these

❌ Do not claim	✅ What is true
Sends automated, bulk or marketing emails to customers; "win-back", "re-engagement" or "recovery" emails	The only customer-facing email is a manual one-to-one message the admin writes and sends from a profile (A4). Digest and churn-alert emails go to the **admin** only.
Recovers abandoned carts, "wins back carts automatically", sends cart-recovery messages	Abandoned-cart tracking observes and reports: status, contents, value, timeline (A11).
Creates coupons, discounts, offers	Removed in 3.0.2. No coupon is created or managed anywhere.
Runs campaigns, automations, workflows, drip sequences, triggers	None. Churn alerts are records for the admin with a status and an assignee.

❌ Do not claim	✅ What is true
Connects to Klaviyo, Mailchimp, Google Sheets, a helpdesk, any API, webhook or sync	The Klaviyo and Mailchimp *export presets* are CSV column layouts for a file you download (SEG-02). No connection of any kind.
Loyalty points, referrals, tiers, rewards, NPS, surveys	None. Legacy referral and points code was removed.
Modifies orders, products or WooCommerce settings; impersonates customers	Read-only against WooCommerce.
Product recommendation widgets, "interest scoring", search redirects or a "resolution engine" for zero-result searches	Zero-Result Searches is a report (SA-04, STAT-03). Frequently Bought Together is a report (STAT-09), not a storefront widget.
Task management, reminders, follow-up scheduling, shipment tracking	Notes are plain text (PROF-05).
Cross-device or probabilistic identity matching, fingerprinting	Guest merge links sessions by the stored session id only (B6).

D.2 · Careful wording on what it does do

- **Churn is prediction and alerting, not prevention.** Say "flags who is at risk"; never "stops churn" or "brings customers back". The RFM component of the predictor is not yet wired into on-screen scores.
- **Scores are nightly.** Never "real-time customer scoring". Free-side widgets are near-live (30-minute cache).
- **Zero-Result Searches and result counts accrue from the 3.1.2 upgrade date**, not retroactively.
- **Cohorts count guests by billing email and registered customers by account**; totals will not match the Revenue widget's new/returning/guest split (the page says so).
- **Retention, expected CLV, repeat purchase rate and refund rate cover registered customers only.**
- **Free limits are read limits.** Say "Free shows the most recent 100 customers and 90 days"; never "Free only tracks 90 days".
- **Free dashboard has six widgets.** `readme.txt` and the 3.0.0 brief say seven and list "top categories" under Free; in 3.1.2 the category and brand widgets, and the category panel on Search Analytics, only render with Pro. Do not show or promise category analytics as a Free feature until the owner decides whether that is a bug or the intended split.
- **Privacy.** Say "self-hosted, nothing leaves your server, works with WordPress's personal-data export and erase tools". Do not say "GDPR-compliant", "cookie-less", "consent-managed" or "anonymised" (IP addresses and emails are stored).
- **Compatibility.** "HPOS-compatible" is safe. Do not claim Blocks-checkout compatibility, a full WooCommerce 11 test pass (the internal checklist is unrun), or "statically analysed / security-scanned".

- **The "Automation Add-on"** named in the cart widget and cart settings copy is a separate product. Do not describe its features as part of this plugin, and do not promise it.
- **Email templates** exist in code but have no UI; do not advertise "email templates".
- **The Top Selling widget counts on-hold, processing and completed orders for the calendar month**; revenue cards count completed and processing only. They are different numbers.
- **Mobile Shopper / Desktop Shopper tags** are inferred from the stored referer string, not a user-agent; present them as approximate.

D.3 · Content rule flags (⚑)

`docs/content/PureDevs_Proof_Marketing_Ad_Strategy_v1.md` §4.5 (18 Sep 2026) rules: **never pitch** RFM, churn scores, health scores or behavioral tags, and never use recovery language, automation claims, coupons, loyalty mechanics or "per-customer session history" as a hook. Entries flagged ⚑ in Part A (DASH-14, DASH-15, DASH-16, DASH-19, DASH-20, DASH-21, PROF-06, PROF-07, PROF-09, PROF-10, CHURN-01 to CHURN-04, the ready-made Pro segments in SEG-03, and B4.1, B4.2, B4.4, B4.5) are documented here so the team can cross-check them in the dashboard; leading a piece with them needs the owner's decision. Note the tension: the wp.org "Upgrade to Pro" section and the locked-preview cards on Free (A18) still pitch exactly these features.

D.4 · Statistic embargo

Do not publish the "23–41 % of searches return zero results" statistic (single unverified source) or any figure from the strategy doc's "reported, spot-verify" list until it is verified against a primary source. Numbers in this document's screenshots are synthetic demo data and must not be quoted as customer results.

---

§E · Pricing and CTA

Placeholder. Pull plan names, prices, billing period and trial length from the **Freemius dashboard** (product 7511) before anything ships; never invent a number, discount or launch price.

- Pro plan name(s) and price(s): *[from Freemius]*
- Billing: *[from Freemius]*
- Trial: the plugin is configured for a **30-day trial without payment details** (`trial` block in the main plugin file); confirm it is enabled on the dashboard before saying so.
- Upgrade CTA inside the plugin: the Freemius pricing page at `admin.php?page=pd-woo-dashboard-pricing` and every "Unlock with Pro" / "See what Pro adds" button (A18).
- Free download: WordPress.org listing `puredevs-customer-history-for-woocommerce`.

---

§F · Screenshot index and how to re-shoot

All images are in `docs/marketing/screenshots/` (102 files). IDs match the entry IDs in Part A. Captured at 1440 px wide from a local demo store; the numbered callouts are drawn in the browser by the capture script, so they can be regenerated exactly. "Tier" is the tier the site was in when the shot was taken.

ID	Tier	Screen	Page	Callouts	File
NAV-01	pro	Plugin menu and top tab bar (Pro)	`pd-woo-dashboard`	1 Customer History admin menu · 2 Top tab bar on every plugin page · 3 Sessions tab (Pro) · 4 Statistics tab (Pro)	112 KB
NAV-02	pro	Statistics sub-navigation (Pro)	`pd-woo-stats`	1 Statistics sub-navigation: 14 report tabs	28 KB
NAV-03	pro	Sessions sub-navigation (Pro)	`pd-woo-sessions`	1 Live Sessions / Live Searches / Trash	18 KB
DASH-00	pro	Dashboard, full page (Pro)	`pd-woo-dashboard`		924 KB

ID	Tier	Screen	Page	Callouts	File
DASH-01	pro	Dashboard widget: Top Customers	`pd-woo-dashboard`	1 Widget heading "Top Customers" · 2 Table / chart toggle · 3 View All → Customers & Users · 4 Collapse / expand · 5 Data table	28 KB
DASH-01-chart	pro	Dashboard widget: Top Customers (chart view)	`pd-woo-dashboard`		14 KB
DASH-02	pro	Dashboard widget: Latest Orders	`pd-woo-dashboard`	1 Widget heading "Latest Orders" · 2 View All → Order History · 3 Collapse / expand · 4 Data table	52 KB
DASH-03	pro	Dashboard widget: Top Selling Products by This Month	`pd-woo-dashboard`	1 Widget heading "Top Selling Products by This Month" · 2 Table / chart toggle · 3 View All → Top Selling Products (Pro) · 4 Collapse / expand · 5 Data table	24 KB
DASH-03-chart	pro	Dashboard widget: Top Selling Products by This Month (chart view)	`pd-woo-dashboard`		16 KB
DASH-04	pro	Dashboard widget: Top Searches	`pd-woo-dashboard`	1 Widget heading "Top Searches" · 2 Table / chart toggle · 3 View All → searches · 4 Collapse / expand · 5 Data table	18 KB
DASH-04-chart	pro	Dashboard widget: Top Searches (chart view)	`pd-woo-dashboard`		12 KB
DASH-05	pro	Dashboard widget: Most viewed Product categories	`pd-woo-dashboard`	1 Widget heading "Most viewed Product categories" · 2 Table / chart toggle · 3 View All · 4 Collapse / expand · 5 Data table	20 KB
DASH-05-chart	pro	Dashboard widget: Most viewed Product categories (chart view)	`pd-woo-dashboard`		14 KB
DASH-06	pro	Dashboard widget: Latest Searches	`pd-woo-dashboard`	1 Widget heading "Latest Searches" · 2 View All · 3 Collapse / expand · 4 Data table	27 KB
DASH-07	pro	Dashboard widget: Most viewed products	`pd-woo-dashboard`	1 Widget heading "Most viewed products" · 2 Table / chart toggle · 3 View All · 4 Collapse / expand · 5 Data table	23 KB
DASH-07-chart	pro	Dashboard widget: Most viewed products (chart view)	`pd-woo-dashboard`		14 KB
DASH-08	pro	Dashboard widget: Most viewed Brands	`pd-woo-dashboard`	1 Widget heading "Most viewed Brands" · 2 Table / chart toggle · 3 View All · 4 Collapse / expand · 5 Data table	13 KB
DASH-08-chart	pro	Dashboard widget: Most viewed Brands (chart view)	`pd-woo-dashboard`		10 KB
DASH-10	pro	Revenue Analytics widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Date-range picker (presets) · 3 Data-integrity badge · 4 Four KPI cards with change vs previous period · 5 Daily / Weekly / Monthly · 6 Revenue Over Time line chart · 7 Revenue by Customer Type: new / returning / guest	86 KB
DASH-11	pro	Retention widget (Pro)	`pd-woo-dashboard`	1 Heading shows the selected window · 2 Window preset: 15d … 24 months · 3 Expected CLV and churn-rate cards · 4 Churn rate per period · 5 Period / Base / Churned / Rate table	68 KB
DASH-12	pro	Lifetime value distribution widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Average and median LTV · 3 Customers counted · 4 Histogram by spend bracket · 5 Bracket / Customers / Share table	55 KB
DASH-13	pro	Abandoned Carts widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Count and value at risk · 3 Observation-only note · 4 Link to the Abandoned Carts page	20 KB

ID	Tier	Screen	Page	Callouts	File
DASH-14	pro	Customer Segments (RFM Analysis) widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Refresh · 3 Doughnut of segment share · 4 Clickable legend (filters the customer list) · 5 Last updated stamp	57 KB
DASH-15	pro	Customer Health Distribution widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Refresh · 3 One bar per band: Excellent … Critical	37 KB
DASH-16	pro	Declining Health Alert widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Customers with a 10+ point drop	16 KB
DASH-17	pro	Customer Lifecycle Funnel widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Prospect → New → Active → Loyal (click a stage to filter) · 3 At Risk and Churned counts · 4 Total customers tracked	33 KB
DASH-18	pro	At Risk Customers (30+ Days) widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Customers in the At Risk stage for 30+ days · 3 View All At Risk Customers	129 KB
DASH-19	pro	Behavioral Segments widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Customers per behavioural tag · 3 Insights list	122 KB
DASH-20	pro	Churn Risk Overview widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 Critical / High / Medium / Active Alerts · 3 Top 5 by risk score · 4 Latest alerts with priority · 5 Link to Churn Prediction page	67 KB
DASH-21	pro	RFM matrix widget (Pro)	`pd-woo-dashboard`	1 Heading · 2 How to read the grid · 3 Recency (rows) × frequency (columns), count per cell · 4 Scores last calculated	37 KB
CUST-01	pro	Customers & Users, full page (Pro)	`pd-woo-customers`	1 Page title · 2 Advanced search filters · 3 Download CSV · 4 Keyword search (Pro) · 5 Rows per page (Pro) · 6 Customer list	379 KB
CUST-02	pro	Customer filters (Pro shows every filter)	`pd-woo-customers`	1 Role (Pro) · 2 Country (Pro) · 3 Refund Rate (Pro) · 4 RFM Segment (Pro) · 5 Health Score (Pro) · 6 Health Trend (Pro) · 7 Behavior (Pro) · 8 Manual Tag (Pro) · 9 Product Purchased · 10 Save as Segment	62 KB
CUST-03	pro	Save as Segment modal	`pd-woo-customers&order_number=greater_then&order_number_input=2`	1 Segment name · 2 Description (optional) · 3 Save Segment	24 KB
CUST-04	pro	Customer list columns (Pro adds six)	`pd-woo-customers`	1 RFM Segment · 2 Health Score · 3 Lifecycle Stage · 4 Behaviors · 5 Refund Rate · 6 Avg Order Gap · 7 View / Email actions	86 KB
CUST-05	pro	List controls: keyword search, rows per page, lifecycle filters (Pro)	`pd-woo-customers`	1 Search by name or email · 2 Show N entries · 3 Lifecycle stage · 4 Days in stage	19 KB
PROF-00	pro	Customer Details, full page (Pro)	`pd-woo-customer&user_id={HERO}`		700 KB
PROF-01	pro	Order history grouped by status	`pd-woo-customer&user_id={HERO}`	1 One collapsible group per order status · 2 Collapse / expand · 3 Order / Date / Items / Total / Actions	64 KB
PROF-02	pro	Activity Timeline (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading with Search History / All Sessions links · 2 All / Searched / Viewed / Carted / Ordered · 3 Chronological events · 4 Load older	58 KB
PROF-02b	pro	Activity Timeline filtered to Ordered (Pro)	`pd-woo-customer&user_id={HERO}`		63 KB

ID	Tier	Screen	Page	Callouts	File
PROF-03	pro	Financial Summary	`pd-woo-customer&user_id={HERO}`	1 Seven totals for this customer	20 KB
PROF-04	pro	Personal Information	`pd-woo-customer&user_id={HERO}`	1 Identity and contact · 2 Edit this user	25 KB
PROF-05	pro	Notes	`pd-woo-customer&user_id={HERO}`	1 Heading with live count · 2 Compose a private note · 3 Add Note · 4 Newest first, author and date · 5 Delete	41 KB
PROF-06	pro	RFM Analysis card (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading · 2 Segment badge · 3 R / F / M scores out of 5 · 4 Recommended Actions · 5 Recalculate Now	50 KB
PROF-07	pro	Customer Health Score card (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading with trend chip · 2 0–100 gauge · 3 Score Breakdown: four components · 4 Health Interpretation · 5 Recalculate Now	62 KB
PROF-08	pro	Customer Lifecycle card (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading · 2 Days in stage · 3 Stage history · 4 Recalculate Now	46 KB
PROF-09	pro	Behavioral Profile card (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading with tag count · 2 Detected tags with confidence % · 3 Next Best Action · 4 Shopping Preferences · 5 Refresh Analysis	69 KB
PROF-10	pro	Churn Risk Analysis card (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading · 2 Risk score ring, level, confidence, trend · 3 Risk Components · 4 Key Indicators · 5 Recalculate	54 KB
PROF-11	pro	Manual Tags panel (Pro)	`pd-woo-customer&user_id={HERO}`	1 Heading with count · 2 Manual vs automatic tags note · 3 Add or pick a tag · 4 Assigned tags, × to remove	19 KB
MAIL-01	pro	Send Email to Customer	`pd-woo-customer-email&user_id={HERO}`	1 Compose form · 2 Subject · 3 Message editor · 4 Send Email · 5 Customer sidebar	114 KB
ORD-01	pro	Order History (Pro filters visible)	`pd-woo-order-history`	1 Date range · 2 Total Amount (Pro) · 3 Payment Method (Pro) · 4 Order Status (Pro) · 5 Keyword search (Pro) · 6 Order table	406 KB
REV-01	pro	Revenue page	`pd-woo-revenue`	1 From / To / Apply · 2 KPI cards · 3 Trend chart · 4 Daily net revenue	146 KB
SEG-01	pro	Customer Segments page (Pro)	`pd-woo-segments`	1 Saved Segments panel · 2 + New Segment → Customers page · 3 Segment / Description / Customers / Created By / Created / Actions · 4 Load · export preset · Export CSV · Delete	201 KB
SEG-02	pro	Segment row actions (Pro export presets)	`pd-woo-segments`	1 Load into the Customers page · 2 Standard / Klaviyo / Mailchimp preset (Pro) · 3 Export CSV · 4 Delete (not on Default segments)	58 KB
SESS-01	pro	Live Sessions (Pro)	`pd-woo-sessions`	1 Page title · 2 Sub-navigation · 3 Check for new Sessions · 4 Date range + keyword search · 5 Rows per page · 6 Report table	291 KB
SESS-02	pro	Live Searches (Pro)	`pd-woo-searches`	1 Page title · 2 Sub-navigation · 3 Date range + keyword search · 4 Report table	287 KB
SESS-03	pro	Trash (Pro)	`pd-woo-trash`	1 Page title · 2 Sub-navigation · 3 Report table	110 KB
STAT-01	pro	Statistics: Site Pages (Pro)	`pd-woo-stats`	1 Page title · 2 Sub-navigation · 3 Keyword search · 4 Rows per page · 5 Report table	244 KB

ID	Tier	Screen	Page	Callouts	File
STAT-02	pro	Statistics: Keywords (Pro)	`pd-woo-search-stats`	1 Page title · 2 Sub-navigation · 3 Keyword search · 4 Report table	165 KB
STAT-03	pro	Statistics: Zero-Result Searches (Pro)	`pd-woo-zero-result-searches`	1 Page title · 2 Sub-navigation · 3 Search terms · 4 Report table	198 KB
STAT-04	pro	Statistics: Viewed vs Purchased Ratio (Pro)	`pd-woo-product-view-stats`	1 Page title · 2 Sub-navigation · 3 Product search · 4 Report table	185 KB
STAT-05	pro	Statistics: Top Selling Products by This Month (Pro)	`pd-woo-top-selling-stats`	1 Page title · 2 Sub-navigation · 3 Report table	152 KB
STAT-06	pro	Statistics: Product Revenue & Comparison (Pro)	`pd-woo-product-revenue`	1 Products (max 3) · Date Range · Granularity · Apply · 2 One line per product · 3 Summary cards	160 KB
STAT-07	pro	Statistics: Aggregate Conversion Funnel (Pro)	`pd-woo-conversion-funnel-stats`	1 Date Range · Granularity · Apply · 2 Visitors → Add to Cart → Checkout Started → Purchased · 3 Stage-to-stage conversion rates · 4 Funnel Over Time · 5 Per-product session funnel (Last N days) · 6 Num of Days	299 KB
STAT-08	pro	Statistics: Cohort Retention, customers view (Pro)	`pd-woo-cohorts`	1 Customers / Revenue view · 2 Export CSV · 3 Average retention by month since first order · 4 Cohort × M+0 … M+12 heat-map	230 KB
STAT-08b	pro	Statistics: Cohort Retention, revenue view (Pro)	`pd-woo-cohorts&view=revenue`		120 KB
STAT-09	pro	Statistics: Frequently Bought Together (Pro)	`pd-woo-product-correlations`	1 Anchor Product · 2 Window: 30 / 60 / 90 / 180 days · 3 Show top 5 / 10 / 20 · 4 Rank / Product / Co-occurrences / Confidence	129 KB
STAT-10	pro	Statistics: Geographic Performance (Pro)	`pd-woo-geographic`	1 Date range + Apply · 2 Net sales · Orders · Items · Countries · 3 Compare countries · 4 Country A · 5 Comparison chart · 6 Sortable country table	194 KB
STAT-11	pro	Statistics: Category View (Pro)	`pd-woo-category-stats&pd_taxonomy=product_cat`	1 Page title · 2 Sub-navigation · 3 Report table	129 KB
STAT-11b	pro	Statistics: Brand View (Pro)	`pd-woo-brand-stats&pd_taxonomy=product_brand`	1 Page title · 2 Sub-navigation · 3 Report table	120 KB
STAT-12	pro	Statistics: Revenue Patterns, Day of Week (Pro)	`pd-woo-revenue-patterns`	1 Date Range · View · Apply · 2 Best / worst day and hour · 3 Revenue by day of week	117 KB
STAT-12b	pro	Statistics: Revenue Patterns, Hour of Day (Pro)	`pd-woo-revenue-patterns`		113 KB
STAT-12c	pro	Statistics: Revenue Patterns, Heatmap (Pro)	`pd-woo-revenue-patterns`		104 KB
STAT-13	pro	Statistics: Total Spent (Pro)	`pd-woo-stats-spent`	1 Page title · 2 Sub-navigation · 3 Rows per page · 4 Report table	190 KB
CART-01	pro	Abandoned Carts list (Pro)	`pd-woo-abandoned-carts`	1 Status · Date range · Min total · Filter · 2 Customer / Items / Total / Status / Last Updated / Actions	279 KB

ID	Tier	Screen	Page	Callouts	File
CART-02	pro	Cart Detail (Pro)	`pd-woo-abandoned-carts&cart_id={CART}`	1 Heading with status chip · 2 Customer or guest details · 3 Cart Contents · 4 Status Timeline	145 KB
CHURN-01	pro	Churn Prediction: At-Risk Customers tab (Pro)	`pd-woo-churn-prediction`	1 Critical / High / Medium / Active Alerts · 2 At-Risk · Alerts · Analytics · Settings · 3 Risk level filter · 4 Sort · 5 At-risk table with score, indicator, value, last order	323 KB
CHURN-02	pro	Churn Prediction: Alerts tab (Pro)	`pd-woo-churn-prediction&tab=alerts`	1 Heading · 2 New / In Progress / Resolved · 3 Status (inline) · 4 Assigned To (inline)	331 KB
CHURN-03	pro	Churn Prediction: Analytics tab (Pro)	`pd-woo-churn-prediction&tab=analytics`	1 Risk Distribution doughnut · 2 Alert Statistics · 3 Stacked risk bar	143 KB
CHURN-04	pro	Churn Prediction: Settings tab (Pro)	`pd-woo-churn-prediction&tab=settings`	1 Risk Level Thresholds · 2 Scoring Weights (must total 100) · 3 Alert Settings (admin email only) · 4 Minimum Orders · 5 Save Settings	203 KB
TAGS-01	pro	Manual Tags page (Pro)	`pd-woo-manual-tags`	1 Create a tag · 2 Name / Slug / Customers / Created / Actions · 3 Rename · 4 Delete	112 KB
SET-00	pro	Settings, full page (Pro)	`pd-woo-settings`		312 KB
SET-01	pro	General Settings card	`pd-woo-settings`	1 Results per page · 2 Show BOT sessions (Pro) · 3 Save admin sessions (Pro) · 4 Hide users with no orders	43 KB
SET-02	pro	Reports card (digest)	`pd-woo-settings`	1 Order (free) · 2 Top customers (free) · 3 Search (Pro) · 4 Most viewed products (Pro) · 5 Most viewed categories (Pro) · 6 Weekly / Monthly · 7 Recipient	44 KB
SET-03	pro	Abandoned Cart Tracking card (Pro)	`pd-woo-settings`	1 Cart tracking · 2 Email early capture · 3 Abandonment timeout · 4 Data retention	69 KB
SET-04	pro	Digest Segment Sheet card (Pro)	`pd-woo-settings`	1 Attach a segment CSV · 2 Segment	58 KB
SET-05	pro	Session data tools: Export / Import / Empty Tables (Pro)	`pd-woo-settings`	1 Export all session data · 2 Import CSV · 3 Custom Delete by date range / Delete All	32 KB
WC-01	pro	WooCommerce order screen: Customer Intelligence meta box (Pro)	`wc-orders&action=edit&id={HERO_ORDER}`	1 Customer Intelligence meta box · 2 Health · RFM · Lifecycle · LTV · Last seen · Predicted next order · 3 View full profile	26 KB
WC-01b	pro	WooCommerce order screen with the meta box in context (Pro)	`wc-orders&action=edit&id={HERO_ORDER}`	1 Customer Intelligence meta box in the sidebar	269 KB
SYS-01	pro	Site Health → Info → PureDevs Customer History (local telemetry)	`site-health.php?tab=debug`	1 Section · 2 Four read-only fields; nothing leaves the server	5 KB
SYS-02	pro	Tools → Export Personal Data	`export-personal-data.php`	1 WordPress privacy tools — the plugin registers exporters and erasers for notes, tags and carts	108 KB
FREE-00	free	Dashboard, full page (Free)	`pd-woo-dashboard`		228 KB
FREE-01	free	Free dashboard: six widgets, trial notice and the attention banner	`pd-woo-dashboard`	1 Free tab bar: Search Analytics replaces Sessions/Statistics · 2 Notice area: trial notice, with the upsell banner directly below	231 KB

ID	Tier	Screen	Page	Callouts	File
FREE-02	free	Trial notice (premium build without an active licence)	`pd-woo-dashboard`	1 Freemius trial notice (Free build without an active licence)	10 KB
FREE-03	free	Customers list (Free): scope banner and free-only filters	`pd-woo-customers`	1 Free filters: orders, total spent, product purchased · 2 100-customer scope banner · 3 Free columns only	262 KB
FREE-04	free	Customer profile (Free): locked Pro previews	`pd-woo-customer&user_id={HERO}`	1 Locked: Full Session History · 2 Locked: RFM Segment · 3 Locked: Health Score · 4 Locked: Churn Risk · 5 Locked: Behavioral Tags · 6 Locked: Lifecycle Stage	543 KB
FREE-04b	free	Locked card close-up (Free)	`pd-woo-customer&user_id={HERO}`	1 Title · 2 Unlock with Pro	31 KB
FREE-05	free	Segments (Free): one custom segment and the Ready-made Pro segments teaser	`pd-woo-segments`	1 Saved Segments (1 custom on Free) · 2 Locked teaser table · 3 Unlock with Pro	177 KB
FREE-06	free	Segment-cap modal (Free)	`pd-woo-customers&order_number=greater_then&order_number_input=2`	1 Unlock unlimited segments with Pro · 2 Upgrade to Pro · 3 Maybe later	37 KB
FREE-07	free	Search Analytics page (Free only)	`pd-woo-search-analytics`	1 Heads-up notice about admin activity · 2 Top Keyword Searches · 3 Last Searches · 4 Zero-Result Searches · 5 Most Viewed Products	332 KB
FREE-08	free	Revenue page (Free): 90-day floor on the From date	`pd-woo-revenue`	1 From date cannot go earlier than 90 days back · 2 Trend chart	144 KB
FREE-09	free	Settings (Free)	`pd-woo-settings`	1 Two free fields · 2 Order + Top customers, Weekly/Monthly, recipient	140 KB
FREE-10	free	Order History (Free): date range only	`pd-woo-order-history`	1 Date range (90-day floor) · 2 Order list	387 KB

Re-shooting on another store

The tooling lives in `docs/marketing/tooling/` (never shipped; `build.sh` excludes `docs/`). See its `README.md` for the full steps. In short:

1. `seed-demo-data.php` fills a development store with synthetic customers, orders, sessions, carts, tags, notes and segments, then runs every nightly job once. `unseed-demo-data.php` removes it all.
2. `pdwchs-capture-tier.mu-plugin.php` is a temporary dev-only override that forces the Pro or Free tier so both experiences can be captured on one site. Copy it into `wp-content/mu-plugins/` for the session and delete it afterwards. Never deploy it.
3. `build-shots.mjs` defines every shot (URL, actions, clip region, callouts) and writes `shots.json`.
4. `capture-screens.mjs` logs in with a local admin account, captures each shot with Google Chrome, and draws the numbered callouts. `--only ID,ID` re-runs single shots; `--tier free` runs one tier.
5. `build-index.mjs` regenerates `screenshots/INDEX.md`.

Known limits of this capture set.

- `FREE-03` has no 100-customer banner because the demo store has fewer than 100 customers.
- The data-integrity details panel (DASH-10b) has no image because it only opens on a mismatch.
- The Free shots were taken on the development tree (premium build, no licence), so they include the Freemius trial notice. The WordPress.org free zip does not contain `pro/` and never shows it.
- `CUST-03` shows the modal without callout boxes.
- All names, amounts and dates are synthetic.

Appendix

Glossary

Term	Meaning in this plugin
RFM	Recency, Frequency, Monetary: three 1–5 scores per customer that map to a named segment (B4.1).
Health score	0–100 composite of recent activity, order frequency, spending trend and engagement (B4.2).
Lifecycle stage	Prospect, New Customer, Active Customer, Loyal Customer, At Risk, Churned (B4.3).
Behavioral tag	One of 15 automatically detected shopping patterns, each with a confidence % (B4.4). Distinct from **manual tags**, which the store owner applies by hand (A13).
Churn score / risk level	0–100 prediction and its band Low / Medium / High / Critical (B4.5).
Cohort	Customers grouped by the month of their first order; retention is the share who ordered again in month M+n (B4.6).
LTV	Lifetime value: a customer's total completed and processing spend. **Expected CLV** is a store-level projection from average monthly value and churn rate.
Session	One row in the tracking table: a page view, search, add-to-cart or order event, tied to a PHP session id (B1).
Zero-result search	A storefront search that returned no products; recorded with the result count since 3.1.2.
Abandoned cart	A tracked cart with no activity for the timeout (default 60 minutes). **Recovered** = the same cart later checked out.
Segment	A saved set of customer-list filters, re-evaluated live when loaded, counted or exported.
Digest	The admin-only weekly or monthly report email with CSV attachments (B2).
HPOS	WooCommerce High-Performance Order Storage (custom order tables); the plugin supports both HPOS and legacy storage.
Free read window	The 90 most recent days that Free reports show; collection is never limited (B3).
Freemius	The licensing SDK that handles the trial, Pro licence, upgrade page and update delivery.

Source files referenced most often

Area	Path
Free admin pages	`admin/partials/templates/*.php`, dashboard widgets in `admin/partials/templates/dashboard/`
Free menu, assets, upsell	`admin/class-pd-customer-history-admin.php`, `includes/class-pdwchs-upsell.php`, `includes/class-pdwchs-data-window.php`
Tracking and sessions data	`public/class-pd-customer-history-public.php`, `includes/data/class-pdwchs-sessions-data.php`, `includes/data/class-pdwchs-search-stats-data.php`
Revenue (Free)	`includes/analytics/class-pdwchs-revenue-data-free.php`
Segments	`includes/segments/`, `pro/Segments/`
Notes and tags	`includes/crm/`, `pro/CRM/`
Intelligence	`pro/Intelligence/` (RFM, Health, Lifecycle, Behavioral, Churn, templates)
Analytics (Pro)	`pro/Analytics/` (Revenue, Products, Funnel, Cohorts, Geographic, templates)
Carts	`pro/Carts/`
Statistics and sessions pages	`pro/Stats/`
Timeline, merge	`pro/Timeline/`, `pro/Tracking/`
Digest	`includes/class-pd-customer-history.php` (callback), `pro/Digest/Segment-Sheet.php`

Area	Path
Licensing gate	`pro/Trial-Gate.php`, `pro/Scope-Uncap.php`, main plugin file

Entry index

94 entries in Part A, in document order.

ID	Entry
DASH-07	"Most viewed products" — FREE
DASH-01	"Top Customers" — FREE
DASH-02	"Latest Orders" — FREE
DASH-03	"Top Selling Products by This Month" — FREE
DASH-04	"Top Searches" — FREE
DASH-05	"Most viewed Product categories" — PRO
DASH-06	"Latest Searches" — FREE
DASH-07	"Most viewed products" — FREE
DASH-08	"Most viewed Brands" — PRO
DASH-10	"Revenue Analytics" — PRO
DASH-10b	Revenue data-integrity indicator — PRO
DASH-11	"Retention · 30-day window" — PRO
DASH-12	"Lifetime value distribution" — PRO
DASH-13	"Abandoned Carts (Last 7 Days)" — PRO
DASH-14	"Customer Segments (RFM Analysis)" — PRO
DASH-15	"Customer Health Distribution" — PRO
DASH-16	"Declining Health Alert" — PRO
DASH-17	"Customer Lifecycle Funnel" — PRO
DASH-18	"At Risk Customers (30+ Days)" — PRO
DASH-19	"Behavioral Segments" — PRO
DASH-20	"Churn Risk Overview" — PRO
DASH-21	"RFM matrix" — PRO
DASH-B	Upsell banners and trial notice — FREE only
CUST-01	"Customer List" page overview — FREE + PRO
CUST-02	"Advance Search:" filters — FREE + PRO
CUST-03	"Save as Segment" modal — FREE + PRO
CUST-04	Customer list columns — FREE + PRO
CUST-05	List controls: search, rows per page, lifecycle filters — PRO
PROF-01	"{Status} Orders" order history — FREE
PROF-02	"Activity Timeline" — PRO
PROF-03	"Financial Summary" — FREE
PROF-04	"Personal Information" — FREE
PROF-05	"Notes" — FREE
PROF-06	"RFM Analysis" card — PRO

ID	Entry
PROF-07	"Customer Health Score" card — PRO
PROF-08	"Customer Lifecycle" card — PRO
PROF-09	"Behavioral Profile" card — PRO
PROF-10	"Churn Risk Analysis" card — PRO
PROF-11	"Manual Tags" panel — PRO
PROF-L	Locked Pro previews — FREE only
MAIL-01	"Send Email to Customer" — FREE
ORD-01	"Order History" filters and the "Last Orders" table — FREE + PRO
REV-01	Date filter — FREE
REV-02	KPI cards: "Net Revenue", "Orders", "Avg Order Value", "Customers", "Repeat Purchase Rate" — FREE
REV-03	"Net revenue over time" — FREE
SEG-01	"Saved Segments" — FREE + PRO
SEG-02	Row actions: Load, export preset, Export CSV, Delete — FREE + PRO
SEG-03	The five ready-made segments ("Ready-made Pro segments" teaser on Free) — PRO
SEG-04	Free cap: one custom segment — FREE
SA-01	"Heads up" notice about administrator activity — FREE
SA-02	"Top Keyword Searches" — FREE
SA-03	"Last Searches" — FREE
SA-04	"Zero-Result Searches" — FREE
SA-05	"Most Viewed Products" — FREE
SA-06	"Top {Taxonomy plural} Views" — does not render on Free
SESS-01	"Live Sessions" — PRO
SESS-02	"Live Searches" — PRO
SESS-03	"Trash" — PRO
STAT-01	"Site Pages" — PRO
STAT-02	"Keywords" — PRO
STAT-03	"Zero-Result Searches" — PRO
STAT-04	"Product View Count" — PRO
STAT-05	"Top Selling Products by This Month" — PRO
STAT-06	"Product Revenue & Comparison" — PRO
STAT-07	"Aggregate Conversion Funnel" — PRO
STAT-08	"Cohort Retention" — PRO
STAT-09	"Frequently Bought Together" — PRO
STAT-10	"Geographic Performance" — PRO
STAT-11	"{Singular} View" taxonomy pages — PRO
STAT-12	"Revenue Patterns" — PRO
STAT-13	"Total Spent" — PRO
CART-01	"Abandoned Carts" list — PRO
CART-02	"Cart Detail" — PRO
CART-L	Cart lifecycle, schedule and privacy — PRO

ID	Entry
CHURN-S	Summary stat grid — PRO
CHURN-01	"At-Risk Customers" tab — PRO
CHURN-02	"Churn Alerts" tab — PRO
CHURN-03	"Churn Analytics" tab — PRO
CHURN-04	"Churn Prediction Settings" tab — PRO
TAGS-01	"Manual Tags" page — PRO
SET-01	"General Settings" — FREE + PRO
SET-02	"Reports" (the admin digest) — FREE + PRO
SET-03	"Abandoned Cart Tracking" — PRO
SET-04	"Digest Segment Sheet" — PRO
SET-05	Session data tools: "Export", "Import", "Empty Tables" — PRO
WC-01	"Customer Intelligence" meta box — PRO
SYS-01	Site Health → Info → "PureDevs Customer History" — FREE
SYS-02	Tools → Export / Erase Personal Data — FREE + PRO
SYS-03	Plugins-list link and Freemius menu items — FREE
SYS-04	Trial notice — PRO build without an active licence
FREE-A	The three Free limits — FREE
FREE-B	Where upgrade prompts appear — FREE
FREE-C	Absent on Free — FREE
FREE-D	What changes the moment Pro is active — FREE → PRO