



Step 1: Open PowerShell as Administrator

1. Press **Windows**.
2. Search for **PowerShell**.



3. Right-click **Windows PowerShell**.



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\windows\system32> wsl --install
```

Step 3: Restart Your Computer

After installation, restart your PC when prompted.

Step 4: Complete Ubuntu Setup

After restarting:

1. Ubuntu opens automatically (or search for **Ubuntu** in the Start menu).
2. Wait for the installation to finish.
3. Create a Linux username.

Example:

Enter new UNIX username: anusha

Step 5: Create a Password

You'll then be prompted to create a password.

New password: ****

Retype new password:****

Step 6: Update Ubuntu

```
mokshitha_putti@mokshithaPutti:~$ sudo apt update
[sudo: authenticate] Password:
Hit:1 http://archive.ubuntu.com/ubuntu resolute InRelease [137 kB]
Get:2 http://security.ubuntu.com/ubuntu resolute-security InRelease [137 kB]
Get:3 http://archive.ubuntu.com/ubuntu resolute-updates InRelease [137 kB]
Get:4 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Packages [417 kB]
Get:5 http://security.ubuntu.com/ubuntu resolute-security/main Translation-en [97.2 kB]
Get:6 http://security.ubuntu.com/ubuntu resolute-security/main amd64 Components [46.7 kB]
Get:7 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Packages [159 kB]
Get:8 http://security.ubuntu.com/ubuntu resolute-security/universe Translation-en [51.2 kB]
Get:9 http://security.ubuntu.com/ubuntu resolute-security/universe amd64 Components [43.2 kB]
Get:10 http://security.ubuntu.com/ubuntu resolute-security/restricted amd64 Packages [349 kB]
Get:11 http://security.ubuntu.com/ubuntu resolute-security/restricted Translation-en [67.8 kB]
Hit:12 http://archive.ubuntu.com/ubuntu resolute-backports InRelease
Get:13 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 Packages [492 kB]
Get:14 http://archive.ubuntu.com/ubuntu resolute-updates/main Translation-en [118 kB]
Get:15 http://archive.ubuntu.com/ubuntu resolute-updates/main amd64 Components [97.8 kB]
Get:16 http://archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Packages [243 kB]
Get:17 http://archive.ubuntu.com/ubuntu resolute-updates/universe Translation-en [81.0 kB]
Get:18 http://archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Components [184 kB]
Get:19 http://archive.ubuntu.com/ubuntu resolute-updates/restricted amd64 Packages [307 kB]
Get:20 http://archive.ubuntu.com/ubuntu resolute-updates/restricted Translation-en [70.8 kB]
Fetched 3159 kB in 3s (1017 kB/s)
62 packages can be upgraded. Run 'apt list --upgradable' to see them.
Upgrading:
  apparmor      libapparmor1      libpackagekit-glib2-18  systemd
  apport        libatk-bridge2.0-0t64  libpam-systemd          systemd-cryptsetup
  apport-core-dump-handler  libatk1.0-0t64      libpciaccess0           systemd-resolved
  at-spi2-common  libatspi2.0-0t64     libsystemd-shared       systemd-sysv
```

Step 7: Install GCC (C Compiler)

```
mokshitha_putti@MokshithaPutti:~$ sudo apt install gcc git make -y
gcc is already the newest version (4:15.2.0-5ubuntu1).
gcc set to manually installed.
git is already the newest version (1:2.53.0-1ubuntu1).
git set to manually installed.
make is already the newest version (4.4.1-3).
make set to manually installed.
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 2
mokshitha_putti@MokshithaPutti:~$ |
```

Step 8: Verify the Installation

```
mokshitha_putti@MokshithaPutti:~$ gcc --version
git --version
make --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions. There is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

git version 2.53.0
GNU Make 4.4.1
Built for x86_64-pc-linux-gnu
Copyright (C) 1988-2023 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <https://gnu.org/licenses/gpl.html>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.
mokshitha_putti@MokshithaPutti:~$ |
```

Step 9: Create Your C Program

```
#include <stdio.h>
```

```
#include <unistd.h>
```

```
#include <sys/types.h>
```

```
#include <sys/wait.h>
```

```
#include <stdlib.h>
```

```
int main() {
```

```
    char cmd[100];
```

```
    printf("Enter a Linux command: ");
```

```
    scanf("%s", cmd);
```

```
    pid_t pid = fork();
```

```
    if (pid > 0) {
```

```

    printf("\nParent Process\n");
    printf("Parent PID : %d\n", getpid());
    printf("Child PID : %d\n", pid);
    wait(NULL);
}
else if (pid == 0) {
    printf("\nChild Process\n");
    printf("Child PID : %d\n", getpid());
    printf("Parent PID : %d\n", getppid());

    execlp(cmd, cmd, NULL);

    perror("Command failed");
    exit(1);
}

printf("\nChild process completed.\n");
return 0;
}

```

Example: nano process.c

Step 10: Compile the Program

```
mokshitha_putti@MokshithaPutti:~$ nano process A.c
mokshitha_putti@MokshithaPutti:~$ nano process.c
mokshitha_putti@MokshithaPutti:~$ gcc process.c -o process
mokshitha_putti@MokshithaPutti:~$ ./process
Enter a Linux command: pwd

Parent Process
Parent PID : 536
Child PID  : 539

Child Process
Child PID  : 539
Parent PID : 536
/home/mokshitha_putti

Child process completed.
mokshitha_putti@MokshithaPutti:~$ |
```

