

```
vboxuser@ubuntu: ~/5module/task1
~/5module/task1

vboxuser@ubuntu:~/5module/task1$ make
make -C /lib/modules/7.0.0-15-generic/build M=/home/vboxuser/5module/task1 modules
make[1]: вход в каталог «/usr/src/linux-headers-7.0.0-15-generic»
make[2]: вход в каталог «/home/vboxuser/5module/task1»
warning: the compiler differs from the one used to build the kernel
  The kernel was built by: x86_64-linux-gnu-gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
  You are using:          gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
warning: pahole version differs from the one used to build the kernel
  The kernel was built with: 131
  You are using:          0
make[2]: выход из каталога «/home/vboxuser/5module/task1»
make[1]: выход из каталога «/usr/src/linux-headers-7.0.0-15-generic»
vboxuser@ubuntu:~/5module/task1$
```

```
vboxuser@ubuntu: ~/5module/task1
~/5module/task1

vboxuser@ubuntu:~/5module/task1$ make
make -C /lib/modules/7.0.0-15-generic/build M=/home/vboxuser/5module/task1 modules
make[1]: вход в каталог «/usr/src/linux-headers-7.0.0-15-generic»
make[2]: вход в каталог «/home/vboxuser/5module/task1»
warning: the compiler differs from the one used to build the kernel
  The kernel was built by: x86_64-linux-gnu-gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
  You are using:          gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
warning: pahole version differs from the one used to build the kernel
  The kernel was built with: 131
  You are using:          0
make[2]: выход из каталога «/home/vboxuser/5module/task1»
make[1]: выход из каталога «/usr/src/linux-headers-7.0.0-15-generic»
vboxuser@ubuntu:~/5module/task1$ uname -r
7.0.0-15-generic
vboxuser@ubuntu:~/5module/task1$
```

```
vboxuser@ubuntu: ~/5module/task1
~/.5module/task1

make[1]: вход в каталог «/usr/src/linux-headers-7.0.0-15-generic»
make[2]: вход в каталог «/home/vboxuser/5module/task1»
warning: the compiler differs from the one used to build the kernel
The kernel was built by: x86_64-linux-gnu-gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
You are using: gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
warning: pahole version differs from the one used to build the kernel
The kernel was built with: 131
You are using: 0
make[2]: выход из каталога «/home/vboxuser/5module/task1»
make[1]: выход из каталога «/usr/src/linux-headers-7.0.0-15-generic»
vboxuser@ubuntu:~/5module/task1$ uname -r
7.0.0-15-generic
vboxuser@ubuntu:~/5module/task1$ modinfo ./hello.ko
filename: /home/vboxuser/5module/task1/./hello.ko
version: 1.0
description: Hello World kernel module for Module 5 Task 1
author: Max Krupin
license: MaxKrupin-License
srcversion: 74F7C96175099C008C7423A
depends:
name: hello
retpoline: Y
vermagic: 7.0.0-15-generic SMP preempt mod_unload modversions
vboxuser@ubuntu:~/5module/task1$
```

```
vboxuser@ubuntu: ~/5module/task1
~/.5module/task1

vboxuser@ubuntu:~/5module/task1$ sudo dmesg -C
vboxuser@ubuntu:~/5module/task1$ sudo insmod ./hello.ko
vboxuser@ubuntu:~/5module/task1$ lsmod | grep '^hello'
hello                12288  0
vboxuser@ubuntu:~/5module/task1$ sudo dmesg | tail -n 20
[16760.658846] Hello World!
vboxuser@ubuntu:~/5module/task1$ sudo rmmod hello
vboxuser@ubuntu:~/5module/task1$ lsmod | grep '^hello'
vboxuser@ubuntu:~/5module/task1$ sudo dmesg | tail -n 20
[16760.658846] Hello World!
[16784.532281] Goodbye World!
vboxuser@ubuntu:~/5module/task1$
```