



AppKodes Development Team

Hitasoft Technology Solutions Private Limited

Digital Marketplace: <https://appkodes.com>

Corporate website: www.hitasoft.com



Airfinch

Social Login App Creation

Document




AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com


First you have to create an account in Google by using your mail id.

Creating Google App


1. Go to <https://code.google.com/apis/console> and login using your google account




2. Select credentials. Then click **create a project**



AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com




3. Fill the project name and click **yes** to agree the terms of service, after that click the create button.






AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com

4. Then goto **credentials** click create credentials. You get the popup, select **Oauth client ID**.



5. Click the configure **consent screen button**.



AppCodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appcodes.com>
Corporate website: www.hitasoft.com

Browser address bar: <https://console.developers.google.com/apis/credentials/oauthclient?project=joysale-159511&organiz>

Like our APIs? Check out our infrastructure. Sign up to get \$300 in credit and 60 days to explore Google Cloud Platform. [Learn more](#)

Google APIs hitasoft.com joysale

API Manager

Credentials

Create client ID

To create an OAuth client ID, you must first set a product name on the consent screen

Configure consent screen

Application type

- ☐ Web application
- ☐ Android [Learn more](#)
- ☐ Chrome App [Learn more](#)
- ☐ iOS [Learn more](#)
- ☐ PlayStation 4
- ☐ Other

6. Fill in the details then click the **save** button.

Browser address bar: <https://console.developers.google.com/apis/credentials/consent?createClient&project=joysale-15951>

Google APIs joysale

API Manager

Credentials

Credentials OAuth consent screen Domain verification

Email address

Magimamurugesh@gmail.com

Product name shown to users

joysale

Homepage URL (Optional)

<https://joysalescript.com>

Product logo URL (Optional)

<http://www.example.com/logo.png>

This is how your logo will look to end users
Max size: 120x120 px

Privacy policy URL

Optional until you deploy your app

<https://> or <http://>

Terms of service URL (Optional)

<https://> or <http://>

[Save](#) [Cancel](#)

The consent screen will be shown to users whenever you request access to their private data using your client ID. It will be shown for all applications registered in this project.

You must provide an email address and product name for OAuth to work.



AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com

7. Select web application.

The screenshot shows the Google API Manager interface. The left sidebar has 'API Manager' selected, with sub-links for 'Dashboard', 'Library', and 'Credentials'. The main content area is titled 'Credentials' and contains a 'Create client ID' section. Under 'Application type', 'Web application' is selected. The 'Name' field contains 'Web client 1'. The 'Restrictions' section has two sub-sections: 'Authorized JavaScript origins' with a text input field containing 'http://www.example.com', and 'Authorized redirect URIs' with an empty text input field. The browser's address bar shows the URL 'https://console.developers.google.com/apis/credentials/oauthclient?project=joysale-159512'.

8. Fill the


- **Name**
- **Authorized JavaScript origins**
- **Authorized redirect URIs**

Eg: https://domain_name/site/auth?authclient=google, finally click create button Client id and client secret details popup will appear. These will be used in the admin panel.




AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com

9. Then goto **dashboard** click **ENABLE API**



10. The following window will be appeared select **Google+ API** in social APIs





AppKodes Development Team
Hitasoft Technology Solutions Private Limited
Digital Marketplace: <https://appkodes.com>
Corporate website: www.hitasoft.com

11. Then click **ENABLE** in the following window.

The screenshot shows the Google Developers Console interface for the Google+ API. The browser address bar displays the URL: <https://console.developers.google.com/apis/api/plus/overview?project=joysale-159512>. The page header includes a search bar and a 'SIGN UP FOR FREE TRIAL' button. The left sidebar, under 'API Manager', lists 'Dashboard', 'Library', and 'Credentials'. The main content area is titled 'Google+ API' and features an 'ENABLE' button. Below the title, there is a section 'About this API' with a 'Documentation' link and a 'Try this API in APIs Explorer' link. The 'About this API' section explains that the Google+ API enables developers to build on top of the Google+ platform. It also includes a section 'Using credentials with this API' with a sub-section 'Accessing user data with OAuth 2.0', which describes how to create an OAuth 2.0 client ID and request user consent. A diagram illustrates the OAuth 2.0 flow: 'Your app' (represented by a purple circle with '2') sends a request to 'User consent' (represented by a green checkmark), which then leads to 'User data' (represented by a blue folder icon). Another section, 'Server-to-server interaction', describes how to use the API for server-to-server interaction, such as between a web application and a Google service, requiring a service account and app-level authentication. A diagram illustrates this flow: 'Your service' (represented by a blue server icon) sends a request to 'Authorization' (represented by a blue document icon), which then leads to 'Google service' (represented by a blue server icon).