


Abbreviation:


Ranam rudhiram raudram – R R R




The image shows a screenshot of a Turbo C++ (TC) IDE window. The window has a yellow title bar with the text "TC" and standard window controls. The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 11", "Col 35", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", and a list of function keys "F1" through "F11". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
int i,j;
clrscr();
puts("Enter the string ");gets(s);
if(s[0]!=' ')printf("%c ",s[0]);
for(i=0;s[i]!='\0';i++)
if(s[i]==' ' && s[i+1]!=' ')printf("%c ",s[i+1]);
getch();
}
```


At the bottom of the window, there is a taskbar with various application icons including Windows Explorer, Calculator, DEV C++, Google Chrome, Zoom, Word, and others. The system tray on the right shows the time as 2:33 PM and the date as 01-Jan-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.






```
if(s[0]!=' ') p(s[0]);
```

```
for( i=0; s[i]!='\0';i++)
  if(s[i]==' ' && s[i+1]!=' ')p(s[i+1]);
```



Finding no of words:


I miss you jaanu → 4 words





The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 13", "Col 19", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
int i,c=1;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++)
if(s[i]==' ' && s[i+1]!=' ')c++;
if(s[0]==' ')c--;
if(s[i-1]==' ')c--;
if(s[0]=='\0')c--;
printf("%d words",c);
getch();
}
```

At the bottom right of the IDE window, there is a message: "Activate Windows. Go to PC settings to activate Windows." The Windows taskbar is visible at the very bottom, showing icons for the Start menu, File Explorer, Calculator, DEV C++, Google Chrome, Zoom, Word, Paint, and a folder. The system clock on the right side of the taskbar shows "2:55 PM" and "01-Jan-25".







Title Case[capitalize Each Word]:

TC

File Edit Run Compile Project Options Debug

Line 13 Col 9 Insert Indent Tab Fill Unindent * E


```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
int i,c=1;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++)if(s[i]>='A' && s[i]<='Z')s[i]+=32;
if(s[0]>='a' && s[0]<='z')s[0]-=32;
for(i=0;s[i]!='\0';i++)
if(s[i]==' ' && s[i+1]>='a'&&s[i+1]<='z')s[i+1]-=32;
printf(s);
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.


F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

Windows icons: File Explorer, Calculator, DEV C++, Google Chrome, Zoom, Word, Paint, VS Code, Task View

System tray: Keyboard, Mouse, Network, Volume, 3:02 PM, 01-Jan-25



tOGGLE cASE:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar reads "TC". The menu bar includes "File", "Edit", "Run", "Compile", "Project", "Options", and "Debug". The status bar at the top indicates "Line 12", "Col 49", and lists keyboard shortcuts: "Insert", "Indent", "Tab", "Fill", "Unindent", "*", and "E". The main editing area has a blue background and contains the following C code:


```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
int i,c=1;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++)if(s[i]>='a' && s[i]<='z')s[i]-=32;
if(s[0]>='A' && s[0]<='Z')s[0]+=32;
for(i=0;s[i]!='\0';i++)
if(s[i]==' ' && s[i+1]>='A'&&s[i+1]<='Z')s[i+1]+=32;
printf(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons (Windows, File Explorer, Calculator, DEV C++, Chrome, Zoom, Word, Paint, VS Code, and a terminal). The system tray on the right shows the time as 3:04 PM and the date as 01-Jan-25. An "Activate Windows" watermark is visible in the bottom right corner of the IDE window.

```
TC
Enter the string
kaBHI    KUSHi    kaBHI    GHUm
KABHI    KUSHI    KABHI    gHUM
```

Activate Windows
Go to PC settings to activate Windows.


Sentence case:



The image shows a screenshot of a Turbo C++ (TC) IDE window. The title bar at the top reads "TC". Below it is a menu bar with the following options: File, Edit, Run, Compile, Project, Options, and Debug. A status bar at the top indicates "Line 13 Col 8" and provides keyboard shortcuts for "Insert", "Indent", "Tab", "Fill", "Unindent", and a list of symbols (*, E). The main editing area has a blue background and contains the following C code:

```
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];
int i,c=1;
clrscr();
puts("Enter the string ");gets(s);
for(i=0;s[i]!='\0';i++)if(s[i]>='A' && s[i]<='Z')s[i]+=32;
if(s[0]>='a' && s[0]<='z')s[0]-=32;
for(i=0;s[i]!='\0';i++)
if(s[i]=='.' && s[i+1]==' ' && s[i+2]>='a' && s[i+2]<='z')
s[i+2]-=32;
printf(s);
getch();
}
```

At the bottom of the window, there is a taskbar with various application icons including Windows Explorer, Calculator, DEV C++, Google Chrome, Zoom, Word, and others. On the right side of the taskbar, the system clock shows "3:08 PM" and "01-Jan-25". An "Activate Windows" watermark is visible in the bottom right corner of the IDE window, with the text "Go to PC settings to activate Windows."



```
TC
File Edit Run Compile Project Options Debug
Line 1 Col 16 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
void main()
{
char s[100];int i,j,sp,r,a=0;
clrscr();
puts("Enter the string ");gets(s);
for(r=0;s[r]!='\0';r++); /*len*/
for(i=0;i<r;i++)
{
for(sp=1;sp<r-i;sp++)printf(" ");
for(j=0;j<=i;j++)
{
printf("%-2c",s[a++]);if(s[a]=='\0')a=0;
}
printf("\n");
}
getch();
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

3:30 PM
01-Jan-25

```

Enter the string
KISHORE
  K
  I S
 H O R
E K I S
H O R E K
I S H O R E
K I S H O R E

```

Activate Windows
Go to PC settings to activate Windows.

```

j=0
for( i=0; i<r;i++) ==> 5 rows
{
  for(s=1;s< r-i;s++)p(" ");
  for( c=0; c<=i;c++) p(s[j++]);

  if(s[j]=='\0')j=0;
}

```

5 4 3 INDIA\0
 5-0=5 5=4
 5-1=4
 5-2=3 3
 5-3=2

INDIA\0
 0 1 2 3 4 5
 I N D I A \0
 ✓





```
TC
File Edit Run Compile Project Options Debug
Line 6 Col 29 Insert Indent Tab Fill Unindent * E
#include<stdio.h>
#include<conio.h>
#include<stdlib.h>
void main()
{
char s[100];int i,j,sp,r,a; clrscr();
puts("Enter the string ");gets(s);
for(r=0;s[r]!='\0';r++); /*len*/
while(!kbhit())
{
for(a=0,i=0;i<r;i++)
{
for(sp=1;sp<r-i;sp++)cprintf(" ");
for(j=0;j<=i;j++)
{
textcolor(random(16));
cprintf("%-2c",s[a++]);if(s[a]=='\0')a=0;
}
printf("\n");
}
}
```

Activate Windows
Go to PC settings to activate Windows.

F1 Help F5 Zoom F6 Switch F7 Trace F8 Stop F9 Make F10

3:34 PM
01-Jan-25



DIA

IN

